Author Index to Volume 99

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (T) designate title only. References with (L) are to Letters to the Editor. References with (E) are to Errata.

Aamodt, L. C. (see Fletcher, P. C.)—613(A)
Abe, Hidetaro (see Kumagai, Hiroo)—1116
Adams, E. N., R. E. Davis, and Colman Goldberg. Two-carrier model of p-type Ge at 77°K—625(A)
Adey, Albert W. Scattering of electromagnetic waves by coaxial cylinders—1639(A)
Adkins, R. and J. G. Brennan. Intermediate coupling in odd-odd nuclei—706
Adlington, R. H. (see Brannen, Eric)—1658(A)
Ajzenberg, F., A. Rubin, and J. G. Likely. Neutrons from proton bombardment of S^{33} and S^{34}—654(A)
Akers, Lawrence K. and Ernest A. Jones. Vibrational spectra, structure, force constants, and thermodynamic properties of AsF_3—1624(A)
Alburger, D. E. and A. W. Sunyar. Decay of Bi^{207}—695
—— (see Toppel, B. J.)—632(A)
Alexander, E. (see Steinberger, I. T.)—1217
Alexander, James D. and Wayne A. Bowers. Effect of inclusion of exchange in Thomas-Fermi treatment of molecules—1627(A)
Allen, F. G. (see Bills, D. G.)—646(A); 1662(A)
Allen, G., R. Webeler, and S. Barile. Multiple scattering of low-energy α particles in gas—556
Allen, K. W., E. Almqvist, and C. B. Bigham. Energy levels of isobars Li^5—He^5—631(A)
—— (see Almqvist, E.)—631(A)
—— (see Bigham, C. B.)—631(A)
Allin, Elizabeth J., W. F. J. Hare, and H. L. Welsh. Infrared absorption of liquid and solid H_2 and its dependence on ortho-para ratio—1639(A)
—— (see Hare, W. F. J.)—1887(L)
Allison, F. E. and Emerson M. Pugh. Hall and Nernst effects in ferromagnetic materials—1642(A)
—— (see Pugh, Emerson M.)—1642(A)
Almqvist, E., K. W. Allen, and C. B. Bigham. He^3 and T reactions in some light elements—631(A)
—— (see Allen, K. W.)—631(A)
—— (see Bigham, C. B.)—631(A)
—— (see Clarke, R. L.)—654(A)
Alpert, Daniel. Ultra-high vacuum technique—1623(T)
Altman, L., H. S. Bridge, and R. W. Williams. High-energy nucleonic component in atmosphere—609(A)
Ambler, Ernest. Nuclear orientation at low temperatures—639(T)
Anderson, A. (see O'Rourke, R. C.)—1484
Anderson, D. V., J. C. Ayers, D. C. Chandler, and G. H. Lauff. Currents and water masses in Lake Huron—1639(A)
Anderson, H. L. Mesons—630(T)
Anderson, James L. Constraints in covariant field theories. II—1009
—— Functional integration and S-matrix theory—674(A)
—— **and Parviz Merat.** Conservation of charge in Einstein's generalization of gravitation theory—1871
—— (see Takano, Y.)—674(A)
Anderson, P. W. Indirect exchange coupling of nuclear moments by electrons in semiconductors and insulators—623(A)
Anderson, Roy S. (see Gordy, Walter)—1905(L)
Andre, C. G. (see Carothers, J. E.)—651(A)
Antal, J. J., R. J. Weiss, and G. J. Dienes. Long-wavelength neutron transmission as absolute method for determining concentration of lattice defects in crystals—1081
Antonakos, Antonios. Simultaneous contrast effect in heterochromatic brightness comparisons—1626(A)
Apker, L. (see Taft, E.)—1831
Ard, William B., Jr., and Walter Gordy. Paramagnetic resonance of irradiated H_2S, D_2S, and $N_2H_4Cl_2$ at liquid air temperature—612(A)
Arfken, G. (see Klingensmith, R.)—340(A)
Argyres, Petros N. Effects of spin-orbit coupling in ferromagnetics—1641(A)
Arima, Akito (see Horie, Hisashi)—778
Armstrong, A. H. and J. E. Brolley, Jr. 14-Mev (n,α) and (n,p) cross sections in Zr. II—330(L)
Aron, W. A., J. S. McIntosh, G. Schrank, and J. H. Bigelow. Elastic scattering of 17-Mev protons by nuclei—629(A)
—— (see Reynolds, George T.)—1038(L)
Arrott, Anthony and J. E. Goldman. Magnetic susceptibility of UO_2 from 2°K to 300°K—1641(A)
Asaro, Frank and I. Perlman. Decay properties of U^{235}—37
Aström, Björn (see Rasmussen, John O.)—47
Aten, A. H. W. (see Mallmann, C. A.)—7
Atkins, K. R. Slope of λ curve of liquid He—670(A)
Ayers, J. C. (see Anderson, D. V.)—1639(A)
Aziz, R. A. and G. D. Scott. Electrical resistance properties and structure of thin evaporated Ag films—1636(A)

Babiskin, Julius. Ultra-low-level voltage detector using Bi and superconductors—668(A)
Bade, W. L. (see Jehle, Herbert)—1640(A)
Baez, Albert V. (see El-Sum, Hussein M. A.)—624(A)
Bahadur, Kanwar (see Müller, Erwin W.)—1651(A)
Bailey, E. C. (see Katz, L.)—98
Bailey, J. B. (see Rohrer, R. H.)—1626(A)
Baily, N. A. Electronic stopping power and radiation damage—341(T)
Bair, J. K. (see Cohn, H. O.)—644(A)
—— (see Kington, J. D.)—1393
Baird, D. C. Dependence of superconducting transition on measuring current—1660(A)
Baker, E. W. (see Knight, J. D.)—1646(A)
Balazs, N. L. Invariant relationship of energy-density and momentum-density of electromagnetic field—1659(A)
Baldock, C. R. (see Boyd, G. E.)—1030(L)
Baldwin, G. J., J. L. Shilts, and E. A. Coomes. Temperature scale for Mo—1650(A)
Ballam, J., A. L. Hodson, and George T. Reynolds. Observations on S particles—1038(L)
Ballard, Stanley S. (see McCarthy, Kathryn A.)—1104
Bame, S. J., Jr. (see Perry, J. E., Jr.)—1368
Bancroft, William Henry, Jr. (see Barringer, Howard Skelton)—1631(A)
Bandtel, K. C., H. A. Bostick, B. J. Moyer, R. W. Wallace, and N. F. Wikner. Pion-proton total cross sections near 4 Bev—673(A)
Banewicz, John J. (see Lindsay, Robert)—636(A)
Baranger, Elizabeth Urey. Analysis of elastic scattering of protons from F^{19}—145
Barber, W. C., A. I. Berman, K. L. Brown, and W. D. George. Z-dependence of bremsstrahlung—59
—— (see Brown, K. L.)—665(A)
Barbour, J. P. (see Dyke, W. P.)—1192

Bardeen, John and David Pines. Electron-phonon interaction in metals—1140
Barile, S. (see Allen, G.)—556
Barker, W. A. and F. N. Glover. Reduction of relativistic two-particle wave equations to approximate forms. III—317
Barkow, A. G. (see Cook, M. J.)—1628(A)
Barnes, R. G. (see Bray, P. J.)—613(A); 1653(A)
Barnes, S. W., D. Miller, J. Ring, G. Giacomelli, R. Summers, and H. R. Childs. Pion-proton elastic-scattering cross sections at 43 Mev and 37½°—673(A)
Barnett, C. F. (see Stier, P. M.)—1630(A)
Barr, T. A. and H. B. Jenkins. Calculation of diffusion coefficients for polystyrenes from measured values of osmotic pressure—1631(A)
Barrett, A. H. and M. Mandel. Microwave spectra of InCl and InBr—666(A)
Barringer, Howard Skelton and William Henry Bancroft Jr. Secondary emissions from negative-ion bombardment of metal surfaces—1631(A)
Barschall, H. H. (see Becker, R. L.)—1646(A)
Bart, W. L. (see Breazeale, J. B.)—615(A)
Bartholomew, G. A., H. E. Gove, A. E. Litherland, and E. B. Paul. γ radiation from proton bombardment of Mg^{26}—1649(A)
—— (see Gove, H. E.)—1649(A)
—— (see Litherland, A. E.)—644(A)
—— (see Paul, E. B.)—644(A); 1339
Bartnoff, Shepard. Comparison of observed drop-size distributions in clouds and rain with proposed analytical expressions—624(A)
Bashkin, S., R. R. Carlson, and E. B. Nelson. Radiative capture of protons by N^{14}—107
Baskir, Emanuel, John Tinlot, and Sidney Spital. Polarization effects in p-p scattering at 210 Mev—639(A)
Battey, J. F. and R. M. Baum. Electron capture probability of upper Cu acceptor level—624(A)
—— (see Wallis, G.)—625(A)
Baum, R. M. (see Battey, J. F.)—624(A)
Baumann, N. P. (see Krone, R. W.)—1649(A)
Beams, J. W. (see Breazeale, J. B.)—615(A)
—— (see Connelly, J. J., Jr.)—1635(A)
Becker, J. A. Effect of adsorbed H_2 on field-emission current from 310 and 210 planes of W—1643(A)
Becker, R. L., R. B. Perkins, and H. H. Barschall. Total neutron cross sections of light elements—1646(A)
—— (see Walton, R. B.)—1649(A)
Becker, Stewart. Paramagnetic resonance at low fields—1681
Bedo, D. E. and D. H. Tomboulian. Dispersion electrons and refractive index in soft x-ray region—624(A)
Beeman, W. W. (see Neynaber, R. H.)—615(A)
Beiser, A. (see Soberman, R. K.)—608(A)
Belinfante, F. J. Flat picture of curved space—662(A)
Bell, R. E. (see Graham, R. L.)—1646(A)
Benczer, N. (see Farrelly, B.)—1440
—— (see Lidofsky, L. J.)—658(A)
Bendel, W. L., M. E. Toms, and R. A. Tobin. Photoproduction of $Pb^{206,208}$—672(A)
Bender, R. S. (see McGruer, J. N.)—632(A)
Benson, C. B. and A. C. H. Hallett. Damping of oscillations of sphere by liquid He II at large amplitudes—1660(A)
Bent, R. D., T. W. Bonner, J. H. McCrary, W. A. Ranken, and R. F. Sippel. γ rays from deuteron bombardment of Be^9, B^{10}, N^{14}, and F^{19}—710
Berger, Martin J. and John A. Doggett. Monte Carlo calculation of response of NaI(Tl) scintillation spectrometers—663(A)
Bergman, Peter G. Peierls' introduction of canonical transformations into Lagrangian formalism—676(A)
—— **and Joel L. Lebowitz.** New approach to nonequilibrium processes—578
—— (see Newman, Ezra)—587
Berko, S. and A. J. Zuchelli. Quenching of long lifetime component of positron annihilation in benzene—1652(A)
Berlin, T. H. (see Ford, J.)—638(A)
Berlincourt, Ted G. de Haas-van Alphen effect in As—1716
—— (see Overton, W. C., Jr.)—1165
Berman, Arthur I. (see Barber, W. C.)—59
—— (see Brown, K. L.)—665(A)
—— (see Niesthe, John W., Jr.)—612(A)
Bernier, J. P., H. E. Johns, and D. V. Cormack. Calorimetric method for direct determination of energy locally absorbed in irradiated material—1640(A)
Bernstein, E. M. and H. W. Lewis. Internal conversion electrons from electric excitation—617(A)
Bernstein, Jeremy and Abraham Klein. Electromagnetic properties of deuteron. I. Charge density and quadrupole moment—966
Bernstein, S. (see Dabbs, J. W. T.)—1652(A)
Berry, H. W. Scattering of fast Ne atoms in Ne gas—553
Berson, Solomon A. (see Yalow, Rosalyn S.)—342(A)
Bes, D. R. (see Mallmann, C. A.)—7
Bickford, L. R., Jr., J. Pappis, and J. L. Stull. Magnetostriction and permeability of magnetite and Co-substituted magnetite—1210
Biedenharn, L. C. Quantum calculation of Coulomb excitation—629(A)
Bigeleisen, Jacob. Statistical mechanics of isotopic systems with small quantum corrections—638(A)
Bigelow, J. H. (see Aron, W.)—629(A)
Bigham, C. B., K. W. Allen, and E. Almqvist. Energy levels of B^{13}, C^{13}, C^{14}, and F^{18}—631(A)
—— (see Allen, K. W.)—631(A)
—— (see Almqvist, E.)—631(A)
Bills, D. G. and F. G. Allen. Ultra-high vacuum valve—646(A)
——, **F. G. Allen, and N. P. Carleton.** Measurement of pumping speed of ionization gauge—1662(A)
—— (see Carleton, N. P.)—1662(A)
Binder, D. and W. J. Sturm. Annealing process in neutron-irradiated LiF—603(L)
Biondi, Manfred A. Infrared absorption of Cu and Ag at 4.2°K—1647(A)
—— (see Chanin, Lorne M.)—1658(A)
—— (see Rogers, William A.)—1657(A)
Birchenall, C. E. (see Juenker, D. W.)—657(A)
Birge, Robert W. Current experimental work on Bevatron—1623(T)
——, **Roy P. Haddock, Leroy T. Kerth, James R. Peterson, Jack Sandweiss, Donald H. Stork, and Marian N. Whitehead.** Bevatron K-mesons—329(L)
—— (see Kerth, L. T.)—641(A)
Birkhoff, R. D., A. W. Blackstock, and R. H. Ritchie. Mean free path for discrete electron energy losses in metallic foils—647(A)
Birks, J. B. First-order magnetic anisotropy constants of ferrites—1821
Birnbaum, G. (see Maryott, A. A.)—1886(L)
Birnbaum, W. (see Crandall, W. E.)—631(A)
Bitler, W. R. (see Coles, B. R.)—627(A)
Blackstock, A. W. (see Birkhoff, R. D.)—647(A)
Blair, J. S. (see Kerlee, D. D.)—1652(A)
Blakewood, C. H. (see Wheeler, R. G.)—1667
Blatt, F. J. Effect of point imperfections on electrical properties of Cu. I. Conductivity—1708

—— Effect of screening on solute diffusion—600(L)
—— Influence of exchange and correlation on electron transport in metals—1735
Bleuler, E. and H. Morinaga. γ rays from P^{34}, Cl^{34}, and P^{30}—658(A)
—— **and D. J. Tendam.** Elastic scattering of 19-Mev α particles by Al and Cu—1605(L); 1652(A)
—— (see Blue, J. W.)—659(A)
—— (see Thieme, M. T.)—1646(A)
Blevins, M. E., M. M. Block, and E. M. Harth. π^+-p interactions at approximately 500 Mev—1628(A)
Blewett, J. P., N. C. Christofilos, and A. M. Vash. Four-pole permanent-magnet rings for focusing beams of charged particles—652(A)
Blewett, M. Hildred. Design studies for alternating-gradient magnets. I. Field distributions computed by relaxation method—652(A)
Bloch, Ingram. Nuclear shell structure—1623(T)
Bloch, M. (see Sands, M.)—652(A)
Block, Martin M. and Robert Jastrow. Λ^0—θ^0 ratio in Pb and C—619(A)
——, **E. M. Harth, W. B. Fowler, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore.** Production of heavy unstable particles in p-p collision—261
—— (see Blevins, M. E.)—1628(A)
—— (see Slaughter, G. G.)—1626(A)
Bloom, S. D., C. O. Muehlhause, and H. E. Wegner. Cyclotron energy measurement by time-of-flight—654(A)
Blosser, H. G. (see Cohen, B. L.)—656(A)
Blue, J. W. and E. Bleuler. Decay of Sc^{44}—659(A)
Bockelman, C. K., C. M. Braams, W. W. Buechner, and D. B. Guthe. Angular distribution of proton groups from $Ca^{42}(d,p)Ca^{43}$ reaction—655(A)
Bolotin, Herbert H. and Roger G. Wilkinson. Excited states of Hg^{199}—671(A)
——, **Charles H. Pruett, Paul L. Roggenkamp, and Roger G. Wilkinson.** Excited states of Ce^{140}—62
—— (see Pruett, C. H.)—670(A)
Bömmel, H. E., W. P. Mason, and A. W. Warner, Jr. Experimental evidence for dislocations in crystalline quartz—1894(L)
Bonner, T. W., Alfred A. Kraus, Jr., J. T. Eisinger, and J. B. Marion. Protons from deuteron bombardment of C^{13}—631(A)
—— (see Bent, R. D.)—710
Boorse, Henry A. (see Smith, Bernard)—346; 358; 367
—— (see Worley, R. D.)—447
Bostick, H. A. (see Bandtel, K. C.)—673(A)
Bostrom, Norman A., Emmett L. Hudspeth, and Ira L. Morgan. Excitation curve for $F^{19}(n,\alpha)N^{16}$—643(A)
Bowers, R. Magnetic susceptibility of Na—1640(A)
—— **and N. T. Melamed.** Luminescent centers in ZnS:Cu:Cl phosphors—1781
Bowers, Wayne A. (see Alexander, James D.)—1627(A)
Box, H. C. and A. Russek. Flying-spot microscope and its application to study of cell sizes—341(T)
Boyd, G. E., J. R. Sites, Q. V. Larson, and C. R. Baldock. Production and identification of long-lived Tc isotopes at masses 97, 98, and 99—1030(L)
Bozorth, R. M., Beatrice B. Cetlin, J. K. Galt, F. R. Merritt, and W. A. Yager. Frequency dependence of magnetocrystalline anisotropy—1898(L)
——, **Elizabeth F. Tilden, and Albert J. Williams.** Anisotropy and magnetostriction of some ferrites—1788
Braams, C. M. (see Bockelman, C. K.)—655(A)
Bradley, Joe C. (see Haar, Lester)—638(A)
Bradner, Hugh and Robert E. Donaldson. Asymmetry in high-energy p-n-p double charge-exchange scattering—890
—— (see Donaldson, Robert E.)—892
Braid, T. H. and R. W. Detenbeck. Fast multichannel coincidence circuit—633(A)
Brammer, W. G. (see Neynaber, R. H.)—615(A)
Brannen, Eric, F. R. Hunt, R. H. Adlington, and R. W. Nicholls. Nuclear coincidence techniques applied to optical transitions—1658(A)
Branscomb, L. M. Direct measurement of negative-ion affinities—639(T)
—— (see Smith, S. J.)—1657(A)
Branson, Herman and Nasira F. Ledbetter. Electron impact studies with dimethylamine—1643(A)
Brattain, W. H. (see Garrett, C. G. B.)—376
Braunstein, R. Radiative transitions in semiconductors—1892(L)
Bray, P. J. and R. G. Barnes. Quadrupole resonances in multichlorobenzenes—1653(A)
—— **and R. G. Banes.** Quadrupole resonances of chloro- and bromobenzene derivatives—613(A)
Brazos, J. N. and R. M. Steffen. Dual decay of 50-day In^{114} isomer—1645(A)
—— (see Steffen, R. M.)—1646(A)
Breazeale, J. B., W. L. Bart, and J. W. Beams. Tensile strengths of Ag films of various thicknesses at different temperatures—615(A)
Breit, G. Relativistic corrections for high-energy p-p scattering—1581
—— Theory of nucleon transfer—629(A)
Brennan, J. G. (see Adkins, R.)—706
Brice, M. K. (see Cork, J. M.)—703
Brickwedde, F. G. New definition of Kelvin scale adopted by Tenth General Conference on Weights and Measures—656(T)
Bridge, H. S. (see Altman, L.)—609(A)
—— (see DeStaebler, H., Jr.)—642(A)
Brock, E. G. Field emission observations of phase transformations in Ti—1651(A)
Brockhouse, B. N. Energy distribution of neutrons scattered by paramagnetic substances—601(L)
Brode, Robert B. and Marvin J. Weber. Positive excess of high-energy μ mesons—610(A)
Broida, H. P. Temperature-measurement from molecular band spectra (nonequilibrium)—667(T)
Brolley, J. E., Jr., M. E. Bunker, D. R. F. Cochran, R. L. Henkel, J. P. Mize, and J. W. Starner. 14-Mev (n,α) cross sections in Zr. I.—330(L)
——, **W. C. Dickinson, and R. L. Henkel.** Angular dependence of neutron-induced fission. II—159
——, **and R. L. Henkel.** Angular distribution of fragments from neutron-induced fission of U^{238}—616(A)
—— (see Armstrong, A. H.)—329(L); 330 (L)
Bromley, D. A. and N. S. Wall. Elastic scattering of 5–25-Mev protons on Ni and Cu—1029(L)
—— (see Fulbright, H. W.)—654(A)
Brophy, James J. Preliminary study of electrical properties of semiconducting diamond—1336(L)
Brown, Harry A. Calculation of Curie temperatures—1641(A)
—— Calculation of discontinuity in specific heat of Gd—627(A)
Brown, K. L., W. C. Barber, A. I. Berman, and W. D. George. Z-dependence of bremsstrahlung—665(A)
—— (see Barber, W. C.)—59
—— (see Tautfest, G. W.)—664(A)
Browne, C. I. (see Ghiorso, A.)—1048(L)
Browne, C. P. and W. C. Cobb. Energy levels of Na^{20}—644(A)
Brueckner, K. A., R. J. Eden, and N. C. Francis. Nuclear energy level fine structure and configuration mixing—76
Bruner, J. A. (see Fulbright, H. W.)—654(A)

Brysk, H. and M. E. Rose. Theoretical results on orbital capture—649(A)
Bube, Richard H. Infrared quenching and unified description of photoconductivity phenomena in CdS and CdSe—1105
Buechner, W. W., A. Sperduto, and Marcos Mazari. Magnetic analysis of protons from $Al^{27}(d,p)Al^{28}$—644(A)
—— (see Bockelman, C. K.)—655(A)
—— (see Sharp, R. D.)—632(A)
Bunker, M. E., J. P. Mize, and J. W. Starner. Decay of Rh^{104} and Rh^{104m}—659(A)
—— **and J. W. Starner.** Decay of Ti^{51} and Cr^{51}—1906(E)
—— (see Brolley, J. E., Jr.)—330(L)
—— (see Mize, J. P.)—671(A)
Bureau, A. J. (see Hammer, C. L.)—653(A)
Burford, A. O., J. F. Perkins, and S. K. Haynes. Relative intensities of radiations from Hf^{175}—3
Burgeson, J. W. (see Melvin, M. A.)—1663(A)
Burke, Edward, Jr. Isotope shift in first three spectra of B—1839
Burlew, John S. (see Potnis, V. R.)—671(A)
Burnett, C. R. Isotope shift in ionized spectrum of C—623(A)
Burson, S. B., J. M. LeBlanc, and D. W. Martin. Radiations from $_{50}Sn^{125}$ (9.7-day and 9.5-min)—660(A)
—— (see Martin, D. W.)—670(A)
Burstein, E. (see Lipson, H. G.)—1535(A); 444
Burwell, J. R. (see Kim, Y. B.)—642(A)
Butler, J. W. Deuteron capture by O^{16}—643(A)
—— **and H. D. Holmgren.** Energy levels in F^{19}—1649(A)
—— (see Holmgren, H. D.)—655(A)
Byatt, William J. Elastic scattering of slow electrons by atoms—1630(A)

Callaway, Joseph. Electronic energy bands in Fe—500
—— Ferromagnetism of Fe—627(A)
—— Interaction of π^- mesons with light nuclei—1628(A)
Callen, Herbert. Fluctuations and irreversibility—645(T)
Callendine, G. W., Jr. Radioactive isotopes in medicine—339(T)
Callihan, Dixon (see Williams, D. V. P.)—1626(A)
Camac, M., M. L. Halbert, and J. B. Platt. *L*-series x-rays from π-mesonic atoms—905
——, **A. D. McGuire, J. B. Platt, and H. J. Schulte.** *K*-series x-rays from π-mesonic atoms—897
Cameron, A. G. W. Evolution of elemental abundances resulting from neutron capture in stars—1653(A)
—— (see Katz, L.)—98
Caplan, P. J. (see Theissing, H. H.)—624(A)
Capps, R. H. Consequences of gauge invariance for electromagnetic transitions. II—926
—— **and W. G. Holladay.** Electromagnetic properties of nucleon in finite source theory—931
Carbone, R. J. (see Everhart, Edgar)—1287
Caretto, A. A., Jr., and G. Friedlander. Competition between (p,pn) and $(p,2p)$ reactions on Ce^{140}—1649(A)
Carleton, Nathaniel P. New type of lens for charged particles—664(A)
—— **and D. G. Bills.** Derivation relating pumping speed of ionization gauge to quantity of gas pumped—1662(A)
—— (see Bills, D. G.)—1662(A)
Carlson, R. R. (see Bashkin, S.)—107
Carmichael, Hugh and John F. Steljes. Cosmic-ray ionization bursts in unshielded 8-inch pressurized sphere at sea level—1542
Carmichael, J. H. (see Varnerin, L. J., Jr.)—1662(A)
Carothers, J. E. and C. G. Andre. π^+/π^- ratios produced by 340-Mev protons at 0°—651(A)
Carter, R. S., D. J. Hughes, and H. Palevsky. Energy distribution of cold neutrons scattered by lattice vibrations—611(A)
—— (see Harvey, J. A.)—10
Carver, J. G. and T. F. Godlove. Slow-neutron capture resonances in Te, W, and In—1634(A)
—— (see Godlove, T. F.)—1634(A)
Case, K. M. Wave equation for spin 0 in Hamiltonian form—1572
Cassatt, Wayne A. Jr., and W. Wayne Meinke. Decay scheme of Y^{90}—760
Castillo, Horace T. Radio detection of meteors using standard laboratory equipment—339(T)
Castle, J. G., Jr. Systematic g-shift for free electrons—341(A)
Cester, R. (see Kernan, A.)—640(A)
Cetlin, Beatrice B. (see Bozorth, R. M.)—1898(L)
Chamberlain, Joseph W. and Paul H. Roberts. Turbulence spectrum in Chandrasekhar's theory—1674
Chandler, D. C. (see Anderson, D. V.)—1639(A)
Chang, Roger. Relationship between activation energy for slip in crystalline solids and applied stress based on dislocation model—65(A)
—— (see Weissmann, Sigmund)—657(A)
Chanin, Lorne M. and Manfred A. Biondi. Temperature dependence of ionic mobilities: He^+ and He_2^+ in He—1658(A)
Chappelear, John. Photoproduction of mesons in deuterium—254
Chartres, B. A. and H. Messel. Angular distribution in electron-photon showers without Landau approximation—1604(L)
Chase, C. E. and Melvin A. Herlin. Ultrasonic measurements in magnetically-cooled liquid He—669(A)
Chase, David M. Inelastic scattering of nucleons by dynamic nuclear wall—629(A)
Chen, Francis F., Christopher P. Leavitt, and Anatole M. Shapiro. Attenuation cross sections for 860-Mev protons—857
Chesnut, W. G., E. M. Hafner, and R. Harding. Polarization of 210-Mev protons elastically scattered from C—639(A)
—— (see Hafner, E. M.)—639(A)
Chester, G. V. Behavior of Bose system—1062
Chiba, Ren (see McEllistrem, M. T.)—632(A)
Chidley, B. C. (see Johns, M. W.)—1645(A)
Chidley, B. G. and L. Katz. N^{14} (γ,n) cross section near threshold—1646(A)
Childers, H. M. and J. D. Graves. Bipartition angles for Compton scattering by free electrons—343
Childs, H. R. (see Barnes, S. W.)—673(A)
Chin, J. (see DeJuren, J.)—191
Choppin, G. R. (see Harvey, B. G.)—337(L)
Chow, Richard H. and Byron T. Wright. Absolute angular distribution of 20-Mev protons elastically scattered by O and N—640(A)
Christensen, R. L. (see Reynolds, J. B.)—613(A)
Christofilos, N. C. (see Blewett, J. P.)—652(A)
Chupp, Warren W., Gerson Goldhaber, Sulamith Goldhaber, Stephen J. Goldsack, Joseph E. Lannutti, Frances M. Smith, and Francis H. Webb. Measurements on *K*-particles from Bevatron—335(L)
——, **Gerson Goldhaber, Sulamith Goldhaber, William R. Johnson, and Joseph E. Lannutti.** *K*-meson mass from *K*-hydrogen scattering event—1042(L)
—— (see Iloff, E. L.)—1617(L)
Chynoweth, A. G. Pyroelectric effect in $BaTiO_3$—1642(A)
—— (see McKay, K. G.)—1648(A)
Clancy, E. F. (see Sampson, John B.)—1657(A)

Clark, A. F. (see Kao, S. K.)—895
Clark, G. Experimental results on arrival times and lateral distribution of air-shower particles—609(A)
Clarke, Edward N. Nature of water-vapor-induced excess current on grown Ge p-n junctions—1656(A); 1899(L)
Clarke, R. L., E. Almqvist, and E. B. Paul. Reaction $P^{31}(p,\alpha)Si^{28}$—654(A)
Cleland, J. W. and J. H. Crawford, Jr. Radiation effects in GaSb—637(A)
——, **J. H. Crawford, Jr., and J. C. Pigg.** Fast neutron bombardment of p-type Ge—1170
Clement, J. D. (see Walton, R. B.)—1649(A)
Cloud, W. M. Isotope shift nonlinearities in spectrum of Cd—623(A)
Cobb, W. C. (see Browne, C. P.)—644(A)
Coburn, Horace H. and Sherman Frankel. Angular correlation measurements in Hg^{197}—671(A)
Cochran, D. R. F. (see Brolley, J. E., Jr.)—330(L)
Cochran, L. W. (see Kern, B. D.)—645(A)
Coester, F. Collective modes in nuclei—170; 648(A)
Cohen, Alvin J. Anisotropic color centers in α quartz—1636(A)
Cohen, Bernard L., H. G. Blosser, D. J. Coombe, G. M. McCormick, and E. Newman. (p,γ), (p,α), (p,He_3), (p,t), and (p,Be^7) cross sections—656(A)
—— **and Eugene Newman.** (p,pn) and $(p,2n)$ cross sections in medium weight elements—718
——, **E. Newman, and T. H. Handley.** $(p,pn)+(p,2n)$ and $(p,2p)$ cross sections in medium weight elements—723
Cohen, David. Proton bremsstrahlung—1629(A)
Cohen, M. H. and F. Keffer. Dipolar ferromagnetism at 0°K—1135
—— **and F. Keffer.** Dipolar sums in primitive cubic lattices—1128
Cohn, Hans O., J. K. Bair, J. D. Kington, and H. B. Willard. $Si^{28}(p,p'\gamma)Si^{28}$ reaction—644(A)
—— **and J. L. Fowler.** Elastic scattering of neutrons from Ne—1625(A)
—— (see Kington, J. D.)—1393
Coleman, G. H. and H. A. Tewes. Nuclear reactions of Cu with various high-energy particles—288
Coles, B. R. and W. R. Bitler. Effect of Al on saturation magnetic moments of Fe-Co alloys—627(A)
—— (see Taylor, J. C.)—614(A)
Colgate, Stirling A. Prediction of auroral γ rays—665(A)
Collington, D. J., A. N. Dellis, J. H. Sanders, and K. C. Turberfield. Magnetic moment of proton—1622(L)
Connelly, J. J., Jr., O. R. Harris, and J. W. Beams. Effect of centrifugal field on rate of diffusion in metals—1635(A)
Conwell, E. M. Hall effect and density of states in Ge—1195
Cook, M. J., K. Z. Morgan, and A. G. Barkow. Validity of current practice of using single-exposure date to calculate maximum permissible concentrations in air and water for continuous exposure to radioisotopes—1628(A)
Cook, W. S. (see Crysdale, J. H.)—1638(A)
Coombe, D. J. (see Cohen, B. L.)—656(A)
Coomes, E. A. (see Baldwin, G. J.)—1650(A)
——(see Davey, J. E.)—1651(A)
Cooper, John N. (see Milani, S.)—645(A)
—— (see Seiler, Milton R.)—340(A)
—— (see Smith, Robert T., Jr.)—340(A)
Corak, W. S. and C. B. Satterthwaite. Atomic heat of Sn in normal and superconducting states—1660(A)
—— (see Satterthwaite, C. B.)—1660(A)
Corbett, James W. and W. W. Watson. Maximizing separation factor of thermal diffusion column—634(A)
—— (see Schwartz, Robert, B.)—655(A)
Cork, J. M., M. K. Brice, and L. C. Schmid. Energies of radiations from Co^{57} and Co^{58}—703
—— (see Martin, D. W.)—670(A)
Cormack, D. V. (see Bernier, J. P.)—1640(A)
Corson, Dale R., William S. McDonald, and Vincent Z. Peterson. Neutral meson photoproduction at forward meson angles—652(A)
—— (see Davis, H. L.)—273
Couchman, James and C. D. Curtis. FM multichannel pulse-height analyzer—1626(A)
Courant, E. D. Nonlinearities in alternate-gradient synchrotron—652(A)
Courant, H. Associated photons in K-particle decays observed with multiplate cloud chamber—282
Cowan, Clyde L. Detection of neutrino—progress report—1623(T)
Cox, S. A. and R. M. Williamson. Angular distributions and angular correlations in $Be^9(d,p)Be^{10}$, and $B^{10}(d,p)B^{11}$—631(A)
—— (see Williamson, R. M.)—644(A)
Crandall, W. E., W. Birnbaum, G. P. Millburn, and R. V. Pyle. $C^{12}(p,pn)C^{11}$ cross section for 340-Mev protons—631(A)
Crane, W. W. T. (see Higgins, G. H.)—183
Crawford, G. J. B. Spin echoes with four pulses—600(L)
Crawford, G. W. (see Kendrick, N. S., Jr.)—1631(A)
—— (see Miller, J. E.)—1631(A)
Crawford, J. H., Jr., H. C. Schweinler, and D. K. Stevens. Magnetic indications of electronic structure of conduction band in Ge—1330(L)
—— (see Cleland, J. W.)—1170; 637(A)
—— (see Stevens, D. K.)—487
Crawford, M. F. Nuclear configurations from isotope shifts—1637(T)
Crawford, R. C. (see Harrison, G. R.)—1629(A)
Cross, W. G. and R. G. Jarvis. Elastic scattering of 14.6-Mev neutrons—621(A)
Crowe, K. M. Photopion production from nuclei—620(T)
——, **R. M. Friedman, and Hans Motz.** π^+ photoproduction in C—673(A)
——, **R. H. Helm, and G. W. Tautfast.** Preliminary data on measurement of $\mu^+-\beta^+$ decay spectrum—872
—— (see Friednan, R. M.)—672(A)
—— (see Helm, R. H.)—650(A)
—— (see Motz, Hans)—673(A)
Crysdale, J. H., J. W. B. Day, and W. S. Cook. Experimental investigation of diffraction of electromagnetic waves by dominating ridge—1638(A)
Culler, Vaughn and R. W. Waniek. Total cross sections for high-energy neutrons—740
Cumming, James B. New Zn isotope, Zn^{65}—1645(A)
Curtis, C. D. (see Couchman, James)—1626(A)
Cutler, M. Forward characteristic of Ge point contact rectifiers—625(A)
Cutler, W. G., R. W. Schiessler, and W. Webb. Study of compressions of several high molecular weight hydrocarbons—638(A)

Dabbs, J. W. T., L. D. Roberts, and S. Bernstein. Direct polarization of In^{115} nuclei; J-value for 1.458 ev resonance—1652(A)
Daggett, E. H. and G. R. Grove. γ-ray spectrum of Po^{209}—1
Dahler, J. and J. O. Hirschfelder. Improved symmetrized cell theory of liquids—637(A)
Dalgarno, A. and G. W. Griffing. Quantum mechanical calculation on stopping cross section of H atoms for protons—1653(A)

Dalitz, R. H. Charge independence in light hyperfragments —1475
—— Pion production in electron-proton collisions—618(A)
—— Radiative τ-meson decay—915
—— **and F. J. Dyson.** Renormalization in new Tamm-Dancoff theory of meson-nucleon scattering—301
—— (see Kalos, M. H.)—617(A)
Dally, E. (see Klingensmith, R.)—340(A)
Danner, H. and R. Pepinsky. Specific heat anomaly of ferroelectric Cd niobate at Curie temperature—1215
Darden, S. E. Determination of strength function of nuclear energy levels—748
Darnell, F. J. and S. A. Friedberg. Magnetoresistance in Ge at low temperatures—636(A)
Das, T. P. and D. K. Roy. Spin-echoes with four pulses—an extension to n pulses—1906(E)
Dash, J. G. and R. Dean Taylor. Transition temperatures of He^3–He^4 solutions—598(L)
Dash, W. C. and R. Newman. Intrinsic optical absorption in single-crystal Ge and Si at 77°K and 300°K—1151
Daubin, Scott C. and Donald R. Hamilton. Perturbed γ-γ directional correlation in Cd^{114}—683
Davey, J. E. and E. A. Coomes. Thermionic properties of Th on W single crystals—1651(A)
Davidson, P. M. Growth of current between parallel plates —1072
Davis, H. L. and D. R. Corson. Elastic photo-production of π^0 mesons from deuterium at 270 Mev—273
Davis, R. E. (see Adams, E. N.)—625(A)
Davis, R. W. (see Ribe, F. L.)—331(L)
Davis, Raymond, Jr. Attempt to detect neutrinos by reaction $Cl^{37}(\bar{\nu},e^-)A^{37}$—664(A)
Dawson, W. K. Angular and energy distributions of photoprotons from Al, Cu, Rh, and Au—1648(A)
Day, J. W. B. (see Crysdale, J. H.)—1638(A)
Dean, Donald E. Using snooperscope tube with spectrometer —341(A)
DeBenedetti, S. (see Lang, G.)—596(L)
Dedrick, K. G. Deuteron-model calculation of high-energy nuclear photoeffect—1654(A)
Dehmelt, H. G. Atomic phosphorus paramagnetic resonance experiment employing universal dissociator—527
DeJuren, J. and J. Chin. Mn thermal neutron activation cross section—191
Dekker, A. J. Secondary electron emission and color centers —1647(A)
Dellis, A. N. (see Collington, D. J.)—1622(L)
de McMillan, Clara M. (see Mallmann, C. A.)—7
Demers, P. Work done with nuclear emulsions at Université de Montréal—1645(T)
Dempster, J. R. H. Simple results of Feynman field theory —674(A)
Denney, J. M. Magnetic susceptibility of Ti and substitutional Ti alloys—1640(A)
De Pangher, John. n-p scattering at 300 Mev—1447
Derbyshire, W. D. (see Yearian, H. J.)—626(A)
der Mateosian, E. (see Scharff-Goldhaber, Gertrude)—180
Desai, U. D. (see Sarabhai, V.)—1490
de Saussure, Gerard and L. S. Osborne. Elastic photoproduction of π^0 mesons in He and (γ,π) reaction on He at high energies—843
Deser, S. Functional integrals and adiabatic limits in field theory—325
d'Espagnat, Bernard and Jacques Prentki. Possible mathematical formulation of Gell-Mann model for new particles —328(L)
Dessler, Alexander J. and William M. Fairbank. Amplitude dependence of velocity of second sound—669(A)
DeStaebler, H., Jr., H. S. Bridge, B. Rossi, and B. V. Sreekantan. Recent results on S-particles—642(A)
Detenbeck, R. W. (see Braid, T. H.)—663(A)
Deutsch, M. (see Greenberg, J. S.)—665(A)
de Waard, H. Lifetime of 279-kev excited state of Tl^{203}—1045(L)
DeWire, J. W. (see Wolfe, B.)—268
Dexter, R. N. and Benjamin Lax. Microwave magnetoconductivity effects in InSb—635(A)
Diamond, H. (see Ghiorso, A.)—1048(L)
Dicke, R. H. (see Romer, R. H.)—532
Dickinson, W. C. (see Brolley, J. E., Jr.)—159
Dienes, G. J. (see Antal, J. J.)—1081
Dillon, J. A., Jr., and H. E. Farnsworth. Work function of (100) face of Ge single crystal as function of heat treatment and ion bombardment—1643(A)
Dingle, R. B. Theory of infrared absorption by carriers in semiconductors—1901(L)
Ditto, Steve J. (see Gordy, Walter)—1905(L)
Dixon, W. R. Energy and angular distributions of photoneutrons—1646(A)
—— (see Trainor, L. E. H.)—1655(A)
Dobrowolsky, W. (see Jones, R. V.)—646(A)
Doerner, R. K. and A. H. Weber. Internal conversion coefficients of Tl^{203} (parent, Hg^{203})—672(A)
Doggett, John A. (see Berger, Martin, J.)—663(A)
Donaldson, Robert E. and Hugh Bradner. Asymmetry in p-n and p-p scattering from targets bombarded with 285-Mev polarized protons—892
—— (see Bradner, Hugh)—890
Douglas, A. E. Recent work on ultraviolet spectra of simple molecules—1648(T)
Douglas, R. A. (see McEllistrem, M. T.)—632(A)
Downs, J. W. (see Kurbatov, J. D.)—340(A)
Drell, S. D. Nuclear radius and nuclear forces—619(A)
—— **and Kerson Huang.** Proton bremsstrahlung—686
—— **and L. Verlet.** Multiple scattering corrections in π^0-deuteron scattering—849
—— (see Huang, Kerson)—628(A)
Driscoll, Raymond L. Determination of current in absolute measure—634(A)
Dropesky, Bruce J. (see Sheline, Raymond K.)—1055(L)
Drosd, Ralph D. Gated multiple light pulse generator—1662(A)
Drummond, J. E. Masses of light nuclei. Method for correcting table of masses for new data—709
Duckworth, H. E. Present status of atomic-mass measurements—1638(T)
Dugdale, J. S. and D. K. C. MacDonald. Vibrational anharmonicity and lattice thermal properties—1905(E)
Dye, David L. Momentum spectrum from scattering in Pb of sea level penetrating shower secondaries—1458
Dyke, W. P., J. P. Barbour, E. E. Martin, and J. K. Trolan. T-F emission: experimental measurement of average electron current density from W—1192
Dyson, Freeman J. Second maximum in negative pion scattering cross section—1037(L)
—— **and H. Überall.** Anisotropy of bremsstrahlung and pair production in single crystals—604(L)
—— (see Dalitz, R. H.)—301

Eades, R. G. Nuclear magnetic resonance spectrum of Al^{27} in euclase—1652(A)
Ebel, M. E. and M. H. Hull, Jr. Phase shifts for relativistic corrections in high-energy p-p scattering—1596
Eden, R. J. Nuclear saturation: Generalized Hartree-Fock method—1418
—— (see Brueckner, K. A.)—76
Eguchi, Tetsuo. Anomalous τ-meson decay—619(A)

Eichholz, G. G. Haeffner effect in Hg—1635(A)
Einbinder, Harvey. Expansion of two-dimensional wave fields in powers of $1/\rho$—676(A)
Eisberg, R. M., G. Igo, and H. E. Wegner. Elastic scattering of 40-Mev α particles from Al—1606(L)
—— (see Wegner, Harvey E.)—640(A); 825
Eisenschitz, R. "Virial theorem" for flow of energy—1059
Eisenstein, J. C. (see McCrum, N. G.)—1326(L)
Eisinger, J. T. (see Bonner, T. W.)—631(A)
Eisner, M. Canonical transformations of pseudovector field—675(A)
Ellis, J. A., M. B. Gottlieb, and L. H. Meredith. Double Geiger-tube study of soft radiation at northern latitude—609(A)
Ellis, Robert A. High-altitude rocket measurements with scintillation counters at northern latitudes—609(A)
—— (see McDonald, F. B.)—609(A)
Ellis, Robert E. and Larry Schecter. Elastic scattering of 48.2-Mev α particles—1044(L)
El-Mofty, Osman and Mohamed El-Nadi. Multiple meson production theories applied to cosmic-ray showers—921
El-Nadi, Mohamed (see El-Mofty, Osman)—921
El-Sum, Hussein M. A. and Albert V. Baez. Preliminary experiments on x-ray microscopy by reconstructed wave fronts—624(A)
Elwyn, Alexander J. (see McFarland, Charles E.)—655(A)
Engelkemeir, D. and L. B. Magnusson. Observation of 193-millimicrosecond metastable level in Pu^{239}—135
Epstein, S. (see Juretschke, H. J.)—636(A)
Evans, J. E. (see Joki, E. G.)—610(A)
—— (see Smith, M. S.)—611(A)
Everhart, Edgar, Gerald Stone, and R. J. Carbone. Classical calculations of differential cross section for scattering from Coulomb potential with exponential screening—1287

Fafarman, A. and M. H. Shamos. Mesonic x-rays from capture of cosmic-ray μ mesons in chemical compound—623(A)
Fairbank, William M. (see Dessler, Alexander J.)—669(A)
Falkoff, D. L. Noise fluctuations and irreversible processes—1657(A)
Fan, H. Y. (see Spitzer, W. G.)—1893(L)
Fang, P. H. Reciprocity theory of elementary particles—1658(A)
Fano, U. Application of operator calculus to irreversibility—660(A)
Faragó, P. S. and G. Marx. Quantum effects in interaction between free electrons and electromagnetic fields—1063
Farmer, Donald J. Decay of neutron-deficient Rh isotopes—659(A)
Farnsworth, H. E. Adsorption measurements using ion-bombardment cleaning and low-energy electron-diffraction techniques—1642(T)
—— (see Dillon, J. A., Jr.)—1643(A)
Farrelly, B., L. Koerts, N. Benczer, R. van Lieshout, and C. S. Wu. Radiations from Sb^{120}—1440
Farwell, G. W. (see Kerlee, D. D.)—1652(A)
Feenberg, Eugene. Superallowed β transitions in $N-Z=3$ series—71
—— (see Goldhammer, P.)—648(A)
Ferguson, A. J. and A. E. Litherland. Analysis of triple angular correlations in nuclear bombardment experiments—1654(A)
Ferrell, Richard A. Angular dependence of characteristic energy loss of electrons passing through metal foils—647(A)
—— (see Visscher, William M.)—649(A)
Feuer, Paula. Electronic states in perturbed periodic lattice—1092
Fey, R. L. and W. J. Graham. Ambipolar diffusion in Xe at 3-cm wavelength—1658(A)
Feynman, R. P. Theory of liquid He—656(T)
Fields, P. R. (see Ghiorso, A.)—1048(L)
Findley, Leon (see Koenigsberg, Ernest)—615(A)
Finkelstein, David. Dynamics of Klein particle—649(A)
Firth, K. (see Hunt, S. E.)—786
Fischbach, D. B. and A. S. Nowick. Deformation-induced charge flow in NaCl crystals—1333(L)
Fischer, Vera Kistiakowsky. Metastable states in Re^{185}, Ir^{191}, Au^{199}, Pb^{201}, and Pb^{209}—672(A); 764
—— (see Lidofsky, L. J.)—658(A)
Flanders, P. J. (see Otter, F. A., Jr.)—599(L)
Fleishman, B. A. One-dimensional dispersion of mass by molecular and turbulent diffusion—634(A)
—— (see Rubin, Robert J.)—656(A)
Fletcher, P. C. and L. C. Aamodt. Nuclear magnetic moment and mass of Cl^{38}—613(A)
Fletcher, W. H. (see Herndon, John A.)—1624(A)
Fluharty, R. G. (see Simpson, F. B.)—610(A)
Foldy, L. L. (see Nigam, B. P.)—675(A)
Foner, Simon. Hall effect in permalloys—1079
——, **H. J. Zeiger, R. L. Powell, and Benjamin Lax.** Microwave magnetoconductivity bridge for semiconductors—635(A)
Ford, J. and T. H. Berlin. Einstein-Bose gas below critical temperature—638(A)
Ford, Kenneth W. (see Hill, David L.)—649(A)
—— (see Levinson, Carl)—792
Forkman, Bengt (see Johansson, Sven A. E.)—1031(L)
Forrester, A. Theodore, Richard A. Gudmundsen, and Philip O. Johnson. Photoelectric mixing of incoherent light—1691
Forstat, Harold and Charles A. Reynolds. Heat transfer in fine channels of He II—669(A)
Forster, H. H. and J. S. Wiggins. Radioactive decay of Cs^{134}—660(A)
Forster, Kurt H. Green's function for heat conduction-convection problems with given motion of boundaries—660(A)
Forsyth, P. A. Scattering of radio waves from aurora and meteors—1637(T)
—— (see Hines, C. O.)—1638(A)
Foster, J. S. Summary of recent research in physics at McGill University—1644(T)
Foster, K. W. (see Grove, G. R.)—340(A)
Fowler, J. L. (see Cohn, Hans O.)—1625(A)
Fowler, T. K. and J. I. Hopkins. Investigation of α resonances in Al—1629(A)
Fowler, W. A. (see Webb, T. S.)—138
Fowler, W. B. (see Block, M. M.)—261
Francis, N. C. (see Brueckner, K. A.)—76
Frank, R. M. and J. L. Gammel. Elastic scattering of protons by He^3 and T—1406
Frankel, Sherman. Effect of spin-orbit interaction on photonuclear electric dipole absorption—169
—— (see Coburn, Horace H.)—671(A)
Freden, Stanley C. and Harold K. Ticho. Capture of negative K mesons—1057(L)
Frederikse, H. P. R. and Eugenie V. Mielczarek. Thermoelectric power of InSb—1889(L)
Freedman, M. S., F. T. Porter, T. B. Novey, and F. Wagner, Jr. Nonunique first forbidden β transitions in Re^{187}—671(A)
—— (see Porter, F. T.)—671(A)
Freedman, S. J. (see Juretschke, H. J.)—636(A)
Freeman, Burton E. (see Hill, David L.)—649(A)
Freeman, Joan M. Inelastic neutron scattering in F^{19}—1446

Fregeau, Jerome H. and Robert Hofstadter. High-energy electron scattering and nuclear structure determinations. III. C^{12} nucleus—1503
Freier, P. S. (see Naugle, J. E.)—609(A)
French, J. B., E. C. Halbert, and Sudhir P. Pandya. Intermediate coupling shell model for Be^9—1387
Fretter, W. B., E. W. Friesen, G. E. Kepler, and L. Lagarrigue. Momentum and ionization measurements on charged V-particles—642(A)
Fried, Burton D. Covariant calculations of polarization in nucleon-nucleon scattering—675(A)
Fried, S. M. (see Ghiorso, A.)—1048(L)
Friedberg, S. A. (see Darnell, F. J.)—636(A)
Friedlander, G., J. Hudis, and R. L. Wolfgang. Disintegration of Al by protons in energy range 0.4 to 3.0 Bev —263
—— (see Caretto, A. A., Jr.)—1649(A)
Friedman, Abraham S. and Irwin Oppenheim. Statistical mechanical calculation of data of state of He isotopes at intermediate temperatures and densities—638(A)
—— (see Haar, Lester)—638(A)
Friedman, Jerome I. Phenomenological evidence for polarization of 310-Mev protons by elastic scattering in G5 emulsion—1047(L)
Friedman, M. H. and T. D. Lee. Scattering of pions by nucleons in intermediate coupling—618(A)
Friedman, R. M., K. M. Crowe, and Hans Motz. Pion pair production by photons—672(A)
—— (see Crowe, K. M.)—673(A)
—— (see Motz, Hans)—673(A)
Friesen, E. W. (see Fretter, W. B.)—642(A)
Fritzsche, H. Electrical properties of Ge semiconductors at low temperatures—406
—— **and K. Lark-Horovitz.** Electrical properties of p-type InSb at low temperatures—400
Frood, D. G. and J. R. Wait. Investigation of slot radiators in rectangular metal plates—1639(A)
Frost, R. T. and S. S. Hanna. α spectrum in decay of Li^8 —8
Fry, W. F., J. Schneps, G. A. Snow, and M. S. Swami. π–μ decay with associated electron pair—1055(L)
——, **J. Schneps, and M. S. Swami.** Disintegration of hyperfragments—1561
Frye, G. M., Jr., L. Rosen, and L. Stewart. Disintegration of C into three α particles by 12–20-Mev neutrons—1375
Fulbright, H. W. Variable-energy cyclotron at University of Rochester—1634(T)
——, **D. A. Bromley, and J. A. Bruner.** 8-Mev variable-energy cyclotron—654(A)
Fuller, C. S. and Howard Reiss. Ionization and solubility of impurities in semiconductors—624(A)
Fuller, E. G. Elastic scattering of photons from 5 to 30 Mev —639(T)
Furr, A. K. (see Rohrer, R. H.)—1626(A)
Fuson, Nelson, Marie-Louise Josien, and James R. Lawson. Effect of sample preparation upon infrared spectra of polynuclear hydrocarbons—1625(A)

Gaizauskas, V. and H. L. Welsh. Infrared absorption in gaseous, liquid, and solid CO_2 induced by intermolecular forces—1639(A)
Gallagher, J. D. (see Koontz, P. G.)—664(A)
Galonsky, A. and M. T. McEllistrem. Energy levels of Li^8 from deuteron-He differential cross sections—1906(E)
Galt, J. K. (see Bozorth, R. M.)—1898(L)
—— (see Yager, W. A.)—1203
Gammel, J. L. (see Frank, R. M.)—1406
Garfunkel, M. P. and L. J. Varnerin, Jr. Anomalous skin effect at low frequencies—1647(A)
Garrett, C. G. B. and W. H. Brattain. Physical theory of semiconductor surfaces—376
Garrido, L. (see Waniek, R. W.)—622(A)
Garstens, M. A. and J. I. Kaplan. Low-field magnetic resonance—459
Gartenhaus, S. Two-nucleon potential from cutoff Yukawa theory—619(A)
Geballe, T. H. (see Hrostowski, H. J.)—626(A)
—— (see Morin, F. J.)—467
Geffen, D. A. Simple nonrelativistic model for single meson production—1534
Geiger, Felix E., Jr. F' and K centers in additively colored KCl crystals—1075
Geiger, J. S. (see Graham, R. L.)—1646(A)
—— (see Hughes, V. W.)—666(A); 1842
Geiger, K. W. Neutron production by cosmic rays—1645(A)
Geller, S. Crystal structure of gadolinium orthoferrite, $GdFeO_3$—1641(A)
George, W. D. (see Barber, W. C.)—59
—— (see Brown, K. L.)—665(A)
Geusic, Joseph E. and Dudley Williams. Hfs in paramagnetic resonances in solutions of manganous salts—612(A)
Ghiorso, A. Transuranium elements—664(T)
——, **S. G. Thompson, G. H. Higgins, G. T. Seaborg, M. H. Studier, P. R. Fields, S. M. Fried, H. Diamond, J. F. Mech, G. L. Pyle, J. R. Huizenga, A. Hirsch, W. M. Manning, C. I. Browne, H. L. Smith, and R. W. Spence.** New elements einsteinium and fermium, atomic numbers 99 and 100—1048(L)
—— (see Harvey, B. G.)—337(L)
Giacomelli, G. (see Barnes, S. W.)—673(A)
Gianola, U. F. Noise characteristics of Si photovoltaic junctions—1656(A)
Gibbons, M. D. (see Stout, V. L.)—1643(A)
Giles, Frederick H. Use of characteristic curves in study of electrochemical systems—340(A)
Gilleo, M. A. Magnetic properties of $GdFeO_3$ crystal—1641(A)
Gilvarry, J. J. and G. H. Peebles. Solutions of temperature-perturbed Thomas-Fermi equation—550
Glasser, R. G., D. M. Haskin, Marcel Schein, and J. J. Lord. Analysis of properties of secondary particles in nucleon-nucleon collisions at very high energy—1555
—— (see Schein, Marcel)—643(A)
Glauber, R. J. Cross sections in deuterium at high energies —630(A)
—— Deuteron stripping processes at high energies—1515
—— (see Shapiro, I. I.)—629(A)
Glaubman, Michael J. Fast favored first forbidden β transition—659(A)
Glover, F. N. (see Barker, W. A.)—317
Glover, R. N. (see McNair, A.)—771
Godlove, T. F. and J. G. Carver. Neutron time-of-flight spectroscopy with linear electron accelerator—1634(A)
—— (see Carver, J. G.)—1634(A)
Gold, Louis. Hall theory in n-type Ge—596(L)
—— **and Laura M. Roth.** Galvanomagnetic theory of n-Ge and Si in saturation limit—1655(A)
Goldberg Colman (see Adams, E. N.)—625(A)
Goldberg, Irwin and Allen Janis. Transformation groups in configuration space—676(A)
Goldberg, Joshua N. Gravitational radiation—1873
Goldberger, Marvin L. Causality conditions and dispersion relations. I. Boson fields—979
——, **H. Miyazawa, and R. Oehme.** Application of dispersion relations to pion-nucleon scattering—986
Goldburg, W. I. Angular distribution of γ's from Coulomb excitation of thin Pt—617(A)

Goldemberg, J. and J. Leite Lopes. Shell effect on photonuclear reactions—1053(L)
Goldhaber, Gerson (see Chupp, Warren W.)—335(L); 1042(L)
—— (see Iloff, E. L.)—1617(L)
Goldhaber, Sulamith (see Chupp, Warren W.)—335(L); 1617(L)
—— (see Iloff, E. L.)—1617(L)
Goldhammer, P. and E. Feenberg. Coupling of $2s_{\frac{1}{2}}$ and $1d_{\frac{3}{2}}$ orbitals—648(A)
Goldman, J. E. (see Arrott, Anthony)—1641(A)
—— (see Pugh, Emerson William)—1641(A)
Goldsack, Stephen J. (see Chupp, Warren W.)—335(L)
Goloskie, R. (see Waniek, R. W.)—622(A)
Good, R. H., Jr. (see Murphy, E. L.)—1650(A)
Good, William B. (see Ruark, Arthur E.)—1628(A)
Goodman, B. B. (see Satterthwaite, C. B.)—1660(A)
Goodman, Clark (see Miyatake, Osamu)—1040(L)
Goodman, L. S. and S. Wexler. Nuclear spin and magnetic moment of 3.1-hr Cs^{136m}—192
Goodrich, Max (see Rojo, Onofre)—1629(A)
Gora, E. K. Microwave spectrum of ozone molecule—666(A)
Gordon, J. P. Hfs in inversion spectrum of $N^{14}H_3$ by a new high-resolution microwave spectrometer—1253
——, **H. J. Zeiger, and C. H. Townes.** The maser—new type of microwave amplifier, frequency standard, and spectrometer—1264
Gordon, M. M. Stripping theory and $Be^9(d,p)Be^{10}$ reaction—1625(A)
Gordy, Walter, Steve J. Ditto, James H. Wyman, and Roy S. Anderson. Three-millimeter wave radiation from sun—1905(L)
—— (see Ard, William B., Jr.)—612(A)
Gossett, C. R. (see Phillips, G. C.)—655(A)
—— (see Schiffer, J. P.)—655(A)
Gottlieb, M. B. (see Ellis, J. A.)—609(A)
—— (see McDonald, F. B.)—609(A)
—— (see Meredith, L. H.)—198
Gove, H. E. Elastic scattering of protons, deuterons, and α particles from heavy elements—1353
—— Measurements of properties of light nuclei, using Chalk River accelerator—1638(T)
——, **A. E. Litherland, E. B. Paul, and G. A. Bartholomew.** γ rays from reaction $Mg^{25}(p,p'\gamma)$—1649(A)
—— (see Bartholomew, G. A.)—1649(A)
—— (see Litherland, A. E.)—644(A)
—— (see Paul, E. B.)—644(A); 1339
Gow, James D. (see Ruby, Lawrence)—663(A)
Gowan, E. H. Ozone measurements over Edmonton (lat. N. 53°34′, long. W. 113°31′) 1951 to 1954—1637(A)
Graham, Martin. Precision vibrating-coil magnetic-gradient recorder—653(A)
Graham, R. L., R. E. Bell, L. Yaffe, and J. S. Geiger. Thermal neutron capture cross section of Au^{199} and half-life of 209-kev state in Hg^{199}—1646(A)
Graham, W. J. (see Fey, R. L.)—1658(A)
Grattidge, Walter. Properties of iron oxide-alumina system—1643(A)
Graves, J. D. (see Childers, H. M.)—343
Gray, Ernest P., Robert W. Hart, and William H. Guier. Statistical theory of atomic excitation by electron impact. II. Application to H and He—1661(A)
—— (see Hart, Robert W.)—1661(A)
Green, Alex E. S. Particle binding energies and diffuseness of nuclear boundary—1410
—— Particle binding energies in diffuse boundary IPM—1627(A)
—— **and Kiuck Lee.** Energy eigenvalues for spherical well with exponentially diffuse boundary—772
—— (see Lee, Kiuck)—1627(A)
—— (see Salacz-Dohnanyi, Julius)—1627(A)
—— (see Zankel, Kenneth L.)—1628(A)
Green, R. B. Theory of slip-band formation—1635(A)
Greenberg, J. Mayo. Scattering approximations using plane wave trial functions—630(A)
Greenberg, J. S. and M. Deutsch. Internal pair creation in negatron decay—665(A)
Greenberg, O. W. and A. S. Wightman. Re-examination of neutrino theory of light—675(A)
Griem, H. and S. F. Singer. Geomagnetic albedo at rocket altitudes at equator—608(A)
Griffin, James J. Variational approach to collective nuclear behavior—648(A)
Griffing, D. F. (see Wheatley, J. C.)—334(L)
Griffing, G. W. (see Dalgarno, A.)—1653(A)
Grilly, E. R. (see Mills, R. L.)—480
Gross, E. P. Theory of magnetic resonance saturation—622(A)
—— (see Lebowitz, Joel L.)—623(A)
Grosskreutz, J. C. Angular distribution of protons from $O^{18}(d,p)O^{17}$ reaction as function of bombarding energy—643(A)
—— (see Weller, C. E.)—655(A)
Grove, G. R. and L. N. Russell. Emission constant of Ac^{227}—340(A)
——, **K. W. Foster, and R. E. Vallee.** Gaseous thermal diffusion—340(A)
—— (see Daggett, E. H.)—1
Gudmundsen, Richard A. (see Forrester, A. Theodore)—1691
Guier, William H. (see Gray, Ernest P.)—1661(A)
—— (see Hart, Robert W.)—1661(A)
Gunn, S. R. (see Higgins, G. H.)—183
Gupta, Suraj N. Multiple bremsstrahlung—1015
Guthe, D. B. (see Bockelman, C. K.)—655(A)

Haar, Lester, Joe C. Bradley, and Abraham S. Friedman. Ideal gas thermodynamic functions of isotopic hydrogen sulfides—638(A)
Haddock, Roy P. (see Birge, Robert W.)—329(L)
—— (see Kerth, L. T.)—641(A)
Haeberli, W. Energy levels of Na^{23}—640(A)
Hafner, E. M. and W. Chestnut. Phase-shift analysis of 210-Mev proton polarization—639(A)
—— (see Chestnut, W. G.)—639(A)
Hagedorn, F. B. (see Webb, T. S.)—138
Hakeem, M. A. (see Rojo, Onofre)—1629(A)
Halbert, E. C. (see French, J. B.)—1387
Halbert, M. L. (see Camac, M.)—905
Hale, D. P. and R. D. Present. Mirror reactions $H^3(d,n)He^4$ and $He^3(d,p)He^4$—1366
Hall, D. (see Wightman, A. S.)—674(A)
Hallett, A. C. H. Viscosity of liquid He II—1660(T)
—— (see Benson, C. B.)—1660(A)
Halsted, R. E. Photoluminescent modulation in nonuniformly excited ZnS phosphors—1897(L)
Ham, F. S. and D. Mattis. Electrical properties of thin film semiconductors—1656(A)
Hamilton, Donald R. (see Daubin, Scott C.)—683
—— (see Reynolds, J. B.)—613(A)
Hamlin, Daniel A. (see Merritt, Jack)—1523
Hammer, C. L. and A. J. Bureau. Method for prompt destruction of electron beam in conventional synchrotron—653(A)
—— (see Pidd, R. W.)—1396

Handley, T. H. and W. S. Lyon. Long-lived isomer of Al^{28}—755
—— **and W. S. Lyon.** Neutron-deficient activities of Tb—1415
—— (see Cohen, B. L.)—723
—— (see Jones, W. H.)—184
Hanna, S. S. (see Frost, R. T.)—8
Harbottle, G. (see Scharff-Goldhaber, Gertrude)—180
Harding, R. (see Chestnut, W. G.)—639(A)
Hardwick, E. R. and W. G. McMillan. Energy transport in scintillation process—658(A)
Hare, W. F. J., Elizabeth J. Allin, and H. L. Welsh. Infrared absorption of liquid and solid H_2 with various ortho-para ratios—1887(L)
—— (see Allin, Elizabeth J.)—1639(A)
Harris, J. C. (see Milani, S.)—645(A)
—— (see Seiler, Milton R.)—340(A)
—— (see Smith, Robert T., Jr.)—340(A)
Harris, O. R. (see Connelly, J. J., Jr.)—1635(A)
Harrison, G. R., R. C. Crawford, and J. I. Hopkins. *K*-series fluorescence yield measurements of A, Cu^{65}, and In^{115}—1629(A)
Harrison, S. E. (see Kriessman, C. J.)—627(A)
Harrower, G. A. Energy spectra of secondary electrons from Mo and W for low primary energies—1650(A)
Hart, Robert W., Ernest P. Gray, and William H. Guier. Statistical theory of atomic excitation by electron impact. I. Theoretical development—1661(A)
—— (see Gray, Ernest P.)—1661(A)
Harth, E. M. (see Blevins, M. E.)—1628(A)
—— (see Block, M. M.)—261
—— (see Slaughter, G. G.)—1626(A)
Hartman, P. L. Optical absorption and reflectivity of alkali halides in far ultraviolet—1648(T)
—— (see Nelson, J. R.)—658(A)
Hartree, D. R. Atomic wave functions, with exchange, for some atoms of first long period—1637(T)
—— Interpolation of atomic wave functions and fields—1637(T)
Hartz, T. R. Radio star scintillations and ionosphere—1638(A)
Harvey, B. G. Systematics of neutron capture cross sections—333(L)
——, **S. G. Thompson, G. R. Choppin, and A. Ghiorso.** Nuclide 99^{254}—337(L)
Harvey, J. A., D. J. Hughes, R. S. Carter, and V. E. Pilcher. Spacings and neutron widths of nuclear energy levels—10
—— (see Hughes, D. J.)—1032(L)
—— (see Pilcher, V. E.)—611(A)
—— (see Stolovy, A.)—611(A)
Hasebe, K. and K. Yamamoto. Streamer theory and value of α/p—1331(L)
Haskin, D. M. and Marcel Schein. Analysis of properties of secondary particles in nucleon-nucleon collisions at very high energy—643(A)
—— (see Glasser, R. G.)—1555
—— (see Schein, Marcel)—643(A)
Hatcher, R. D. (see Klerer, M.)—675(A)
Haugerud, Ö. and S. O. Sörensen. Mesonic decay of $_1H^4$ nucleus—1046(L)
Hauver, George and Louis Zernow. Ultra high speed cine-microscopy and time resolved spectroscopy—635(A)
Haxby, Bernard V. Optical measurements on additively colored MgO single crystals—1636(A)
Hay, D. R. and R. C. Langille. Vhf and uhf propagation in central Canada—1638(A)
Hayashi, Izuo (see Kumagai, Hiroo)—1116
Haynes, J. R. New intrinsic recombination radiation from Ge—1656(A)
Haynes, S. K. (see Burford, A. O.)—3
—— (see Tidwell, Marvin)—1629(A)
Hayward, R. W. and D. D. Hoppes. Inner bremsstrahlung from V^{48}—659(A)
Hazen, W. E. Energy of electrons or photons from their cascade showers in Cu—911
Hazzaa, I. B. (see Sedra, R. N.)—1070
Hazzard, G. W. Education of physicists in engineering world—341(T)
Hector, L. Grant. New sintered-plate Ni-Cd storage battery—341(T)
Heikes, R. R. Magnetic transformation in MnBi—446
—— Relation of magnetic structure to electrical conductivity in NiO and related compounds—1232
Hein, R. A. Superconductivity of Hf—668(A)
Heinberg, M. (see Page, L. A.)—665(A)
Hellens, R. L. (see Weddell, J. B.)—621(A)
Helm, R. H., K. M. Crowe, and G. W. Tautfest. μ-e decay spectrum—650(A)
—— (see Crowe, K. M.)—872
Henkel, R. L., J. E. Perry, Jr., and R. K. Smith. Breakup of deuterons on H, T, He^3, and He^4—1050(L)
—— (see Brolley, J. E., Jr.)—159; 330(L); 616(L)
—— (see Nobles, R. A.)—616(A)
Henley, E. M. Model for multiple meson production—619(A)
Henry, Warren E. Intradomain magnetic saturation for Fe—668(A)
Herasymenko, P. Thermodynamic properties of α Ag-Cd and α Au-Cd alloys—614(A)
Hereford, Frank L. (see Wagner, Robert T.)—593(L); 665(A)
Herlin, Melvin A. (see Chase, C. E.)—669(A)
—— (see Jennings, L. D.)—668(A)
—— (see Kolm, Henry H.)—669(A)
—— Structure of energy bands in semiconductors—620(T)
Herman, Robert and Richard F. Wallis. Optical bleaching of *F* centers in x-rayed alkali halide crystals—435
Herndon, John A., A. H. Nielsen, and W. H. Fletcher. Infrared spectrum of SCl_2—1624(A)
Herring, D. F. Automatic pressure control system—634(A)
—— (see McEllistrem, M. T.)—632(A)
Hersh, Herbert N. Color centers in KI at liquid He temperatures—1636(A)
Herzberg, G. Lamb shifts in He^+ and He—1637(T)
Hess, F. G. and W. Opechowski. Theory of radiative β decay and electron capture—1654(A)
Heydenburg, N. P. and G. M. Temmer. Energy levels in Ti, Fe, Ge, and Mo by Coulomb excitation—617(A)
—— (see Temmer, G. M.)—617(A); 1609(L)
Hicks, D. A. (see Pyle, R. V.)—616(A)
Higgins, G. H., W. W. T. Crane, and S. R. Gunn. Average number of neutrons per spontaneous fission of Cm^{244}—183
—— (see Ghiorso, A.)—1048(L)
Hill, David L., Burton E. Freeman, and Kenneth W. Ford. Nuclear charge distribution in Pb^{208}—649(A)
Hill, R. D., E. O. Salant, and M. Widgoff. Heavy mesons produced by 2.2- and 3.0-Bev protons—229
—— (see Wheatley, J. C.)—334(L)
Hines, C. O., P. A. Forsyth, and E. L. Vogan. Diurnal variations in rate of meteor detection by forward scattering—1638(A)
Hirsch, A. (see Ghiorso, A.)—1048(L)
Hirschberg, Joseph G. Application of photomultiplier to interference spectroscope—623(A)

—— Emission spectroscopy at liquid He temperature—1898(L)
Hirschfelder, J. O. (see Dahler, J.)—637(A)
Ho, Kuo-Chu. Double interpolation and differentiation formulas—1627(A)
—— Focusing high-current electron beams by aperture effect—1627(A)
Hobson, J. P., J. C. Hubbs, W. A. Nierenberg, and H. B. Silsbee. Nuclear spin of Rb^{85}—method of measurement—612(A)
—— (see Hubbs, J. C.)—612(A)
Hoch, Michael. Reaction between BaO and C—1651(A)
Hodson, A. L. (see Ballam, J.)—1038(L)
Hoffman, J. G. Monte Carlo methods for study of cell populations—341(T)
Hofstadter, Robert (see Fregeau, Jerome H.)—1503
Hogg, Benjamin G. Energy available for β decay of Nd^{150}—175
Hok, Ong Ping. Rotational levels in the β decay of Pa isotopes—1613(L)
Holden, A. N., B. T. Matthias, W. J. Merz, and J. P. Remeika. Guanidine aluminum sulfate hexahydrate—626(A)
—— (see Merz, W. J.)—626(A)
Holladay, W. G. (see Capps, R. H.)—931
Holland, R. E., D. R. Inglis, R. E. Malm, and F. P. Mooring. Scarcity of low-energy levels of Be^8 appearing in two B reactions—92
Holmgren, H. D. and J. W. Butler. $O^{18}(d,n\gamma)F^{19}$ reaction—655(A)
—— (see Butler, J. W.)—1649(A)
Holroyd, L. V. (see Srinivasan, D.)—633(A)
Holstein, T. Optical absorption by conduction electrons in solids—1647(T)
Hoover, C. W., Jr. Transient response of cavity resonator—634(A)
Hopkins, J. I. (see Fowler, T. K.)—1629(A)
—— (see Harrison, G. R.)—1629(A)
Hoppes, D. D. (see Hayward, R. W.)—659(A)
Horie, Hisashi and Akito Arima. Configuration mixing and quadrupole moments of odd nuclei—778
Hornbostel, J. and E. O. Salant. Further observations of negative K mesons—338(L)
Hornyak, W. F. and R. Sherr. Inelastic scattering of 19-Mev protons by O^{16}: (B) γ radiation—632(A)
—— (see Sherr, R.)—632(A)
Hove, John E. Surface adsorption and migration energies for KCl—430
Howarth, D. J. Application of augmented plane wave method to Cu—469
Howland, P. R. and N. E. Scofield. Triggering fast two-crystal Compton scintillation spectrometer with iodine-escape x-rays from NaI(Tl) primary crystal—663(A)
Hrostowski, H. J., F. J. Morin, T. H. Geballe, and G. H. Wheatley. Hall effect and conductivity of InSb—626(A)
Huang, Kerson and S. D. Drell. Proton bremsstrahlung—628(A)
—— (see Drell, S. D.)—686
Hubbs, J. C., J. P. Hobson, W. A. Nierenberg, and H. B. Silsbee. Spin and magnetic moment of (4.7-hour) Rb^{86}—612(A)
—— (see Hobson, J. P.)—612(A)
Hudis, J. (see Friedlander, G.)—263
Hudson, George E. and Alfred Saenger. Periodic shock production in resonating gas columns—633(A)
Hudspeth, Emmett L., Ira L. Morgan, and Joseph T. Peoples. γ rays from proton bombardment of O^{18}—643(A)
—— (see Bostrom, Norman A.)—643(A)
Huggett, R. W. (see Kim, Y. B.)—642(A)
Hughes, D. J. Widths and spacings of nuclear energy levels—622(T)
—— **and J. A. Harvey.** Size distribution of neutron widths—1032(L)
—— (see Carter, R. S.)—611(A)
—— (see Harvey, J. A.)—10
—— (see Palevsky, H.)—611(A)
—— (see Pilcher, V. E.)—611(A)
Hughes, R. H. Isotope shift in first spectrum of atomic Li—1837
Hughes, V. W. and J. S. Geiger. Two-quantum transitions in microwave Zeeman spectrum of atomic oxygen—666(A); 1842
Hughes, W. T. (see Moore, George E.)—1643(A)
Huizenga, J. R. (see Ghiorso, A.)—1048(L)
Hull, M. H., Jr. (see Ebel, M. E.)—1596
Humphrey, James N. Sensitization of photoconductivity in PbSe—625(A)
Hunt, F. R. (see Brannen, Eric)—1658(A)
Hunt, S. E. and K. Firth. Resonant capture of protons by F in energy range 0.5 to 2.2 Mev—786
Hunten, D. M. Seasonal intensity variation of twilight Na emission—1637(A)
Huntington, H. B., G. A. Shirn, and E. S. Wajda. Calculation of entropies of lattice defects—1085
Hurwitz, H., Jr. (see Sampson, John B.)—1657(A)
Husain, A., C. J. D. Jarvis, and E. Pickup. Identification of cosmic-ray shower particles in emulsions—609(A)
——, **C. J. D. Jarvis, and E. Pickup.** Mass measurements of particles and existence of 1450 m_e mesons—1612(L)
—— (see Jarvis, C. J. D.)—1644(A)
Hutson, A. R. Studies of thermionic emission from single-crystal W—1650(T)
Hwang, Jenn-Lin. Revised Houston method for counting lattice frequencies—1098

Igo, G. Total neutron cross section of Re—610(A)
—— (see Eisberg, R. M.)—1606(L)
—— (see Wegner, Harvey E.)—640(A); 825
Iloff, E. L., W. W. Chupp, Gerson Goldhaber, S. Goldhaber, J. E. Lannutti, A. Pevsner, and D. Ritson. Mean lifetime of positive K mesons—1617(L)
Inglis, D. R. (see Holland, R. E.)—92
—— (see Lee, L. L., Jr.)—96
Ise, John, Jr. (see Pyle, R. V.)—616(A)
Iwanaga, Kenzo (see Kumagai, Hiroo)—1116

Jackson, J. David. Electron capture by positrons in gases—1653(A)
Jaffe, I. (see Ziegler, C. A.)—663(A)
Jakobson, Mark J. (see White, R. Stephen)—651(A)
James, H. M. (see Keenan, T. A.)—1660(A)
Janis, Allen (see Goldberg, Irwin)—676(A)
Jarmain, W. R. (see Nicholls, R. W.)—667(A)
Jarmie, Nelson. Mass measurement and excited states of F^{21}—1043(L)
Jarvis, C. J. D., A. Husain, and E. Pickup. Identification of cosmic-ray shower particles in emulsions. I. Ionization-scattering method—1644(A)
—— (see Husain, A.)—609(A); 1612(L)
Jarvis, R. G. (see Cross, W. G.)—621(A)
Jastrow, Robert. (see Block, Martin M.)—619(A)
Javan, Ali. Effects of bending mode of vibration on hfs of ICN—1302
Jeffries, C. D. (see Jones, R. V.)—646(A)
—— (see Sogo, P. B.)—613(A)
Jehle, Herbert, J. M. Yos, and W. L. Bade. Specific interaction between identical molecule pairs—1640(A)
Jenkins, H. B. (see Barr, T. A.)—1631(A)

Jennings, B. (see Weddell, J. B.)—621(A)
Jennings, L. D. and Melvin A. Herlin. Thermodynamic properties of chrome alum—668(A)
Jodra, Luis G. and Nathan Sugarman. High-energy fission of Bi. Proton energy dependence—1470
Johansson, Sven A. E. and Bengt Forkman. Fine structure in photoproton spectrum of oxygen—1031(L)
Johns, H. E. (see Bernier, J. P.)—1640(A)
Johns, M. W., B. C. Chidley, and I. R. Williams. Radioactive decay of Ga^{78}—1645(A)
Johnson, John L. and William S. Porter. Study of reactions $H^3(d,n)\alpha$ and $He^3(d,p)\alpha$—630(A)
Johnson, Philip O. (see Forrester, A. Theodore)—1691
Johnson, William R. Multiple meson production in emulsions exposed to Bevatron beam—1047(L)
—— (see Chupp, Warren W.)—1042(L)
Johnstone, C. W. (see Koontz, P. G.)—664(A)
Joki, E. G., L. G. Miller, and J. E. Evans. Total neutron cross sections of Na, K, and Rb, in 0.03- to 10-ev region—610(A)
—— (see Smith, M. S.)—611(A)
Jones, A. Vallence. Infrared spectrum of night sky near 10 000 A—1637(A)
Jones, R. V., W. Dobrowolsky, W. B. Kunkel, and C. D. Jeffries. Cyclotron resonance of free electrons in nitrogen afterglow—646(A)
Jones, W. H., A. Timnick, J. H. Paehler, and T. H. Handley. Bombardment energy and fission product yield pattern for protons on natural U and U^{235}—184
Jones, Ernest A. (see Akers, Lawrence K.)—1624(A)
Josien, Marie-Louise (see Fuson, Nelson)—1625(A)
Judek, B. and E. Pickup. Identification of cosmic-ray shower particles in emulsions. II. Range-scattering method—1644(A)
Juenker, D. W. Surface barrier analysis for metals by means of Schottky deviations—1155
——, **R. A. Meussner, and C. E. Birchenall.** Cavity formation in FeO—657(A)
Juretschke, H. J., S. J. Freedman, and S. Epstein. Galvanomagnetic effects in single crystals of Sb—636(A)

Kac, Mark. Theory of sound dispersion in dilute gases—645(T)
Kaempffer, F. A. Elementary particles as self-maintained excitations—1614(L)
—— Models of elementary particles—1637(T)
—— Simple model of elementary particles—1659(A)
Kahn, Bernd (see Lyon, W. S.)—728
Kaiser, H. F. Synchro-microtron requiring no static magnetic guide field—653(A)
Kallmann, Hartmut, Bernard Kramer, and Peter Mark. Impedance measurements on CdS crystals—1328(L)
——, **Bernard Kramer, and Arnold Perlmutter.** Infrared stimulation and quenching of photo conductivity in luminescent powders—391
Kalnajs, J. (see Smakula, A.)—1737; 1747
Kalos, M. H. and R. H. Dalitz. Numerical calculation of meson-nucleon scattering—617(A)
Kambe, K. Cohesive energy of noble metals—419
Kamei, Tohru. Quadrupole moments of Ta^{181} and Lu^{175}—789
Kammer, E. W. Effect of elastic strain upon electrical resistance when cold-work induced imperfections are present—594(L)
—— Effect of elastic strain upon electrical resistance when lattice imperfections are present—1630(A)
Kanzaki, Hiroshi. Electron traps in AgCl—1888(L)
Känzig, Werner. Electron spin resonance of V_1-centers—1890(L)
Kao, S. K. and A. F. Clark. p-p scattering in nuclear emulsions at 432 Mev—895
Kaplan, Jerome I. Calculation of spin resonance equation—622(A)
—— Spin resonance in metals as function of Overhauser effect—1322
—— Thermomagnetic anisotropy—1808
—— (see Garstens, M. A.)—459
Kaplon, M. F., J. Klarmann, and G. Yekutieli. β decay of K-mesons and classification of K-meson decays—1528
—— (see Klarmann, J.)—641(A)
—— (see Koshiba, M.)—641(A)
—— (see Yekutieli, G.)—641(A)
Katcoff, Seymour. Radiations from long-lived Tc^{98}—1618(L)
Katz, Ernst. Self-diffusion and ionic conduction in crystals—1334(L)
Katz, Leon. Photonuclear reactions: experimental results—1644(T)
——, **T. M. Kavanagh, A. G. W. Cameron, E. C. Bailey, and J. W. T. Spinks.** Photofission of U^{238}—98
—— (see Chidley, B. G.)—1646(A)
—— (see Pederson, E. C. B.)—1634(A)
Katzman, John. Directional intensity studies of cosmic rays—1645(A)
—— (see Rose, D. C.)—608(A)
Kavanagh, T. M. (see Katz, L.)—98
Keck, J. C. (see Tollestrup, A. V.)—220
Keenan, T. A. and H. M. James. Orientational transitions in CD_4—1660(A)
Keepin, G. R., Jr. (see Koontz, P. G.)—664(A)
Keesom, P. H. and N. Pearlman. Atomic heat of graphite between 1 and 20°K—1119
Keffer, F. (see Cohen, M. H.)—1128; 1135
Keller, Fred L. and Alvin H. Nielsen. High-dispersion measurement on ν_3 of NO_2 at 200°C—1624(A)
Keller, William E. PV isotherms of He^3 gas between 1.5 and 3.8°K—670(A)
Kelly, R. L. Technique for study of thin metallic films—615(A)
Kendrick, N. S., Jr., J. E. Miller, and G. W. Crawford. Design of oven for obtaining x-ray diffraction patterns of materials with low thermal conductivity—1631(A)
—— (see Miller, J. E.)—1631(A)
Kepler, G. E. (see Fretter, W. B.)—642(A)
Kerlee, D. D., J. S. Blair, and G. W. Farwell. Consistency of nuclear radius determinations from elastic scattering of alphas—1652(A)
Kern, B. D. and L. W. Cochran. γ rays from proton bombardment of P—645(A)
Kernan, A. and R. Cester. p-p interactions at 3 Bev—640(A)
Kerner, Edward H. Electric conductivity of composite media—1656(A)
—— Electronic band configuration of mixed linear lattices—1648(T)
Kerth, Leroy T., D. H. Stork, R. W. Birge, R. P. Haddock, and M. N. Whitehead. Production of heavy mesons at Bevatron—641(A)
—— (see Birge, Robert W.)—329(L)
Kerwin, L. Ionization-probability curves using electron selector—1661(T)
Keyes, Robert W. Effect of pressure on electrical conductivity of InSb—490
—— Effects of hydrostatic pressure on conductivity of InSb—626(A)
—— Elasto-galvanomagnetic effect in Ge—1655(A)
Keys, John E. Parallel-plate transmission line—1639(A)
Kikuchi, Ryoichi. Statistical mechanics of liquid He^3—1684

Kim, Y. B., J. R. Burwell, R. W. Huggett, and R. W. Thompson. Evidence for charge asymmetry of V^s-particles —642(A)
King, D. T. Multiplicity distribution of $0+N_s$ stars—642(A)
King, R. W. Supermultiplets and spin-dependent forces—67
Kingsbury, R. F. Oscillator strengths for transitions between $2p^43p$ and $2p^43s$ in O I, including configuration interaction—1846
Kington, J. D., J. K. Bair, Hans O. Cohn, and H. B. Willard. Proton-neutron threshold measurements—1393
—— (see Cohn, H. O.)—644(A)
Kinsey, B. B. Resonances in the elastic scattering of protons —332(L)
Kissinger, C. W. (see Perls, T. A.)—635(A)
Kivelson, D. and D. R. Lide. Internal motion in methyl amine—667(A)
Kjeldaas, T., Jr., and W. Kohn. Interpretation of Knight shift in metallic Na—622(A)
Klarmann, J., M. F. Kaplon, and G. Yekutieli. "V-particles" in nuclear emulsion—641(A)
—— (see Kaplon, M. F.)—1528
—— (see Yekutieli, G.)—641(A)
Klein, Abraham. Low-energy theorems for renormalizable field theories—998
—— **and Bruce H. McCormick.** Correlation of meson-nucleon scattering and nuclear forces—618(A)
—— (see Bernstein, Jeremy)—966
Klerer, M. and R. D. Hatcher. Approximately relativistic equations—675(A)
Klick, C. C. (see Russell, G. A.)—1639(A)
Klingensmith, R., E. Dally, and G. Arfken. Stability of transuranic elements—340(A)
Klokholm, E. (see Otter, F. A., Jr.)—599(L)
Kmetko, E. A. Effect of ambients on thermoelectric power and conductance of Ge particle aggregates—1642(A)
Knight, J. D. and E. W. Baker. Decay properties of Tl^{196}, Tl^{197}, and Tl^{198m}—1646(A)
Kobayashi, Jinzo and Ryuzo Ueda. X-ray study of phase transition of ferroelectric $PbTiO_3$ at low temperature—1900(L)
Koch, H. W., J. M. Wyckoff, and B. Petree. Response of NaI spectrometer to high-energy electrons—663(A)
—— (see Wyckhoff, J. M.)—616(A)
Koenigsberg, Ernest and Leon Findley. Conductivity of thin films in longitudinal magnetic field—615(A)
Koerts, L. (see Farrelly, B.)—1440
Koester, L. J., Jr. Neutral photomesons from H—651(A)
—— (see Mills, F. E.)—651(A)
Kofoed-Hansen, O. Alternative interpretations of slow-neutron cross sections—154
—— (see Margolis, B.)—611(A)
Kohn, Walter and Daniel Schechter. Theory of acceptor levels in Ge—1903(L)
—— (see Kjeldaas, T., Jr.)—622(A)
Kolm, Henry H. and Melvin A. Herlin. New method for measuring absolute viscosity of liquid He II—669(A)
—— **and George W. Pratt, Jr.** Field-induced surface effects —1644(A)
Komar, Arthur. Defining invariants of metric spaces—662(A)
Konopinski, E. β decay—630(T)
Koontz, P. G., C. W. Johnstone, G. R. Keepin, Jr., and J. D. Gallagher. New multichannel recording time-delay analyzer—664(A)
Korff, S. A. Prospective cosmic-ray observation during international geophysical year—1645(T)
—— (see Soberman, R. K.)—608(A)
Koshiba, M. and M. F. Kaplon. High-energy cosmic-ray soft showers in nuclear emulsion—641(A)
Kraichnan, Robert H. Special-relativistic derivation of generally covariant gravitation theory—1906(E)
Kramer, Bernard (see Kallmann, Hartmut)—391; 1328(L)
Krasner, Sol. Electron loss cross sections for He atoms passing through gases—520
Kraus, Alfred A., Jr. (see Bonner, T. W.)—631(A)
Kriessman, C. J. and S. E. Harrison. Ionic equilibrium in series of magnesium-manganese ferrites—627(A)
Krone, R. W., N. P. Baumann, and F. W. Prosser, Jr. Properties of some excited states in Mg^{26}—1649(A)
Krook, Max. Dynamics of rarefied gases—1896(L)
Kruger, Paul and Nathan Sugarman. High-energy fission of heavy elements. Nuclear charge dependence—1459
Krusemeyer, H. J. Influence of electric field on work function of oxide-coated cathode—1650(T)
Kuipers, George A. Infrared spectrum of HF—1624(A)
Kumagai, Hiroo, Hidetaro Abe, Kazuo Ôno, Izuo Hayashi, Junji Shimada, and Kenzo Iwanaga. Frequency dependence of magnetic resonance in α-Fe_2O_3—1116
Kunkel, W. B. (see Jones, R. V.)—646(A)
Kurath, Dieter. Intermediate coupling in $1p$ shell—648(A)
Kurbatov, J. D. and J. W. Downs. Relative stability of even-numbered isobars—340(A)
Kusch, P. (see Miller, R. C.)—1314

Lagarrigue, L. (see Fretter, W. B.)—642(A)
Lambertson, Glen R., C. Lasky, and Robert H. Phillips. Design studies for alternating-gradient magnets. II. Model measurements—653(A)
La Mer, V. K. Carnot's concept of entropy, and modern presentations of thermodynamics—656(T)
Landon, H. H. Radiation widths in slow-neutron resonances of Ir—610(A)
Lane, A. M. and C. F. Wandel. Imaginary part of potential in optical model of nucleus—647(A)
Lane, C. T. (see Wheeler, R. G.)—1667
Lane, R. O. (see Langsdorf, A., Jr.)—621(A)
Lang, G., S. DeBenedetti, and R. Smoluchowski. Measurement of electron momentum by positron annihilation—596(L)
Langford, F. L., R. A. Webb, and F. T. Rogers, Jr. Diffusion of uranyl nitrate activity through porous media—1631(A)
Langille, R. C. (see Hay, D. R.)—1638(A)
Langsdorf, A., Jr., and R. O. Lane. Angular distributions of scattering of moderate-energy neutrons—621(A)
Lannutti, Joseph E. (see Chupp, Warren W.)—335(L); 1042(L)
—— (see Iloff, E. L.)—1617(L)
Lark-Horovitz, K. (see Fritzche, H.)—400
Larson, Clarence E. Nuclear power reactor—1623(T)
Larson, Q. V. (see Boyd, G. E.)—1030(L)
Lasky, C. (see Lambertson, Glen R.)—653(A)
Laslett, L. Jackson. Betatron oscillations in fixed-field alternate-gradient accelerator with spirally-ridged poles—653(A)
Latter, Richard. Atomic energy levels for Thomas-Fermi and Thomas-Fermi-Dirac potential—510
—— Temperature behavior of Thomas-Fermi statistical model for atoms—1854
Lauff, G. H. (see Anderson, D. V.)—1639(A)
Lauritsen, C. C. (see Webb, T. S.)—138
Lawson, James R. (see Fuson, Nelson)—1625(A)
Lax, Benjamin and Laura M. Roth. Propagation and plasma oscillation in semiconductors—637(A)
—— (see Dexter, R. N.)—635(A)
—— (see Foner, Simon)—635(A)

—— (see Mavroides, J. G.)—1656(A)
Lax, Louis C. and Gerald A. Wrenshall. Simultaneous rates of P transfer between fifteen compartments within rat—1640(A)
Lax, M. (see Rosenberg, R.)—649(A)
Lazarus, A. J. (see Masek, G. E.)—650(A)
Leavitt, Christopher P. (see Chen, Francis F.)—857
LeBlanc, J. M. (see Burson, S. B.)—660(A)
Lebowitz, Joel L. and E. P. Gross. Quantum theory of dielectric relaxation—623(A)
—— (see Bergmann, Peter G.)—578
Ledbetter, Nasira F. (see Branson, Herman)—1643(A)
Leder, Lewis B. and L. Marton. Cross sections for characteristic energy loss of electrons—647(A)
Lederman, L. M. (see Rinehart, M. C.)—673(A)
—— (see Sargent, C. P.)—885
Lee, Kiuck and Alex E. S. Green. Diffuse boundary IPM mass surface—1627(A)
—— (see Green, Alex E. S.)—772
Lee, L. L., Jr., and D. R. Inglis. Energy levels in Be^9—96
—— **and Waldo Rall.** Angular distributions for $Ti^{46,48}$ (d,p) $Ti^{47,49}$ reactions with 4.16-Mev deuterons—1384
Lee, Po and G. L. Weissler. Absorption cross section of He and A in extreme uv—540
Lee, T. D. Absorption experiments involving heavy mesons —337(L)
—— (see Friedman, M. H.)—618(A)
Leinhardt, T. E. and J. M. Reynolds. Small electromagnet for low-temperature magnetic measurements—1626(A)
Lemonick, A. (see Reynolds, J. B.)—613(A)
Levinson, Carl and Kenneth W. Ford. Independent particle model of nucleus. I. Interparticle forces and configuration mixing—792
Levitas, A. Electrical properties of Ge-Si alloys—1810
—— Mobility of holes in Ge-Si alloys—625(A)
Levitt, L., G. E. Tauber, and T. Y. Wu. Energy levels of H^-—1659(A)
Lewis, H. W. Surface energies in superconductors—669(A)
—— (see Bernstein, E. M.)—617(A)
—— (see Olness, J. W.)—654(A)
Lewis, M. B. and A. J. Siegert. Variant on Yang-Lee theory of condensation—661(A)
Lewis, R. R., Jr. Many-body effects in nuclear scattering of electrons—628(A)
Lichtenberg, D. B. Pion production in p-p scattering—618 (A)
Lide, D. R. (see Kivelson, D.)—667(A)
Lidofsky, L. J., N. Benczer, and V. K. Fischer. Radioactive decay of Ca^{47}—658(A)
Liebson, S. H. and E. J. West. Surface recombination of CdS—647(A)
Likely, J. G. (see Ajzenberg, F.)—654(A)
Lin, Chun C. Theory of fine structure of microwave spectrum of NO_2—666(A)
Lin, Lan-Ying and B. R. Russell. Change in length of alkali halide crystals caused by x-ray irradiation—657(A)
Lind, D. A. and J. J. Van Loef. Analysis of inelastic neutron scattering data for Mn, Fe, and I—621(A)
Lindemann, W. W. Cause and elimination of anomalous flicker effect—1650(A)
Linder, S. L. Nuclear magnetic relaxation in ethane derivatives—614(A)
Lindsay, Robert and John J. Banewicz. Conductivity of NiO as function of temperature and surrounding atmosphere —636(A)
Lipson, H. G., E. Burstein, and Paul L. Smith. Optical properties of plastically deformed Ge—444
Lipworth, Edgar (see Novick, Robert)—612(A)
Litherland, A. E., E. B. Paul, G. A. Bartholomew, and H. E. Gove. γ-ray cascades in Al^{28}—644(A)
—— (see Bartholomew, G. A.)—1649(A)
—— (see Ferguson, A. J.)—1654(A)
—— (see Gove, H. E.)—1649(A)
—— (see Paul, E. B.)—644(A); 1339
Long, Donald. Effect of pressure on electrical properties of InSb—388
Longini, R. L. Electronic interaction of imperfections in semiconductors and insulators—636(A)
—— (see McKelvey, J. P.)—1227
Lopes, J. Leite (see Goldemberg, J.)—1053(L)
Lord, J. J. (see Glasser, R. G.)—1555
Lorrain, Paul. Pressurized high-frequency Cockcroft-Walton accelerator—1634(T)
Loughhead, R. E. Solution of problems involving hydromagnetic flow of compressible ionized fluids—1678
Low, W. (see Steinberger, I. T.)—1217
Lowitz, D. A., W. Webb, and R. W. Schiessler. Temperature-pressure-structure effects on viscosity of several higher hydrocarbons—637(A)
Lurio, A. and A. G. Prodell. Hfs of Ga isotopes in ground state—613(A)
Lutes, O. S. and E. Maxwell. Superconductivity of Sn whiskers—668(A)
Lye, Robert G. Secondary electron emission from MgO single crystals—1647(A)
Lyon, W. S. and Bernd Kahn. Decay of Sc^{47}—728
—— (see Handley, T. H.)—755; 1415

MacDonald, A. D. Distribution functions in high-frequency gas discharges—1661(T)
MacDonald, D. K. C. Electron transport properties of solids at low temperatures—1647(T)
—— (see Dugdale, J. S.)—1905(E)
Madansky, L. and George E. Owen. Heavy particle stripping—1608(L)
Maenchen, George, Wilson M. Powell, George Saphir, and Robert W. Wright. π^--proton interactions at 4.5 Bev —1619(L)
Magnusson, L. B. (see Engelkemeir, D.)—135
Mallmann, C. A., A. H. W. Aten, Jr., D. R. Bes, and Clara M. de McMillan. γ rays of Te^{125} and Te^{129}—7
Malm, R. E. (see Holland, R. E.)—92
Mandel, M. (see Barrett, A. H.)—666(A)
Mandeville, C. E. (see Potnis, V. R.)—671(A)
Mandl, F. and T. Regge. Pion production for polarized protons—618(A)
—— **and T. Regge.** Reaction $p + p \rightarrow \pi^+ + d$ with polarized protons—1478
Mann, D. E., Janet Hawkins Meal, and Earle K. Plyler. Vibrational spectrum of tetrabromoethylene—667(A)
Mann, K. C., D. C. Milley, and J. A. L. Thompson. Ring-focus collection in thin-lens nuclear spectrometers—1634 (A)
Manning, W. M. (see Ghiorso, A.)—1048(L)
Marcus, J. A. (see Shafroth, S. M.)—664(A)
Margenau, Henry (see Meyeratt, Roland E.)—1851
Margolis, B., O. Kofoed-Hansen, and E. Nagel. Analysis of low-energy neutron-resonance cross sections—611(A)
Margulies, R. S. Positive pion scattering by H at 300 Mev —673(A)
Marion, J. B. (see Bonner, T. W.)—631(A)
Mark, Hans and George Paulissen. Cascade transitions between rotational levels in odd A nuclei—1654(A)
—— (see Paulissen, George)—617(A)
Mark, Peter (see Kallmann, Hartmut)—1325(L)
Markham, Jordan J. Comparison of Condon and adiabatic approximations for impurity center—636(A)

Marshall, J. F. (see Pomerantz, M. A.)—489
Marshall, L. Inelastic polarization and nucleon momentum distribution—1033(L)
Martin, D. W., J. M. Cork, and S. B. Burson. Radiations from Ce^{144}(33-hr)—670(A)
—— (see Burson, S. B.)—660(A)
Martin, E. E. (see Dyke, W. P.)—1192
Martius, Ursula M. Initial stages of oxidation of Ni—1635 (A)
Marton, L., J. Arol Simpson, and T. F. McCraw. Distribution of electrons scattered by Au—495
——, **J. Arol Simpson, and T. F. McCraw.** Distribution of electrons scattered in solids—1648(A)
—— (see Leder, Lewis B.)—647(A)
Marx, G. (see Farago, P. S.)—1063
Maryott, A. A. and G. Birnbaum. Microwave absorption in compressed O_2—1886(L)
Masek, G. E., A. J. Lazarus, and W. K. H. Panofsky. Electromagnetic production of μ mesons—650(A)
Mason, W. P. Dislocation relaxations at low temperatures and limiting shear stress in metals—615(A)
—— (see Bömmel, H. E.)—1894(L)
Massey, H. S. W. Research in gaseous electronics in the United Kingdom—1657(T)
Matossi, Frank. Dependence of light amplification in phosphors on light intensity—1332(L)
—— **and Sol Nudelman.** Electroluminescence excited by short field pulses—1100
Matthias, B. T. (see Holden, A. N.)—626(A)
—— (see Merz, W. J.)—626(A)
Mattis, D. (see Ham, F. S.)—1656(A)
Maunsell, C. D. Spectra of low-current-density glow discharges—1661(A)
Mavroides, J. G. and Benjamin Lax. Galvanomagnetic theory of holes in Ge and Si—1656(A)
Maxwell, E. (see Lutes, O. S.)—668(A)
Maxwell, L. H. (see Wachtman, J. B., Jr.)—657(A)
Mazari, Marcos (see Buechner, W. W.)—644(A)
McCarthy, Kathryn A. and Stanley S. Ballard. Thermal conductivity of Ge at ambient temperatures—1104
McCormick, Bruce H. (see Klein, Abraham)—618(A)
McCormick, G. H. (see Cohen, B. L.)—656(A)
McCrary, J. H. (see Bent, R. D.)—710
McCraw, T. F. (see Marton, L.)—495; 1648(A)
McCrum, N. G. and J. C. Eisenstein. Dipole fields and He film—1326(L)
McDonald, F. B., R. A. Ellis, and M. B. Gottlieb. Rocket observation on soft radiation at northern latitudes—609 (A)
McDonald, William S. (see Corson, Dale R.)—652(A)
McEllistrem, M. T., Ren Chiba, R. A. Douglas, D. F. Herring, and E. A. Silverstein. Differential cross sections for $C^{13}+d$ reactions—632(A)
—— (see Galonsky, A.)—1906(E)
McFarland, Charles E., Franklin B. Shull, Alexander J. Elwyn, and Benjamin Zeidman. Stripping reactions $Fe^{56}(d,p)Fe^{57}$ and $Fe^{57}(d,p)Fe^{58}$—655(A)
McGowan, F. K. and P. H. Stelson. Angular distribution of γ rays from Coulomb excitation—127
—— (see Stelson, P. H.)—112; 616(A)
McGruer, J. N., E. K. Warburton, and R. S. Bender. (d,p) Reactions from C^{12} and C^{13}—632(A)
McGuire, A. D. (see Camac, M.)—897
McIntosh, J. S. (see Aron, W.)—629(A)
McKay, K. G. and A. G. Chynoweth. Optical studies of avalanche breakdown in Si—1648(A)
—— (see Rose, D. J.)—1648(A)
McKelvey, J. P. and R. L. Longini. Recombination of injected carriers at dislocation edges in semiconductors—1227
McKeown, M. (see Scharff-Goldhaber, Gertrude)—180
McMillan, D. R. and Andrew Robeson. Comparison of ultrasonic velocities in series of carbonates and acetates—1631(A)
McMillan, W. G. Exchange in Thomas-Fermi-Dirac model —661(A)
—— (see Hardwick, E. R.)—658(A)
McNair, A., R. N. Glover, and H. W. Wilson. K^{40} branching ratio—771
Mead, F. C., Jr. Disposal of radioactive wastes—339(T)
Meal, Janet Hawkins (see Mann, D. E.)—667(A)
Mech, J. F. (see Ghiorso, A.)—1048(L)
Meek, J. H. Motions of auroral light forms—1637(A)
Meinke, W. Wayne (see Cassatt, Wayne A., Jr.)—760
Melamed, N. T. (see Bowers, R.)—1781
Melvin, M. A. Fractional occurrence numbers of eigenstates —1663(A)
—— Radiation flux field outside of stars and spherical reactors—371; 1663(A)
—— Simplification in finding symmetry-adapted eigenstates —1659(A)
—— **and J. W. Burgeson.** Resiliency of pure metals—1663 (A)
Merat, Parviz (see Anderson, James L.)—1871
Meredith, L. H., J. A. Van Allen, and M. B. Gottlieb. Cosmic-ray intensity above atmosphere at high latitudes—198
—— (see Ellis, J. A.)—609(A)
Merritt, F. R. (see Bozorth, R. M.)—1898(L)
—— (see Yager, W. A.)—1203
Merritt, Jack and Daniel A. Hamlin. Production of π^+-mesons at 0° by 335-Mev protons on deuterium and complex nuclei—1523
Merz, W. J., J. P. Remeika, A. N. Holden, and B. T. Matthias. Electrical properties of guanidine aluminum sulfate hexahydrate (G.A.S.H.) and some isomorphs—626(A)
—— (see Holden, A. N.)—626(A)
Merzbacher, E. (see Patterson, J. R.)—1625(A)
—— (see Toller, A. L.)—1625(A)
Messel, H. (see Chartres, B. A.)—1604(L)
Metzger, Franz R. Nuclear resonance fluorescence in Ge^{74} and Pr^{141}—613(A)
Meussner, R. A. (see Juenker, D. W.)—657(A)
Meyer, Peter and J. A. Simpson. Changes in low-energy particle cutoff and primary spectrum of cosmic radiation—1517
—— **and J. A. Simpson.** Changes in low-energy primary spectrum and low-energy particle cutoff of cosmic radiations—608(A)
Meyerott, Roland E. and Henry Margenau. Line broadening by electrons: Validity of simple theories—1851
Mielczarek, Eugenie V. (see Frederikse, H. P. R.)—1889(L)
Milani, S., John N. Cooper, and J. C. Harris. γ-ray resonances in reaction $Si^{30}(p,\gamma)P^{31}$—645(A)
Millburn, G. P. (see Crandall, W. E.)—631(A)
Miller, D. (see Barnes, S. W.)—673(A)
Miller, J. E., N. S. Kendrick, Jr., and G. W. Crawford. Preliminary investigation of crystal structure changes of S—1631(A)
—— (see Kendrick, N. S., Jr.)—1631(A)
Miller, L. G. (see Joki, E. G.)—610(A)
Miller, R. C. and P. Kusch. Velocity distributions in K and Tl atomic beams—1314
Miller, S. L. Avalanche breakdown in Ge—1234
Milley, D. C. (see Mann, K. C.)—1634(A)
Millman, P. M. Excitation and ionization produced by meteors—1637(T)

Mills, F. E. and L. J. Koester, Jr. Neutral photomesons from H—651(A)
Mills, R. L. and E. R. Grilly. Melting curves of He^3, He^4, H_2, D_2, Ne, N_2, and O_2 up to 3500 kg/cm²—480
Misner, C. W. Applications of topology to general relativity —662(A)
Mitler, Henri. Correlation energy of He—1835
Mitra, A. N. Pion-nucleon scattering at high energies—957
Miyatake, Osamu and Clark Goodman. Observations on the charge and mass distributions in nuclei—1040(L)
Miyazawa, Hironari. Feynman amplitudes and strong-coupling pion theory—944
—— **and Reinhard Oehme.** Decay of spin-zero mesons into two leptons—315
—— (see Goldberger, M. L.)—986
Mize, J. P., M. E. Bunker, and J. W. Starner. Radioactive decay of Yb^{175}—671(A)
—— (see Brolley, J. E., Jr.)—330(L)
—— (see Bunker, M. E.)—659(A)
Moore, George E. and W. T. Hughes. Dissociation of solid compounds by electron bombardment—1643(A)
Moore, J. Slow-neutron resonance scattering in In—610(A)
Mooring, F. P. (see Holland, R. E.)—92
Moravcsik, Michael J. and J. Michael Sellen, Jr. Scattering of electrons in strong-focusing synchrotron—653(A)
Morgan, Ira L. Interaction of 3.7-Mev neutrons with Al, S, Fe, and Cu—621(A)
—— (see Bostrom, Norman A.)—643(A)
—— (see Hudspeth, Emmett L.)—643(A)
Morgan, K. Z. (see Cook, M. J.)—1628(A)
Morin, F. J. and T. H. Geballe. Electrical conductivity and Seebeck effect in $Ni_{0.95}Fe_{2.05}O_4$—467
—— (see Hrostowski, H. J.)—626(A)
Morinaga, H. Reaction $Ni^{58}(\alpha,\gamma)Zn^{62}$—655(A)
—— (see Bleuler, E.)—658(A)
Morris, T. F. Elementary particle models—650(A)
Morrish, A. H. and S. P. Yu. Magnetic measurements on single microscopic particle—1641(A)
Morrison, P. Sun and cosmic rays—341(T)
Morrison, S. Roy. Generation of $1/f$ noise by levels in linear or planar array—1904(L)
—— Surface levels, their influence on field effect and $1/f$ noise—1655(A)
Moszkowski, Steven A. Particle states in spheroidal nuclei —803
—— Particle states in spheroidal potential—648(A)
Mottelson, B. R. and S. G. Nilsson. Classification of nucleonic states in deformed nuclei—1615(L)
Motz, Hans, K. M. Crowe, and R. M. Friedman. π^-/π^+ ratios in photoproduction—673(A)
—— (see Crowe, K. M.)—673(A)
—— (see Friedman, R. M.)—672(A)
Motz, Henry. γ-ray spectrum of $Cd^{113}(n,\gamma)Cd^{114}$—656(A)
Moulthrop, Peter H. Pion production by neutrons on He—651(A); 1509
Mower, Lyman. Variational calculation of electron scattering by static potential—1065
Moyer, Burton J. (see Bandtel, K. C.)—673(A)
—— (see Wilcox, John M.)—875
Muehlhause, C. O. (see Bloom, S. D.)—654(A)
Muench, Nils L. Effects of stress on superconducting Sn, In, Tl, and Al—1814
—— **and H. E. Rorschach, Jr.** Displacement of superconducting critical field by pressure—668(A)
Müller, Erwin W. and Kanwar Bahadur. Velocity distribution in field ion emission—1651(A)
Murphy, E. L. and R. H. Good, Jr. Transition between field and thermionic emission—1650(A)
Murray, R. B. and L. D. Roberts. Extension of molecular field theory to hexagonal lattice—1630(A)
—— (see Roberts, L. D.)—1630(A)
Nagel, E. (see Margolis, B.)—611(A)
Naugle, J. E., P. S. Freier, and E. P. Ney. Energy spectrum of medium and heavy primaries at $\lambda = 61°$—609(A)
Need, John L. Mechanism of reaction $C^{12}+p\rightarrow p+3\alpha$ at 29 Mev—1356
Neher, H. V. Cosmic-ray intensity near north magnetic pole in 1954—620(T)
Nelson, E. B. (see Bashkin, S.)—107
Nelson, James R. Optical absorption spectrum of MgO by reflectivity—1902(L)
——, **J. G. Siegfried, and P. L. Hartman.** Absorption of alkali-halides in far uv—658(A)
Neufeld, Jacob and R. H. Ritchie. Density effect in ionization energy loss of charged particles—1125
—— **and W. S. Snyder.** Number of vacancies created by heavy corpuscular radiation—1326(L)
Newman, Eugene (see Cohen, Bernard L.)—656(A); 718; 723
Newman, Ezra and Peter G. Bergmann. Lagrangians linear in "velocities"—587
Newman, R. Optical properties of In-doped Si—465
—— (see Dash, W. C.)—1151
Newson, H. W. (see Nichols, P. F.)—621(A)
—— (see Patterson, J. R.)—1625(A)
—— (see Toller, A. L.)—620(A); 1625(A)
Newstein, M. C. Variational treatment of elastic scattering of electrons from H—628(A)
Ney, E. P. (see Naugle, J. E.)—609(A)
Neynaber, R. H., W. G. Brammer, and W. W. Beeman. Small-angle x-ray scattering from cold-worked metals—615(A)
Nicholls, R. W. and W. R. Jarmain. "Average" internuclear separations arising in study of molecular band-systems—667(A)
—— (see Brannen, Eric)—1658(A)
Nichols, P. F., R. G. Smith, and H. W. Newson. Total neutron cross sections in kev region: Zr^{90}, Zr^{92}, and Zr^{94}—621(A)
Nielsen, Alvin H. (see Herndon, John A.)—1624(A)
—— (see Keller, Fred L.)—1624(A)
—— (see Smith, D. F.)—1624(A)
Nierenberg, W. A. (see Hobson, J. P.)—612(A)
—— (see Hubbs, J. C.)—612(A)
Niestlie, John W., Jr., and Arthur I. Berman. Neutron velocity distribution in infinite scattering medium with finite absorption—612(A)
Nigam, B. P. and L. L. Foldy. Space inversion and charge conjugation for fermion fields—675(A)
—— **and H. P. Noyes.** Quasi-bound states of pion-nucleon system in lowest Tamm-Dancoff approximation—989
Nilsson, S. G. (see Mottelson, B. R.)—1615(L)
Nobles, R. A., R. L. Henkel, and R. K. Smith. Neutron-induced fission excitation curve for Am^{241}—616(A)
Novey, T. B. α-γ directional correlation in Am^{241}—672(A)
—— (see Freedman, M. S.)—671(A)
—— (see Porter, F. T.)—671(A)
Novick, Robert, Edgar Lipworth, and Paul F. Yergin. Fine structure of singly ionized He—612(A)
Nowick, A. S. (see Fischbach, D. B.)—1333(L)
Noyes, H. P. Effective range analysis of pion-nucleon S-waves—618(A)
—— (see Nigam, B. P.)—989
Nudelman, Sol (see Matossi, Frank)—1100
O'Dell, F. W. and M. M. Shapiro. Comparison of ionization-range methods of mass estimation—641(A)

Odian, A. (see Weinstein, R. M.)—1621(L)
Oehme, Reinhard (see Goldberger, M. L.)—986
—— (see Miyazawa, Hironari)—315
O'Friel, Z. and A. H. Weber. Internal conversion coefficient of Cr^{51}—659(A)
Ogilvy, K. W. Cosmic-ray proton spectrum at sea level—1645(A)
Okazaki, Albert. Scattering of polarized neutrons by heavy nuclei—55
Olbert, S. Diffusion equation on nucleonic component of cosmic rays—661(A)
Oleson, Norman (see Watanabe, Satosi)—646(A); 1701
Olness, J. W. and H. W. Lewis. γ rays from protons on P^{31}—654(A)
Olsen, Haakon. Outgoing and ingoing waves in final states and bremsstrahlung—1335(L)
Ôno, Kazuo (see Kumagai, Hiroo)—1116
Opechowski, W. (see Hess, F. G.)—1654(A)
Oppenheim, Irwin (see Friedman, Abraham S.)—638(A)
O'Rourke, R. C. and A. Anderson. Problem in shower theory (Approximation A)—1484
Osborne, L. S. (see deSaussure, Gerard)—843
Otter, F. A., Jr., P. J. Flanders, and E. Klokholm. Ferromagnetism in noble metal alloys containing Mn—599(L)
Overton, W. C., Jr., and Ted G. Berlincourt. Pressure dependence of de Haas-van Alphen parameters in Bi—1165
Owen, George E. (see Madansky, L.)—1608(L)

Paehler, J. H. (see Jones, W. H.)—184
Page, L. A., M. Heinberg, O. J. Wallace, and T. W. Trout. Angular correlation of two-quantum annihilation in condensed materials—665(A)
Pais, A. and R. Serber. Interaction between K-particles and nucleons—1551
Palevsky, H., D. J. Hughes, and R. L. Zimmerman. Inelastic scattering of cold neutrons by lattice vibrations of crystalline solids—611(A)
—— (see Carter, R. S.)—611(A)
Palmatier, E. D. (see Reeves, Tricia)—1628(A)
Pandya, Sudhir P. (see French, J. B.)—1387
Panofsky, W. K. H. and G. B. Yodh. Pion production from H by 600-Mev electrons—651(A)
—— (see Masek, G. E.)—650(A)
Pappis, J. (see Bickford, L. R., Jr.)—1210
Paquette, D. R. (see Perls, T. A.)—635(A)
Park, David. Radiations from spinning rod—1324
Parker, Eugene N. Hydromagnetic waves and acceleration of cosmic rays—241
Parmenter, R. H. Energy levels of crystal modified by alloying or by pressure—1759
—— Uniform strains and deformation potentials—1767
Parratt, L. G. Structure of thin evaporated Cu films by total reflection of x-rays—1635(A)
Passell, Thomas O. (see Rasmussen, John O.)—42
Patterson, J. R., H. W. Newson, and E. Merzbacher. Neutron resonances in kev region: F^{19} and P^{31}—1625(A)
—— (see Toller, A. L.)—620(A)
Paul, E. B., G. A. Bartholomew, H. E. Gove, and A. E. Litherland. γ rays from proton bombardment of Mg^{24}—644(A)
——, **H. E. Gove, A. E. Litherland, and G. A. Bartholomew.** Proton capture γ rays from reaction $P^{31}(p,\gamma)S^{32}$ leading to ground and first excited states of S^{32}—1339
—— (see Bartholomew, G. A.)—1649(A)
—— (see Clarke, R. L.)—654(A)
—— (see Gove, H. E.)—1649(A)
—— (see Litherland, A. E.)—644(A)
Paulissen, George and Hans Mark. Electric excitation of Pd, Cd, and Mo by protons—617(A)
—— (see Mark, Hans)—1654(A)
Pearlman, N. (see Keesom, P. H.)—1119
Pearson, Gerald. Solar battery—1623(T)
Pease, Jane (see Pease, Robert L.)—1600
Pease, Robert L. and Jane Pease. Necessary condition for positive definite energy—1600
Peaslee, D. C. "Normalized" β interactions—1654(A)
—— Nuclear oscillator potential—648(A)
Pederson, E. C. B. and L. Katz. Betatron energy control—1634(A)
Peebles, G. H. (see Gilvarry, J. J.)—550
Pellam, John R. Andronikashvilli disk measurements in liquid He^3–He^4 mixtures—1327(L)
Penfield, R. H. Attempt to geometrize electromagnetic theory—342(A)
Peoples, Joseph T. (see Hudspeth, Emmett L.)—643(A)
Pepinsky, R. (see Danner, H.)—1215
Percus, J. K. and G. J. Yevick. Exact new reformulation of many-body problem—661(A)
—— (see Yevick, G. J.)—661(A)
Peria, W. T. Photoelectric emission from metals into MgO—1647(A)
Perkins, J. F. Monte Carlo calculation of γ-ray reflection coefficients of concrete and Al—1629(A)
—— (see Burford, A. O.)—3
Perkins, R. B. (see Becker, R. L.)—1646(A)
Perlman, I. (see Asaro, Frank)—37
Perlman, Morris L. (see Wolfsberg, Max)—1833
Perlmutter, Arnold (see Kallmann, Hartmut)—391
Perls, T. A., C. W. Kissinger, and D. R. Paquette. Steady-state calibration of vibration transducers at accelerations up to ± 4000 g—635(A)
Perry, J. E., Jr., and S. J. Bame, Jr. $T(p,\gamma)He^4$ reaction—1368
—— (see Henkel, R. L.)—1050(L)
Petch, H. E. Location of H atoms in unit cell of portlandite $[Ca(OH)_2]$—1635(A)
Peter, M. and M. W. P. Strandberg. Molecular-beam microwave-absorption spectroscope—667(A)
Peterson, James R. (see Birge, Robert W.)—329(L)
Peterson, L. (see Winckler, J. R.)—608(A)
Peterson, R. W. Activation diffusion and thermionic emission in oxide coated cathodes—1651(A)
Peterson, Vincent Z. (see Corson, Dale R.)—652(A)
—— (see Walker, R. L.)—210
Petree, B. (see Koch, H. W.)—663(A)
Pevsner, A. (see Iloff, E. L.)—1617(L)
—— (see Sreekantan, B. V.)—642(A)
Phelps, A. V. Absorption studies of He metastable atoms and molecules—1307
—— Absorption studies of metastable states of Ne—1657(A)
Phillips, G. C., C. R. Gossett, J. P. Schiffer, and P. M. Windham. Inelastic scattering of protons from Fe^{54} and Fe^{56}—655(A)
—— (see Schiffer, J. P.)—655(A)
Phillips, Robert H. (see Lambertson, Glen R.)—653(A)
Pickup, E. (see Husain, A.)—609(A); 1612(L)
—— (see Jarvis, C. J. D.)—1644(A)
—— (see Judek, B.)—1644(A)
Pidd, R. W. and C. L. Hammer. Electron scattering on W at 31, 40, and 60 Mev—1396
Pierce, Louis. Centrifugal distortion effects in ozone—666(A)
Pigg, J. C. (see Cleland, J. W.)—1170
Pilcher, V. E., D. J. Hughes, and J. A. Harvey. Recent developments in analysis of neutron resonances and results of fast chopper measurements on Ta—611(A)
—— (see Harvey, J. A.)—10
Pines, David (see Bardeen, John)—1140

Pipkin, F. M. (see Reynolds, J. B.)—613(A)
Plano, Richard J. and Irwin A. Pless. Negative-pressure pentane bubble chamber used in high-energy experiments—639(A)
—— (see Pless, Irwin A.)—639(A)
Platt, J. B. Yields of mesonic K and L series x-rays—628(T)
—— (see Camac, M.)—897; 905
Pleasonton, Frances (see Snell, Arthur H.)—1625(A)
Pless, Irwin A. and Richard J. Plano. Study of 456-Mev proton interactions with H and C—639(A)
—— (see Plano, Richard J.)—639(A)
Plyler, Earle K. (see Mann, D. E.)—667(A)
Pomerantz, M. A., R. A. Shatas, and J. F. Marshall. Electrical conductivity induced in MgO crystals by 1.3-Mev electron bombardment—489
Porter, C. E. Elastic scattering of α particles and deuterons by complex nuclei—1400
Porter, F. T., M. S. Freedman, T. B. Novey, and F. Wagner, Jr. β-γ angular anisotropy in Re^{186}—671(A)
—— (see Freedman, M. S.)—671(A)
Porter, William S. (see Johnson, John L.)—630(A)
Potnis, V. R., C. E. Mandeville, and John S. Burlew. Radiations from Pt^{197}—671(A)
Pound, R. V. (see Rice, Michael)—1036(L)
Powell, R. L. (see Foner, Simon)—635(A)
Powell, Wilson M. (see Macnchen, George)—1619(L)
Pratt, George W., Jr. (see Kolm, Henry H.)—1644(A)
Prentki, Jacques (see d'Espagnat, Bernard)—328(L)
Present, R. D. (see Hale, D. P.)—1366
Preston, M. A. Coupling constants of β-decay interaction and decay of Rb^{87}—1654(A)
—— (see Shapiro, J.)—1654(A)
Price, P. J. Theorem on many-body quantum ground state—670(A)
Price, William J. Air Force Institute of Technology engineering curriculum—339(T)
Prigogine, Ilya. Statistical mechanics of irreversible processes—645(T)
Prince, M. B. Si conductivity-modulated diffused p-n junction rectifier—625(A)
Pringle, R. W. (see Taylor, H. W.)—1345
Prodell, A. G. (see Lurio, A.)—613(A)
Prosser, F. W., Jr. (see Krone, R. W.)—1649(A)
Pruett, Charles H., H. H. Bolotin, P. L. Roggenkamp, and R. G. Wilkinson. Excited states of Ce^{140}—670(A)
—— (see Bolotin, Herbert H.)—62
Pryor, M. J. Transmission-line demonstration—342(A)
Pugh, Emerson M. and F. E. Allison. Corrections to Hall potential in ferromagnetic materials—1642(A)
—— (see Allison, F. E.)—1642(A)
Pugh, Emerson William and J. E. Goldman. Magnetic susceptibility of metallic Li—1641(A)
Pyle, G. L. (see Ghiorso, A.)—1048(L)
Pyle, R. V., D. A. Hicks, and John Ise, Jr. Spontaneous-fission neutron multiplicities—616(A)
—— (see Crandall, W. E.)—631(A)

Rado, G. T. Spin-wave resonance in ferromagnetic metals—627(T)
Rall, Waldo (see Lee, L. L., Jr.)—1384
Ramanathan, K. G. and T. M. Srinivasan. Specific heat of Bi at liquid He temperatures—442
Rand, S. Photonuclear effect—1620(L)
Ranken, W. A. (see Bent, R. D.)—710
Raphael, R. B. Singlet S-state nucleon-nucleon potential—619(A)
Raridon, Richard and P. K. S. Wang. Tungsten L x-rays from Be-window tube—1629(A)
—— (see Wang, P. K. S.)—1639(A)
Rarita, William. Scattering analysis—630(A)
—— (see Serber, Robert)—629(A)
Rasmussen, John O., Hilding Slätis, and Thomas O. Passell. β emitter Np^{238}. I. β spectroscopy—42
——, **Frank S. Stephens, Jr., Donald Strominger, and Björn Aström.** β emitter Np^{238}. II. Scintillation spectroscopy and coincidence studies—47
Redfield, David. Recombination processes in Te—635(A)
Redlich, Martin G. Interactions between configurations of three nucleons in 1d, 2s shell—1427
—— Wave functions for nuclear shell theory by variation method—1421
Reekie, James. λ-point transition in relation to atomic distribution in liquid He—1660(T)
Reeves, Tricia and E. D. Palmatier. Interval distribution of cosmic-ray tracks in extensive air showers—1628(A)
Regge, T. (see Mandl, F.)—618(A); 1478
Reiss, Howard. Ionization and solubility of impurities in semiconductors—1642(T)
—— (see Fuller, C. S.)—624(A)
Remeika, J. P. (see Holden, A. N.)—626(A)
—— (see Merz, W. J.)—626(A)
Repp, Gordon W. (see White, R. Stephen)—651(A)
Reynolds, Charles A. Kinetic theory of liquid He II: heat transfer—669(A)
—— (see Forstat, Harold)—669(A)
Reynolds, George T. Recent results concerning hyperons and heavy mesons—620(T)
—— **and W. A. Aron.** Masses of S particles—1038(L)
—— (see Ballam, J.)—1038(L)
Reynolds, H. L. and A. Zucker. Differential cross sections for elastic scattering of N by N—640(A)
Reynolds, J. B., R. L. Christensen, D. R. Hamilton, A. Lemonick, F. M. Pipkin, and H. H. Stroke. Nuclear spins and hyperfine separations of Au^{198} and Au^{199}—613(A)
Reynolds, J. M. (see Leinhardt, T. E.)—1626(A)
Ribe, F. L. and R. W. Davis. 14-Mev (n,α) cross section in Zr. III—331(L)
Rice, Michael and R. V. Pound. Ratio of magnetic moments of stable Ga isotopes—1036(L)
Rice, William L. R. Use of clays for disposal of radioactive wastes—340(A)
Rinehart, M. C., K. C. Rogers, and L. M. Lederman. Scattering of negative pions near 15 Mev in H—673(A)
—— (see Sargent, C. P.)—884
Ring, J. (see Barnes, S. W.)—673(A)
Ring, Laurence S., Jr. Photodeuteron/photoproton yield from S—137
Ritchie, R. H. (see Birkhoff, R. D.)—647(A)
—— (see Neufeld, Jacob)—1125
Ritson, D. (see Iloff, E. L.)—1617(L)
Roberts, L. D. and R. B. Murray. Crystalline electric field splitting effects in antiferromagnetic transitions—1630(A)
—— (see Dabbs, J. W. T.)—1652(A)
—— (see Murray, R. B.)—1630(A)
Roberts, Paul H. (see Chamberlain, Joseph W.)—1674
Robertson, Harry S. Periodic phenomena in direct-current glow discharges—1662(A)
Robeson, Andrew (see McMillan, D. R.)—1631(A)
Robinson, Kenneth W. Electronic detection of heavy mesons—1606(L)
—— Timing measurements on penetrating cosmic-ray showers—642(A)
Robinson, R. F.—Food sterilization by radiation—339(T)
Robson, J. M. Experiment on angular correlation in β decay of neutron—1638(T)
Rogers, F. T., Jr. (see Langford, F. L.)—1631(A)
—— (see Rogers, Marguerite M.)—1632(A)

Rogers, K. C. (see Rinehart, M. C.)—673(A)
—— (see Sargent, C. P.)—885
Rogers, Marguerite M. and F. T. Rogers, Jr. Special stopping-power laws—1632(A)
Rogers, William A. and Manfred A. Biondi. Doppler broadening of spectral lines emitted during dissociative recombination—1657(A)
Roggenkamp, Paul L. (see Bolotin, Herbert H.)—62
—— (see Pruett, C. H.)—670(A)
Rohrer, R. H., J. B. Bailey, and A. K. Furr. Performance of cathode-ray tube coincidence discriminator—1626(A)
Rojo, Onofre, M. A. Hakeem, and Max Goodrich. Relative number of γ rays from Po^{215}—1629(A)
Romer, R. H. and R. H. Dicke. New technique for high resolution microwave spectroscopy—532
Rorschach, H. E., Jr. (see Muench, N. L.)—668(A)
Rosa, Richard J. Shock wave spectroscopy—633(A)
Rose, D. C. Cosmic-ray measurements at sea level over wide ranges of latitude—1645(T)
—— **and J. Katzman.** Latitude effect on nucleon and hard components of cosmic rays—608(A)
Rose, D. J. and K. G. McKay. Microplasmas in Si—1648(A)
Rose, M. E. Gauge problem in internal conversion—1628(A)
—— (see Brysk, H.)—649(A)
Rosen, Louis and Leona Stewart. Experimental checks of statistical theory of nuclear reactions—1052(L)
—— (see Frye, G. M., Jr.)—1375
Rosenberg, A. and W. C. Winegard. Crystal growth phenomena in high-purity Pb—1635(A)
Rosenberg, R. and M. Lax. Validity of deformation-potential theory in n-type Ge—649(A)
Rosenstock, Herbert B. Optical properties of solids—657(A)
Rossi, B. (see DeStaebler, H., Jr.)—642(A)
Rotenberg, A. and L. Spruch. Interaction contribution to nuclear isomerism—649(A)
Roth, Laura M. (see Gold, Louis)—1655(A)
—— (see Lax, Benjamin)—637(A)
Rothstein, Jerome. Monomolecular *vs* bimolecular relaxation kinetics in Cu_3Au and β brass—614(A)
Rowland, R. E. Cascade γ rays from $_{84}Po^{214}$ (RaC')—757
Roy, D. K. (see Das, T. P.)—1906(E)
Ruark, Arthur E. and William B. Good. Unstable combinations which can stimulate neutral mesons—1628(A)
Rubenstein, R. A. and J. N. Snyder. Theoretical analysis of charge distribution on recoil Cl ions from K capture in A^{37}—189
Rubin, F. A. (see Ajzenberg, F.)—654(A)
Rubin, Robert J. and B. A. Fleishman. Frequency spectrum of one-dimensional isotopic crystal mixture—656(A)
Ruby, Lawrence and James D. Gow. Occluded-gas ion source—663(A)
Rundle, R. E. (see Wilkinson, M. K.)—627(A)
Russek, A. Exchange moment contributions to modified shell model—834
—— (see Box, H. C.)—341(T)
Russell, B. R. (see Lin, Lan-Ying)—657(A)
Russell, G. A. and C. C. Klick. Experimentally determined configuration coordinate curves for F-centers in alkali-halide crystals—1636(A)
Russell, L. N. (see Grove, G. R.)—340(A)
Russell, R. D. Pb isotopes and earth's history—1644(T)
Rutledge, W. C. Determination of instantaneous Ba and BaO evaporation rates from thermionic cathodes—1651(A)

Sachs, R. G. Classification of fundamental particles—1573
Sackinger, J. P. Fused silica dielectric measurements at low frequencies—342(A)
Saenger, Alfred (see Hudson, George E.)—633(A)
Saenz, A. W. Derivation of quantum-statistical transport equation for dilute gases—638(A)
Sahni, R. C. Automatic computation of electronic wave functions of molecules—1639(A)
Salacz-Dohnanyi, Julius and Alex E. S. Green. Mixed Wigner-IPM mass surface—1627(A)
Salant, E. O. (see Hill, R. D.)—229
—— (see Hornbostel, J.)—338(L)
Salkovitz, Edward I. (see Schindler, Albert I.)—1251
Salter, L. Low-frequency vibrational spectrum of fcc lattice—656(A)
Salwen, Harold. Resonance transitions in molecular beam experiments. I. General theory of transitions in rotating magnetic field—1274
Salzman, George. Neutron-electron interaction—973
—— Structure of mesonic cloud associated with nucleon—619(A)
Sampson, John B., H. Hurwitz, Jr., and E. F. Clancy. Sensitivity of radiation damage to displacement probability—1657(A)
Sanders, J. H. (see Collington, D. J.)—1622(L)
Sandri, G. (see Sreekantan, B. V.)—642(A)
Sands, M., M. Bloch, J. G. Teasdale, and R. L. Walker. Search for photoproduction of meson pairs in H—652(A)
Sands, R. H. Paramagnetic resonance absorption in glass—1222
Sandweiss, Jack (see Birge, Robert W.)—329(L)
Saphir, George (see Maenchen, George)—1619(L)
Sarabhai, V., U. D. Desai, and D. Venkatesan. Solar influence on anisotropy of primary cosmic radiation. I. Studies at low latitudes—1490
Sargent, C. P., M. Rinehart, L. M. Lederman, and K. C. Rogers. Diffusion cloud-chamber study of very slow mesons. II. β decay of muon—885
Satterthwaite, C. B., W. S. Corak, B. B. Goodman, and Aaron Wexler. Specific heat of V in normal and superconducting states—1660(A)
—— (see Corak, W. S.)—1660(A)
Saunders, M. J. and A. G. Smith. Atmospheric turbulence—1627(A)
Scanlon, W. W. Polar semiconductors—620(T)
Scarf, Frederick L. Spectrum of Bethe-Salpeter equation—675(A)
Schachter, Harry (see Wrenshall, Gerald A.)—1640(A)
Schardt, A. W. and Joan P. Welker. Energy levels of As^{73}—810
Scharenberg, R. P. (see Stewart, M. G.)—691
Scharff-Goldhaber, Gertrude, E. der Mateosian, G. Harbottle, and M. McKeown. Decay of U^{233} (74 yr)—180
Schawlow, A. L. Structure of intermediate state in superconductors—656(T)
Schechter, Daniel (see Kohn, Walter)—1903(L)
Schecter, Larry (see Ellis, Robert E.)—1044(L)
Scheidegger, Adrian E. Gravitational radiation—1883
Schein, Marcel, D. M. Haskin, and R. G. Glasser. Further investigations on photon event—643(A)
—— (see Glasser, R. G.)—1555
—— (see Haskin, D. M.)—643(A)
Schiessler, R. W. (see Cutler, W. G.)—638(A)
—— (see Lowitz, D. A.)—637(A)
Schiff, Daniel. Numerical solution of integral transport equation—660(A)
Schiff, L. I. Low-energy physics from high-energy standpoint—628(T)
Schiffer, J. P., P. M. Windham, C. R. Gossett, and G. C. Phillips. Inelastic scattering of protons from isotopes of Mn, Ni, and Cu—655(A)
—— (see Phillips, G. C.)—655(A)

Schiller, Ralph. Particle motion in nonrelativistic quantum theory—662(A)
Schindler, Albert I. and Edward I. Salkovitz. Ferromagnetic Hall coefficient of Ni alloys—1251
Schmid, L. C. (see Cork, J. M.)—703
Schmitt, R. W. Effect of order-disorder on low-temperature resistance maximum—614(A)
Schneps, J. (see Fry, W. F.)—1561; 1055(L)
Schrank, G. Elastic scattering of 17-Mev protons by nuclei—640(A)
—— Energy control for external cyclotron beams—677(A)
—— (see Aron, W.)—629(A)
Schremp, E. J. Isotopic spin and group-space of proper Lorentz group—1603
Schulte, H. J. (see Camac, M.)—897
Schultz, H. L. and W. G. Wadey. Electronic instrumentation for Yale slow-neutron velocity selector—1634(A)
—— (see Wadey, W. G.)—1634(A)
Schulz, William Donald. Interaction of nonlocal and local fields—290
Schumacher, Berthold W. Pictures of gas-streams at low-gas density taken by means of electrons—1638(A)
Schwartz, Charles. Hfs anomaly in atomic P-states—1035(L)
Schwartz, Robert B., James W. Corbett, and William W. Watson. Protons from α bombardment of A^{36} and A^{40}—655(A)
Schwarz, E. G. K. Si analysis for B by thermal neutrons—625(A)
Schwarzmann, Gertrude T. Classical microphysics—662(A)
—— Physical significance of three quantum numbers—677(A)
Schweinler, H. C. (see Crawford, J. H.)—1330(L)
Sclar, N. Impact ionization of impurities in Ge—620(T)
Scofield, N. E. (see Howland, P. R.)—663(A)
Scott, G. D. (see Aziz, R. A.)—1636(A)
Scott, G. G. Gyromagnetic ratio of Fe at low magnetic intensities—1241
—— Gyromagnetic ratio of Ni at low magnetic intensities—1824
Scott, Mary Jean and Ralph E. Segel. Fast-neutron reactions in KI(Tl) crystals—622(A)
Scott, William T. Multiple Coulomb scattering including nuclear size effects—629(A)
Seaborg, G. T. (see Ghiorso, A.)—1048(L)
Sedra, R. N. and I. B. Hazzaa. Effect of radiation from solar flares on ionosphere and earth's magnetic field—1070
Seeman, N. (see Stiller, B.)—641(A)
Segel, Ralph E. (see Scott, Mary Jean)—622(A)
Segrè, Emilio. Neutron physics—630(T)
Seiler, Milton R., John N. Cooper, and J. C. Harris. γ-ray yield from natural Si bombarded with protons—340(A)
Seitz, F. Fermi statistics and its applications—630(T)
Seliger, H. H. (see Ziegler, C. A.)—663(A)
Sellen, J. Michael, Jr. (see Moravcsik, Michael J.)—653(A)
Senio, Peter (see Tucker, Charles W., Jr.)—1777
Serber, Robert and William Rarita. p-p scattering high energies—629(A)
—— (see Pais, A.)—1551
Shafroth, S. M. and J. A. Marcus. Annihilation radiation from positrons stopping in superconducting Pb—664(A)
Shamos, M. H. (see Fafarman, A.)—623(A)
Shapiro, Anatole M. (see Chen, Francis F.)—857
Shapiro, H. S. Virial series of ideal Bose-Einstein gas—1673
Shapiro, I. I. and R. J. Glauber. Nucleon scattering by nuclei at high energies—629(A)
Shapiro, J. and M. A. Preston. Calculations on charge independence with repulsive core potentials—1654(A)
Shapiro, M. M. K-mesons and hyperons in cosmic radiation—620(T)
—— (see O'Dell, F. W.)—641(A)
—— (see Stiller, B.)—641(A)
Sharp, R. D., A. Sperduto, and W. W. Buechner. Angular distribution of proton groups from $N^{14}(d,p)N^{15}$ reaction—632(A)
Shatas, R. A. (see Pomerantz, M. A.)—489
Sheldon, J. W. Use of statistical field approximation in molecular physics—1291
Sheline, Raymond K. and Joseph R. Wilkinson. Isobaric triplet Cr^{48}–V^{48}–Ti^{48}—165
—— **and Joseph R. Wilkinson.** New radioactivity Mn^{56}—1630(A)
——, **Joseph R. Wilkinson, Bruce J. Dropesky, and Theodore T. Shull.** Evidence against the existence of 23-hour V^{48}—1055(L)
—— (see Wilkinson, Joseph R.)—752
Sherr, R. and W. F. Hornyak. Inelastic scattering of 19-Mev protons by O^{16}: (A) proton groups—632(A)
—— (see Hornyak, W. F.)—632(A)
Shibuya, Motoichi. Hot electron problem in semiconductors with spheroidal energy surfaces—1189
Shilts, J. L. (see Baldwin, G. J.)—1650(A)
Shimada, Junji (see Kumagai, Hiroo)—1116
Shirn, G. A. (see Huntington, H. B.)—1085
Shull, C. G. (see Wilkinson, M. K.)—627(A)
Shull, Franklin B. (see McFarland, Charles E.)—655(A)
Shull, Theodore T. (see Sheline, Raymond K.)—1055(L)
Shutt, R. P. (see Block, M. M.)—261
Sidhu, S. S. and D. D. Zauberis. Mutual solubilities of Fe and Os—615(A)
Siegert, A. J. F. (see Lewis, M. B.)—661(A)
Siegfried, J. G. (see Nelson, J. R.)—658(A)
Sils, V. (see Smakula, A.)—1744; 1747
Silsbee, H. B. (see Hobson, J. P.)—612(A)
—— (see Hubbs, J. C.)—612(A)
Silver, E. G. (see Waniek, R. W.)—622(A)
Silverman, A. (see Wolfe, B.)—268
Silverstein, E. A. (see McEllistrem, M. T.)—632(A)
Simnad, M. and R. Smoluchowski. Effect of proton irradiation upon electrode potential of W—1891(L)
Simon, Albert. Ambipolar diffusion in magnetic field—646(A)
Simpson, F. B., R. G. Fluharty, and O. D. Simpson. Resonance parameters in Ta—610(A)
Simpson, J. A. (see Meyer, Peter)—608(A); 1517
Simpson, J. Arol (see Marton, L.)—495; 1648(A)
Simpson, O. D. (see Simpson, F. B.)—610(A)
Sinclair, Rolf M. γ radiation from interaction of 4.4-Mev neutrons with Fe^{54} and Fe^{56}—1351
—— γ radiation from interaction of 4.4-Mev neutrons with Ge and W—621(A)
Singer, S. F. (see Griem, H.)—608(A)
Singh, Nand Lal. Emission bands in Cu_2—1624(A)
—— (see True, Tom T.)—1626(A)
Sippel, R. F. (see Bent, R. D.)—710
Sites, J. R. (see Boyd, G. E.)—1030(L)
Skinner, R. Photonuclear reactions: theoretical considerations—1644(T)
Skulski, R. W. and D. Weimer. Reflection of compression wave from symmetrical wedge—633(A)
Slätis, Hilding (see Rasmussen, John O.)—42
Slaughter, G. G., M. M. Block, and E. M. Harth. Chronotron for time-of-flight studies of cosmic rays—1626(A)
Slichter, Charles P. Concept of temperature and Overhauser nuclear polarization effect—1822
—— Spin resonance of impurity atoms in Si—479

Slonczewski, J. C. and P. R. Weiss. Combined tight binding and perturbation theory of graphite π states—636(A)
Smakula, A. and J. Kalnajs. Precision determination of lattice constants with Geiger-counter x-ray diffractometer —1737
——, **J. Kalnajs, and V. Sils.** Densities and imperfections of single crystals—1747
—— **and V. Sils.** Precision density determination of large single crystals by hydrostatic weights—1744
Smart, J. Samuel. Application of Bethe-Weiss method to ferrimagnetism—1642(A)
Smith, A. G. (see Saunders, M. J.)—1627(A)
Smith, Bernard and Henry A. Boorse. He II film transport. II. Role of surface finish—346
—— **and Henry A. Boorse.** He II film transport. III. Role of film height—358
—— **and Henry A. Boorse.** He II film transport. IV. Role of temperature—367
Smith, D. F., and A. H. Nielsen. Pure rotational spectrum of HF—1624(A)
Smith, Frances M. (see Chupp, Warren W.)—335(L)
Smith, H. L. (see Ghiorso, A.)—1048(L)
Smith, M. S., R. R. Smith, E. G. Joki, and J. E. Evans. Total neutron cross section of Np-237 in 0.02- to 3-ev region—611(A)
Smith, P. L. (see Lipson, H. G.)—1535(A); 444
Smith, R. G. (see Nichols, P. F.)—621(A)
Smith, R. K. (see Henkel, R. L.)—1050(L)
—— (see Nobles, R. A.)—616(A)
Smith, R. R. (see Smith, M. S.)—611(A)
Smith, Robert T., Jr., J. C. Harris, and John N. Cooper. Technique for detection of nuclear resonances by observing residual radioactivity—340(A)
Smith, S. J. and L. M. Branscomb. Threshold for photodetachment from OH^-—1657(A)
Smither, R. K. Measurement of coefficient of secondary electron emission with resonant cavity—646(A)
Smoluchowski, R. (see Lang, G.)—596(L)
—— (see Simnad, M.)—1891(L)
Snell, Arthur H. and Frances Pleasonton. Charge spectrum of Cl^{39} recoils from neutron emission in electron-capture decay of A^{37}—1625(A)
Snow, G. A. (see Fry, W. F.)—1055(L)
Snyder, J. N. (see Rubenstein, R. A.)—189
Snyder, W. S. (see Neufeld, J.)—1326(L)
Soberman, R. K., A. Beiser, and S. A. Korff. Variation of position of cosmic-ray neutron intensity maximum with geomagnetic latitude—608(A)
Sogo, P. B. and C. D. Jeffries. Spin, magnetic moment, and electric quadrupole moment of La^{138} and magnetic moment of Cl^{36}—613(A)
Solomon, I. Relaxation processes in system of two spins—559
Sörensen, S. O. (see Haugerud, Ö.)—1046(L)
Spence, R. W. (see Ghiorso, A.)—1048(L)
Spencer, L. V. Asymptotic spatial trend of electron penetration—661(A)
—— Theory of electron penetration—639(T)
Sperduto, A. (see Buechner, W. W.)—644(A)
—— (see Sharp, R. D.)—612(A)
Spicer, B. M. Photoprotons from oxygen—33
Spinks, J. W. T. (see Katz, L.)—98
Spital, Sidney (see Baskir, Emanuel)—639(A)
Spitzer, W. G. and H. Y. Fan. Infrared absorption in InSb —1891(L)
Spruch, L. (see Rotenberg, A.)—649(A)
Sreekantan, B. V., A. Pevsner, and G. Sandri. Angular correlations in V^0-particle decays—642(A)
—— (see DeStaebler, H., Jr.)—642(A)
Srinivasan, D. and L. V. Holroyd. Sonoluminescence of water—633(A)
Srinivasan, T. M. (see Ramanathan, K. G.)—442
Stanger, Philip C. Study of spectroscopic binary 5 Lacertae —339(T)
Starner, J. W. (see Brolley, J. E., Jr.)—330(L)
—— (see Bunker, M. E.)—659(A); 1906(E)
—— (see Mize, J. P.)—671(A)
Stearns, M. B. Intensities and energy shifts of transitions in π-mesonic atoms—628(T)
Steele, M. C. Oscillatory galvanomagnetic properties of Sb single crystals at liquid He temperatures—1751
Steffen, R. M. Attenuation of Cd^{111} directional correlation in liquid In^{111} sources—659(A)
—— **and J. N. Brazos.** Decay of 72-sec In^{114} ground state—1646(A)
—— (see Brazos, J. N.)—1645(A)
Stein, P. C. (see Weinstein, R. M.)—1621(L)
Steinberg, M. S. Radiation dosage from thermonuclear explosions—666(A)
Steinberger, I. T., W. Low, and E. Alexander. Influence of alternating electric fields on light emission of some phosphors—1217
Steljes, John F. (see Carmichael, Hugh)—1542
Stelson, P. H. and F. K. McGowan. Coulomb excitation of states in Tl and Pb—616(A)
—— **and F. K. McGowan.** γ-ray yields from Coulomb excitation—112
—— (see McGowan, F. K.)—127
Stephens, Frank S., Jr. (see Rasmussen, John O.)—47
Stephenson, C. V. Radial vibrations in short hollow cylinders of $BaTiO_3$—1631(A)
Stephenson, R. J. Principles of reactor operation—339(T)
Sternglass, E. J. and M. M. Wachtel. Measurement of low-energy electron absorption in metals and insulators—646(A)
Sternheimer, R. M. Energy distribution of γ rays from π^0 decay—277; 618(A)
Stevens, D. K. and J. H. Crawford, Jr. Magnetic susceptibility of InSb—487
—— (see Crawford, J. H.)—1330(L)
Stewart, A. T. Angular correlation of photons from positron annihilation in solids—594(L)
Stewart, Leona (see Frye, G. M., Jr.)—1375
—— (see Rosen, Louis)—1052(L)
Stewart, M. G., R. P. Scharenberg, and M. L. Wiedenbeck. Angular correlation of γ rays of Ba^{134}—691
Stier, P. M. and C. F. Barnett. Electron capture cross section for protons—1630(A)
Stiller, B., M. M. Shapiro, and N. Seeman. Stopped K-mesons observed near geomagnetic equator—641(A)
Stolovy, A. and J. A. Harvey. Fast-chopper measurements of radiation widths—611(A)
Stone, Gerald (see Everhart, Edgar)—1287
Stork, Donald H. and S. Whetstone. Cross section for $p+p \rightarrow \pi^+ + p + n$—651(A)
—— (see Birge, Robert W.)—329(L)
—— (see Kerth, L. T.)—641(A)
—— (see Whetstone, S.)—673(A)
Stout, V. L. and M. D. Gibbons. Thin film interference phenomena applied to study of gettering by Ti—1643(A)
Straley, Joseph W. (see True, Tom T.)—1624(A)
Strandberg, M. W. P. Electronic contribution to effective nuclear masses in molecules—667(A)
—— (see Peter, M.)—667(A)
—— (see Swan, P. R.)—667(A)
—— (see Tinkham, M.)—537
Strauch, Karl. Double scattering experiment with 96-Mev protons—150

Stroke, H. H. (see Reynolds, J. B.)—613(A)
Strominger, Donald (see Rasmussen, John O.)—47
Studier, M. H. (see Ghiorso, A.)—1048(L)
Stull, J. L. (see Bickford, L. R., Jr.)—1210
Sturm, W. J. (see Binder, D.)—603(L)
Sugarman, Nathan (see Jodra, Luis G.)—1470
—— (see Kruger, Paul)—1459
Sugawara, M. Electromagnetic properties of deuteron—1601
Summers, R. (see Barnes, S. W.)—673(A)
Sunyar, A. W. Electric quadrupole transitions in nuclei—628(T)
—— (see Alburger, D. E.)—695
Sutton, Paul M. Computation of mean Debye temperature of cubic crystals from elastic constants. II—1826
Suura, Hiroshi. Radiative correction to high-energy electron scattering—1020
Swami, M. S. (see Fry, W. F.)—1561; 1055(L)
Swan, P. R. and M. W. P. Strandberg. Excited torsional states in asymmetric hindered rotors—667(A)
Swann, W. F. G. Certain matters pertaining to internal structure of nucleons—650(A)
Swanson, John A. Saturation Hall constant of semiconductors—1799
Swanson, R. W. (see van Bavel, C. H. M.)—1626(A)
Swenson, C. A. Compression of alkali metals to 10 000 atmospheres at low temperature—423

Taft, E. and L. Apker. Photoelectric emission from polycrystalline graphite—1831
Takano, Y. and J. L. Anderson. Generalization of Feynman's integral-over-all-paths formulation of quantum mechanics—674(A)
Tanaka, Katsumi. Lee model—676(A)
Tannenwald, P. E. Multiple resonances in cobalt ferrite—463
Tauber, G. E. Energy levels of Pb^{208}—176
—— (see Levitt, L.)—1659(A)
Tautfest, G. W. and K. L. Brown. Precision monitor for electron beams—664(A)
—— (see Crowe, K. M.)—872
—— (see Helm, R. H.)—650(A)
Taylor, H. W. and R. W. Pringle. γ-γ directional correlation in Pt^{198}—1345
Taylor, J. C. and B. R. Coles. Thermoelectric powers of some Pd alloys—614(A)
Taylor, Julius. Pressure dependence of resistivity, Hall constant, and energy gap for InAs—1655(A)
Taylor, R. Dean (see Dash, J. G.)—598(L)
Teasdale, J. G. (see Sands, M.)—652(A)
—— (see Walker, R. L.)—210
Teasdale, Tom S. Permanent magnetic moments of superconducting sphere—1248
Temmer, G. M. and N. P. Heydenburg. Energy levels in Ru, Pd, and Cd by Coulomb excitation—617(A)
—— **and N. P. Heydenburg.** Fast *F2* transition probabilities from Coulomb excitation—1609(L)
—— (see Heydenburg, N. P.)—617(A)
Tendam, D. J. (see Bleuler, E.)—1652(A); 1605(L)
Tewes, H. A. (see Coleman, G. H.)—288
Theissing, H. H. and P. J. Caplan. Atmospheric attenuation of solar millimeter-wave radiation—624(A)
Theoclitus, Gregory and Homer C. Wilkins. Counting efficiency of electromechanical message registers—634(A)
Thieme, M. T. and E. Bleuler. Decay of Au^{194} and Au^{196}—1646(A)
Thode, H. G. Abnormal fission yields and nuclear shell structure—1638(T)
Thompson, J. A. L. (see Mann, K. C.)—1634(A)
Thompson, R. W. (see Kim, Y. B.)—642(A)
Thompson, S. G. (see Ghiorso, A.)—1048(L)
—— (see Harvey, B. G.)—337(L)
Thorndike, A. M. (see Block, M. M.)—261
Ticho, Harold K. (see Freden, Stanley C.)—1057(L)
Tidwell, Marvin, S. K. Haynes, and P. K. S. Wang. Energy spectrum of low-voltage x-ray tube—1629(A)
—— (see Wang, P. K. S.)—1639(A)
Tilden, Elizabeth F. (see Bozorth, R. M.)—1788
Timnick, A. (see Jones, W. H.)—184
Tinkham, M. and M. W. P. Strandberg. Line breadths in microwave magnetic resonance spectrum of O_2—537
Tinlot, John (see Baskir, Emanuel)—639(A)
Tobin, R. A. (see Bendel, W. L.)—672(A)
Toller, A. L., H. W. Newson, and E. Merzbacher. Neutron resonances in kev region: Na^{23} and Al^{27}—1625(A)
——, **J. R. Patterson, and H. W. Newson.** Neutron resonances in kev region: Cl^{35}, Cl^{37}, K^{39}, and K^{41}—620(A)
Tollestrup, A. V., J. C. Keck, and R. M. Worlock. Photoproduction of positive pions in hydrogen-counter telescope method—220
Tomboulian, D. H. (see Bedo, D. E.)—624(A)
Tomlinson, R. H. (see Wiles, D. M.)—188
Toms, M. E. (see Bendel, W. L.)—672(A)
Toppel, B. J., D. H. Wilkinson, and D. E. Alburger. 2− state at 8.85 Mev in O^{16}—632(A)
Townes, C. H. (see Gordon, J. P.)—1264
Trainor, L. E. H. and W. R. Dixon. Possibility of nuclear change of phase—1655(A)
Treiman, S. B. and H. W. Wyld, Jr. γ stability of K-mesons—1039(L)
Trolan, J. K. (see Dyke, W. P.)—1192
Trout, T. W. (see Page, L. A.)—665(A)
True, Tom T., Nand Lal Singh, and Joseph W. Straley. Infrared intensity measurements in halogenated methanes—1624(A)
Tucker, Charles W., Jr., and Peter Senio. X-ray scattering effects due to localized static lattice defects—1777
Turberfield, K. C. (see Collington, D. J.)—1622(L)
Turner, E. B. Radiation from strong shock front in Kr—633(A)
Tweet, A. G. Electrical properties of plastically deformed Ge—1245
—— Properties of grain boundaries in Au-doped Ge—1182
Tyler, W. W. Photoconductivity in Ge—620(T)

Uberall, H. (see Dyson, F. J.)—604(L)
Ueda, Ryuzo (see Kobayashi, Jinzo)—1900(L)
Uhlir, A., Jr. Micromachining with virtual electrodes—615(A)
Underwood, Newton (see van Bavel, C. H. M.)—1626(A)

Vallee, R. E. (see Grove, G. R.)—340(A)
Van Allen, J. A. Interpretation of soft radiation observed at high altitudes in northern latitudes—609(A)
—— (see Meredith, L. H.)—198
van Bavel, C. H. M., Newton Underwood, and R. W. Swanson. Soil moisture determination by neutron measurements—1626(A)
van Lieshout, R. (see Farrelly, B.)—1440
Van Loef, J. J. (see Lind, D. A.)—621(A)
Van Vleck, J. H. Bloembergen spin reservoir temperature in paramagnetic resonance experiments—1659(A)
Varnerin, L. J., Jr., and J. H. Carmichael. Role of reemission in ionic pumping—1662(A)
—— (see Garfunkel, M. P.)—1647(A)
Vash, A. M. (see Blewett, J. P.)—652(A)
Venkatesan, D. (see Sarabhai, V.)—1490
Verlet, L. (see Drell, S. D.)—849
Vette, J. I. (see Walker, R. L.)—210

Visscher, William M. and Richard A. Ferrell. Nuclear forces and β decay of C^{14}—649(A)
Vogan, E. L. (see Hines, C. O.)—1638(A)
Volkoff, G. M. Radio-frequency spectra of nuclei in crystals—1648(T)
Voss, R. G. P. and R. Wilson. Neutron and proton distributions in heavy nuclei—1056(L)

Wachtel, M. M. (see Sternglass, E. J.)—646(A)
Wachtman, J. B., Jr., and L. H. Maxwell. Slip systems and creep in oxide crystals—657(A)
Wadey, W. G. and H. L. Schultz. Revised Yale linear electron accelerator and facilities—1634(A)
—— (see Schultz, H. L.)—1634(A)
Wagener, S. Adsorption measurements at very low pressures—1643(A)
Wagner, F., Jr. (see Freedman, M. S.)—671(A)
—— (see Porter, F. T.)—671(A)
Wagner, Robert T. and Frank L. Hereford. Temperature effects in annihilation of positrons—593(L)
—— **and F. L. Hereford.** Temperature effects in 3-quantum annihilation of positrons—665(A)
Wahl, Arthur G. Fission of U^{235} by 14-Mev neutrons: Nuclear charge distribution and yield fine structure—730
Wainfan, N., W. C. Walker, and G. L. Weissler. Photoionization efficiencies and cross sections in O_2, N_2, CO_2, A, H_2O, H_2, and CH_4—542
Wait, J. R. (see Frood, D. G.)—1639(A)
Wajda, E. S. (see Huntington, H. B.)—1085
Waldron, R. D. Infrared spectra of ferrites—1727
Walker, R. L. Photoproduction of mesons in H and deuterium—620(T)
——, **J. G. Teasdale, V. Z. Peterson, and J. I. Vette.** Photoproduction of positive pions in hydrogen–magnetic spectrometer method—210
—— (see Sands, M.)—652(A)
Walker, W. C. (see Wainfan, N.)—542
Wall, N. S. (see Bromley, D. A.)—1029(L)
Wallace, O. J. (see Page, L. A.)—665(A)
Wallace, R. W. (see Bandtel, K. C.)—673(A)
Wallis, G. and J. F. Battey. Modulation of Schottky emission from metal point contacts to Ge—625(A)
Wallis, Richard F. (see Herman, Robert)—435
Walton, R. B., R. L. Becker, J. D. Clement, and M. S. Zucker. $C^{13}(\alpha,n)$ reaction—1649(A)
Wandel, C. F. (see Lane, A. M.)—647(A)
Wang, P. K. S., R. J. Raridon, and Marvin Tidwell. Scintillation spectrometry of x-rays from Be-window tube—1639(A)
—— (see Raridon, Richard)—1629(A)
—— (see Tidwell, Marvin)—1629(A)
Wang, Tien-Chuan. Pure nuclear quadrupole spectra of Cl and Sb isotopes in solids—566
Waniek, R. W., L. Garrido, R. Goloskie, and E. G. Silver. Secondaries from high-energy neutron interactions with W—622(A)
—— (see Culler, Vaughn)—740
Warburton, E. K. (see McGruer, J. N.)—632(A)
Waring, R. K., Jr. He film transfer rate from 0.14 to 2.19°K—1704
Warner, A. W., Jr. (see Bömmel, H. E.)—1894(L)
Warren, Dana T. Altitude effect on cosmic-ray fine structure—608(A)
Watanabe, Satosi and Norman L. Oleson. Possible explanation of moving striations in discharge tube—646(A)
—— **and Norman L. Oleson.** Traveling density waves in positive columns—1701
Watson, William W. (see Corbett, J. W.)—634(A)
—— (see Schwartz, Robert B.)—655(A)
Wattenberg, A. (see Weinstein, R. M.)—1621(L)
Webb, Francis H. (see Chupp, Warren W.)—335(L)
Webb, R. A. (see Langford, F. L.)—1631(A)
Webb, T. S., F. B. Hagedorn, W. A. Fowler, and C. C. Lauritsen. Elastic scattering of protons by F^{19}—138
Webb, W. (see Cutler, W. G.)—638(A)
—— (see Lowitz, D. A.)—637(A)
Webeler, R. (see Allen, G.)—556
Weber, A. H. (see Doerner, R. K.)—672(A)
—— (see O'Friel, Z.)—659(A)
Weber, Marvin J. (see Brode, Robert B.)—610(A)
Weddell, J. B., B. Jennings, and R. L. Hellens. Scattering of 4.4-Mev neutrons by C, Ca, Fe, and Zr—621(A)
Wegner, Harvey E., R. M. Eisberg, and G. Igo. Elastic scattering of 40-Mev α particles from heavy elements—825
——, **R. M. Eisberg, and G. Igo.** Elastic scattering of 40-Mev α particles from heavy nuclei—640(A)
—— (see Bloom, S. D.)—654(A)
—— (see Eisberg, R. M.)—1606(L)
Weimer, D. (see Skulski, R. W.)—633(A)
Weinstein, R. M., A. Odian, P. C. Stein, and A. Wattenberg. Photoproton-proton coincidences from various nuclei—1621(L)
Weiss, P. R. (see Slonczewski, J. C.)—636(A)
Weiss, R. J. (see Antal, J. J.)—1081
Weissler, G. L. (see Lee, Po)—540
—— (see Wainfan, N.)—542
Weissmann, Sigmund and Roger Chang. X-ray diffraction studies of radiation damage of Ge single crystal—657(A)
Welker, Joan P. (see Schardt, A. W.)—810
Weller, C. E. and J. C. Grosskreutz. γ rays from proton bombardment of Cu^{65} and Cu^{63}—655(A)
Welmers, E. T. Information theory—bit by bit—341(T)
Welsh, H. L. (see Allin, Elizabeth J.)—1639(A)
—— (see Gaizauskas, V.)—1639(A)
—— (see Hare, W. F. J.)—1887(L)
Welton, Ted A. Fixed-frequency billion-volt proton cyclotron—1623(T)
Wessel, W. Quantum electrodynamics and mass operator—676(A)
West, E. J. (see Liebson, S. H.)—647(A)
Wexler, Aaron (see Satterthwaite, C. B.)—1660(A)
Wexler, S. (see Goodman, L. S.)—192
Wheatley, G. H. (see Hrostowski, H. J.)—626(A)
Wheatley, J. C., D. F. Griffing, and R. D. Hill. Ratio of magnetic moments of Co^{59} and Co^{60}—334(L)
Wheeler, John A. Scattering and potential—630(A)
Wheeler, R. G., C. H. Blakewood, and C. T. Lane. Second sound attenuation in rotating He II—1667
Whetstone, S. and D. Stork. Scattering of 22-Mev positive pions on protons—673(A)
—— (see Stork, D.)—651(A)
White, R. Stephen, Mark J. Jakobson, and Gordon W. Repp. π^+ photomeson production at 143°—651(A)
Whitehead, Marian N. (see Birge, Robert W.)—329(L)
—— (see Kerth, L. T.)—641(A)
Whittemore, W. L. (see Block, M. M.)—261
Widgoff, M. (see Hill, R. D.)—229
Widom, B. Inelastic molecular collisions near threshold—1658(A)
Wiedenbeck, M. L. (see Stewart, M. G.)—691
Wieder, H. H. Electrical behavior of $BaTiO_3$ single crystals at low temperatures—1161
Wiggins, J. S. (see Forster, H. H.)—660(A)
Wightman, A. S. and D. Hall. Universal singular functions in local relativistic quantum field theory—674(A)
—— (see Greenberg, O. W.)—675(A)
Wikner, N. F. (see Bandtel, K. C.)—673(A)

Wilcox, John M. and Burton J. Moyer. Nuclear internal momentum distributions—875
Wiles, D. M. and R. H. Tomlinson. Half-life of Cs^{137}—188
Wilkins, Homer C. (see Theoclitus, Gregory)—634(A)
Wilkinson, D. H. Energy dependence of cross sections for reactions $C^{12}(d,n)N^{13}$ and $C^{13}(d,t)C^{12}$ up to E_D=20 Mev—632(A)
—— Lowest state of surface oscillation of O^{16} at 14.7 Mev—1347
—— (see Toppel, B. J.)—632(A)
Wilkinson, Joseph R. and Raymond K. Sheline. New isotope Mn^{56}—752
—— (see Sheline, Raymond K.)—165; 1055(L); 1630(A)
Wilkinson, M. K., C. G. Shull, and R. E. Rundle. Ferromagnetic structure of UH_3—627(A)
Wilkinson, Roger G. (see Bolotin, Herbert H.)—62; 671(A)
—— (see Pruett, C. H.)—670(A)
Willard, H. B. (see Cohn, H. O.)—644(A)
—— (see Kington, J. D.)—1393
Williams, Albert J. (see Bozorth, R. M.)—1788
Williams, D. V. P. and Dixon Callihan. Resolving time of Geiger-Mueller counters—1626(A)
Williams, Dudley. Recent spectroscopic studies of thermal radiation in atmosphere—1623(T)
—— (see Geusic, Joseph E.)—612(A)
Williams, I. R. (see Johns, M. W.)—1645(A)
Williams, R. W. (see Altman, L.)—609(A)
Williamson, R. M. and S. A. Cox. Angular distributions and angular correlations in $Mg^{24}(d,p)Mg^{25}$—644(A)
—— (see Cox, S. A.)—631(A)
Wilson, H. W. (see McNair, A.)—771
Wilson, R. (see Voss, R. G. P.)—1056(L)
Winckler, J. R. and L. Peterson. Azimuthal effect for cosmic-ray protons and α particles using Čerenkov counter—608(A)
Windham, P. M. (see Phillips, G. C.)—655(A)
—— (see Schiffer, J. P.)—655(A)
Winegard, W. C. (see Rosenberg, A.)—1635(A)
Winter, Rolf G. Search for double β decay in Cd and Mo—88
Witmer, Enos E. Electron mass as natural unit of mass for nuclei and elementary particles—1653(A)
—— Three-dimensionality of space and masses of nuclei and elementary particles—1663(A)
Woernley, D. L. Magnetic susceptibilities of biological material—341(T)
Wolfe, B., A. Silverman, and J. W. DeWire. Elastic photoproduction of π^0 mesons from deuterium—268
Wolfgang, R. L. (see Friedlander, G.)—263
Wolfsberg, Max and Morris L. Perlman. Multiple electron excitation in Auger processes—1833
Woods, Joseph F. Hall effect and resistivity study of photoconducting PbS films—658(A)
Worley, R. D., M. W. Zemansky, and H. A. Boorse. Heat capacities of V and Ta in normal and superconducting phases—447
Worlock, R. M. (see Tollestrup, A. V.)—220
Wrenshall, Gerald A. and Harry Schachter. Transfer rate measurements in hydrodynamic system containing nonuniformly mixing compartment—1640(A)
—— (see Lax, Louis C.)—1640(A)
Wright, Byron T. (see Chow, Richard H.)—640(A)
Wright, Robert W. (see Maenchen, George)—1619(L)
Wright, S. Courtenay. Phase shift formulas for nucleon-nucleon scattering—996
Wu, C. S. (see Farrelly, B.)—1440
Wu, T. Y. (see Levitt, L.)—1659(A)
Wyckoff, J. M. and H. W. Koch. Energy spectrum of delayed γ rays from U photofission—616(A)
—— (see Koch, H. W.)—663(A)
Wyld, H. W., Jr. (see Treiman, S. B.)—1039(L)
Wyman, James H. (see Gordy, Walter)—1905(L)

Yadoff, Oleg. Production of electrostatic charges by rotation of permanent magnet—677(A)
—— **and Sophie Yadoff.** Rotational oscillations of electrostatically charged conductors—635(A)
Yadoff, Sophie (see Yadoff, Oleg)—635(A)
Yaffe, L. (see Graham, R. L.)—1646(A)
Yager, W. A., J. K. Galt, and F. R. Merritt. Ferromagnetic resonance in two Ni-Fe ferrites—1203
—— (see Bozorth, R. M.)—1898(L)
Yagoda, Herman. Charge spectrum and zenith angle distribution of heavy primary nuclei entering atmosphere—1644(A)
—— Mesonic decay of ejected triton—651(A)
Yalow, Rosalyn S. and Solomon A. Berson. Kinetic analysis of thyroidal iodide trapping and binding in human subject—342(A)
Yamamoto, K. (see Hasebe, K.)—1331(L)
Yearian, H. J. and W. D. Derbyshire. Oxygen parameters of $FeFe_{(2-x)}Cr_xO_4$ spinel system—626(A)
Yekutieli, G., M. F. Kaplon, and J. Klarmann. β decay of K-mesons—641(A)
—— (see Kaplon, M. F.)—1528
—— (see Klarmann, J.)—641(A)
Yergin, Paul F. (see Novick, Robert)—612(A)
Yevick, G. J. and J. K. Percus. Exact classical and quantum mechanical equations of motion for N particles using collective coordinates—661(A)
—— (see Percus, J. K.)—661(A)
Yilmaz, Huseyin. Formulation of relativity—662(A)
Yodh, G. B. (see Panofsky, W. K. H.)—651(A)
Yos, J. M. (see Jehle, Herbert)—1640(A)
Young, J. R. Deterioration of luminescent phosphor under positive ion bombardment—1648(A)
Yu, S. P. (see Morrish, A. H.)—1641(A)

Zankel, Kenneth L. and Alex E. S. Green. Perturbations of semiempirical mass equation—1628(A)
Zauberis, D. D. (see Sidhu, S. S.)—615(A)
Zeidman, Benjamin (see McFarland, Charles E.)—655(A)
Zeiger, H. J. (see Foner, Simon)—635(A)
—— (see Gordon, J. P.)—1264
Zemansky, M. W. (see Worley, R. D.)—447
Zernow, Louis (see Hauver, George)—635(A)
Ziegler, C. A., H. H. Seliger, and I. Jaffe. Oxygen quenching and wavelength shifters in liquid scintillators—663(A)
Zimmerman, E. J. Scintillation response of anthracene to low-energy protons and He ions—1199
Zimmerman, R. L. (see Palevsky, H.)—611(A)
Zinn, W. H. Atomic energy—630(T)
Zuchelli, A. J. (see Berko, S.)—1652(A)
Zucker, A. (see Reynolds, H. L.)—640(A)
Zucker, M. S. (see Walton, R. B.)—1649(A)

Analytic Subject Index to Volume 99

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (L) are to Letters to the Editor; references with (E) are to Errata. Items are listed under the following categories:

Acoustics
Astrophysics
Atomic and Molecular Beams
Atomic Mass and Abundance
Atomic Structure and Spectra
Biophysics
Chemical Effects and Properties
Constants, Standards, Units
Cosmic Radiation
Crystalline State
Dielectrics and Dielectric Properties
Diffraction
Diffusion
Elasticity and Plasticity
Electrical Conductivity and Resistance
Electrical Discharges
Electrical Properties
Electromagnetic Theory and Electrodynamics
Electrons and Positrons
Elementary Particle Interactions
Errata
Field Theory
Films, Properties
Fluid Dynamics
Gamma Rays
Gases
Geophysics
Helium, Liquid
Imperfections in Solids
Ionization
Ions
Ions and Electrons, Mobility
Liquids
Luminescence
Magnetic Properties
Magnetic Resonance
Mathematical Methods
Mechanics
Mesons and Hyperons
Methods and Instruments
Microwaves
Miscellaneous
Molecular Aggregates
Molecular Structure and Spectra
Neutrino
Noise
Nuclear Fission
Nuclear Moments and Spin
Nuclear Photoeffects
Nuclear Reactions, General
Nuclear Reactions Induced by α Particles and He^4
Nuclear Reactions Induced by Deuterons and Tritons
Nuclear Reactions Induced by Mesons
Nuclear Reactions Induced by Neutrons
Nuclear Reactions Induced by Protons
Nuclear Spectra
Nuclear Structure Theory
Optical Properties
Proceedings of the American Physical Society
Quantum Electrodynamics
Quantum Mechanics
Radiation
Radioactivity
Range and Energy Loss of Particles
Relativity and Gravitation
Scattering, General
Scattering of α Particles
Scattering of Deuterons
Scattering of Electrons and Positrons
Scattering of Mesons
Scattering of Neutrons
Scattering of Protons
Semiconductors
Spectra, General
Statistical Mechanics and Thermodynamics
Superconductivity
Thermal Properties
X-Rays

Absorption of Radiation (see **Radiation**)

Acoustics

Amplitude dependence of velocity of second sound, Alexander J. Dessler and William M. Fairbank—669(A)

Comparison of ultrasonic velocities in series of carbonates and acetates, D. R. McMillan and Andrew Robeson—1631(A)

Second sound attenuation in rotating He II, R. G. Wheeler, C. H. Blakewood, and C. T. Lane—1667

Sonoluminescence of water, D. Srinivasan and L. V. Holroyd—633(A)

Ultrasonic measurements in magnetically-cooled liquid He, C. E. Chase and Melvin A. Herlin—669(A)

Adsorption (see **Gases**)

Aerodynamics (see **Fluid Dynamics**)

Afterglow (see **Electrical Discharges**)

Alloys (see **Crystalline State**)

Annihilation (see **Electrons and Positrons**)

Antiferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)

Antiferromagnetism (see **Magnetic Properties**)

Arcs (see **Electrical Discharges**)

Astrophysics

Effect of radiation from solar flares on ionosphere and earth's magnetic field, R. N. Sedra and I. B. Hazzaa—1070

Evolution of elemental abundances resulting from neutron capture in stars, A. G. W. Cameron—1653(A)

Hydromagnetic waves and acceleration of cosmic rays, Eugene N. Parker—241

Motions of auroral light forms, J. H. Meek—1637(A)

Prediction of auroral γ rays, Stirling A. Colgate—665(A)

Radiation flux field outside of stars and spherical reactors, M. A. Melvin—371; 1663(A)

Radio star scintillations and ionosphere, T. R. Hartz—1638(A)

Three-millimeter wave radiation from sun, Walter Gordy, Steve J. Ditto, James H. Wyman, and Roy S. Anderson—1905(L)

Atmosphere (see **Geophysics**)

Atomic and Molecular Beams

Au^{198} and Au^{199} nuclear spins and hyperfine separations, J. B. Reynolds, R. L. Christensen, D. R. Hamilton, A. Lemonick, F. M. Pipkin, and H. H. Stroke—613(A)

Electron loss cross sections for He atoms passing through gases, Sol Krasner—520

Hfs of Ga isotopes in ground state, A. Lurio and A. G. Prodell—613(A)

Molecular-beam microwave-absorption spectroscope, M. Peter and M. W. P. Strandberg—667(A)

Nuclear spin and magnetic moment of 3.1-hr Cs^{131m}, L. S. Goodman and S. Wexler—192

Resonance transitions in molecular beam experiments. I. General theory of transitions in rotating magnetic field, Harold Salwen—1274

Scattering of fast Ne atoms in Ne gas, H. W. Berry—553

Velocity distributions in K and Tl atomic beams, R. C. Miller and P. Kusch—1314

Atomic Mass and Abundance

Cl^{36} nuclear magnetic moment and mass, P. C. Fletcher and L. C. Aamodt—613(A)

Electron mass as natural unit of mass for nuclei and elementary particles, Enos E. Witmer—1653(A)

Atomic Mass and Abundance (Continued)
Evolution of elemental abundances resulting from neutron capture in stars, A. G. W. Cameron—1653(A)
F^{21} mass measurement and excited states, Nelson Jarmie —1043(L)
Masses of light nuclei. Method for correcting table of masses for new data, J. E. Drummond—709
Nd^{150} energy available for β decay, Benjamin G. Hogg —175
Stability of transuranic elements, R. Klingensmith, E. Dally, and G. Arfken—340(A)
Three-dimensionality of space and masses of nuclei and elementary particles, Enos E. Witmer—1663(A)
Atomic Structure and Spectra
Absorption cross section of He and A in extreme uv, Po Lee and G. L. Weissler—540
Absorption studies of He metastable atoms and molecules, A. V. Phelps—1307
Absorption studies of metastable states of Ne, A. V. Phelps —1657(A)
Application of photomultiplier to interference spectroscope, Joseph G. Hirschberg—623(A)
Atomic energy levels for Thomas-Fermi and Thomas-Fermi-Dirac potential, Richard Latter—510
Emission spectroscopy at liquid He temperature, Joseph G. Hirschberg—1898(L)
Energy levels of H^-, L. Levitt, G. E. Tauber, and T. Y. Wu—1659(A)
Exchange in Thomas-Fermi-Dirac model, W. G. McMillan —661(A)
Fine structure of singly ionized He, Robert Novick, Edgar Lipworth, and Paul F. Yergin—612(A)
He correlation energy, Henri Mitler—1835
Hfs anomaly in atomic *P*-states, Charles Schwartz—1035 (L)
Isotope shift in first spectrum of atomic Li, R. H. Hughes —1837
Isotope shift in first three spectra of boron, Edward Burke, Jr.—1839
Isotope shift in ionized spectrum of carbon, C. R. Burnett —623(A)
Isotope shift nonlinearities in spectrum of Cd, W. M. Cloud—623(A)
K-series x-rays from π-mesonic atoms, M. Camac, A. D. McGuire, J. B. Platt, and H. J. Schulte—897
L-series x-rays from π-mesonic atoms, M. Camac, M. L. Halbert, and J. B. Platt—905
Line broadening by electrons: Validity of simple theories, Roland E. Meyerott and Henry Margenau—1851
Mesonic x-rays from capture of cosmic-ray μ mesons in chemical compound, A. Fafarman and M. H. Shamos— 623(A)
Multiple electron excitation in Auger processes, Max Wolfsberg and Morris L. Perlman—1833
Nuclear coincidence techniques applied to optical transitions, Eric Brannen, F. R. Hunt, R. H. Adlington, and R. W. Nicholls—1658(A)
Oscillator strengths for transitions between $2p^3 3p$ and $2p^3 3s$ in O I, including configuration interaction, R. F. Kingsbury—1846
Solutions of temperature-perturbed Thomas-Fermi equation, J. J. Gilvarry and G. H. Peebles—550
Statistical theory of atomic excitation by electron impact. I. Theoretical development, Robert W. Hart, Ernest P. Gray, and William H. Guier—1661(A); II. Application to H and He, Ernest P. Gray, Robert W. Hart, and William H. Guier—1661(A)
Ta^{181} and Lu^{175} quadrupole moments, Tohru Kamei—789
Temperature behavior of Thomas-Fermi statistical model for atoms, Richard Latter—1854
Two-quantum transitions in microwave Zeeman spectrum of atomic oxygen, V. W. Hughes and J. S. Geiger— 666(A); 1842
Auger Effect (see **Atomic Structure and Spectra; X-Rays**)
Aurora (see **Astrophysics; Geophysics**)

Barkhausen Effect (see **Magnetic Properties**)
Biophysics
Kinetic analysis of thyroidal iodide trapping and binding in human subject, Rosalyn S. Yalow and Solomon A. Berson—342(A)
Simultaneous rates of P transfer between fifteen compartments within rat, Louis C. Lax and Gerald A. Wrenshall—1640(A)
Specific interaction between identical molecule pairs, Herbert Jehle, J. M. Yos, and W. L. Bade—1640(A)
Transfer rate measurements in hydrodynamic system containing nonuniformly mixing compartment, Gerald A. Wrenshall and Harry Schachter—1640(A)
Validity of current practice of using single-exposure data to calculate maximum permissible concentrations in air and water for continuous exposure to radioisotopes, M. J. Cook, K. L. Morgan, and A. G. Barkow—1628(A)
Boson Theory (see **Field Theory**)
Bremsstrahlung (see **Radiation**)
Broadening of Spectral Lines (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Spectra, General**)

Capture Cross Sections (see **Electrons and Positrons; Nuclear Reactions; Radiation**)
Čerenkov Effect (see **Radiation**)
Chemical Effects and Properties
Cavity formation in FeO, D. W. Juenker, R. A. Meussner, and C. E. Birchenall—657(A)
Dissociation of solid compounds by electron bombardment, George E. Moore and W. T. Hughes—1643(A)
Initial stages of oxidation of Ni, Ursula M. Martius— 1635(A)
Reaction between BaO and C, Michael Hoch—1651(A)
Thin film interference phenomena applied to study of gettering by Ti, V. L. Stout and M. D. Gibbons—1643 (A)
Use of characteristic curves in study of electrochemical systems, Frederick H. Giles—340(A)
Chemical Reactions (see **Chemical Effects and Properties**)
Chemiluminescence (see **Luminescence**)
Cold Emission (see **Electrical Properties**)
Colloids (see **Chemical Effects and Properties; Molecular Aggregates**)
Compton Effect (see **Radiation**)
Conductivity, Electrical (see **Electrical Conductivity and Resistance**)
Conductivity, Thermal (see **Thermal Properties**)
Constants, Standards, Units
Determination of current in absolute measure, Raymond L. Driscoll—634(A)
Electron mass as natural unit of mass for nuclei and elementary particles, Enos E. Witmer—1653(A)
Temperature scale for Mo, G. J. Baldwin, J. L. Shilts, and E. A. Coomes—1650(A)
Three-dimensionality of space and masses of nuclei and elementary particles, Enos E. Witmer—1663(A)
Cosmic Radiation (see also **Mesons and Hyperons**)
Altitude effect on cosmic-ray fine structure, Dana T. Warren—608(A)
Analysis of properties of secondary particles in nucleon-nucleon collisions at very high energy, D. M. Haskin

and Marcel Schein—643(A); R. G. Glasser, D. M. Haskin, Marcel Schein, and J. J. Lord—1555
Angular distribution in electron-photon showers without Landau approximation, B. A. Chartres and H. Messel—1604(L)
Azimuthal effect for cosmic-ray protons and α particles using Čerenkov counter, J. R. Winckler and L. Peterson—608(A)
Changes in low-energy particle cutoff and primary spectrum of cosmic radiation, Peter Meyer and J. A. Simpson—1517; 608(A)
Charge spectrum and zenith angle distribution of heavy primary nuclei entering atmosphere, Herman Yagoda—1644(A)
Chronotron for time-of-flight studies of cosmic rays, G. G. Slaughter, M. M. Block, and E. M. Harth—1626(A)
Cosmic-ray intensity above atmosphere at high latitudes, L. H. Meredith, J. A. Van Allen, and M. B. Gottlieb—198
Cosmic-ray ionization bursts in unshielded 8-inch pressurized sphere at sea level, Hugh Carmichael and John F. Steljes—1542
Cosmic-ray proton spectrum at sea level, K. W. Ogilvy—1645(A)
Diffusion equation of nucleonic component, S. Olbert—661(A)
Directional intensity studies, John Katzman—1645(A)
Double Geiger-tube study of soft radiation at northern latitude, J. A. Ellis, M. B. Gottlieb, and L. H. Meredith—609(A)
Energy of electrons or photons from their cascade showers in Cu, W. E. Hazen—911
Energy spectrum of medium and heavy primaries at $\lambda = 61°$, J. E. Naugle, P. S. Freier, and E. P. Ney—609(A)
Experimental results on arrival times and lateral distribution of air-shower particles, G. Clark—609(A)
Further investigations on photon event, Marcel Schein, D. M. Haskin, and R. G. Glasser—643(A)
Geomagnetic albedo at rocket altitudes at equator, H. Griem and S. F. Singer—608(A)
High-altitude rocket measurements with scintillation counters at northern latitudes, Robert A. Ellis—609(A)
High-energy soft showers in nuclear emulsion, M. Koshiba and M. F. Kaplon—641(A)
High-energy nucleonic component in atmosphere, L. Altman, H. S. Bridge, and R. W. Williams—609(A)
Hydromagnetic waves and acceleration of cosmic rays, Eugene N. Parker—241
Identification of shower particles in emulsions, A. Husain, C. J. D. Jarvis, and E. Pickup—609(A); I. Ionization-scattering method, C. J. D. Jarvis, A. Husain, and E. Pickup—1644(A); II. Range-scattering method, B. Judek and E. Pickup—1644(A)
Interpretation of soft radiation observed at high altitudes in northern latitudes, J. A. Van Allen—609(A)
Interval distribution of cosmic-ray tracks in extensive air showers, Tricia Reeves and E. D. Palmatier—1628(A)
Latitude effect on nucleon and hard components of cosmic rays, D. C. Rose and J. Katzman—608(A)
Momentum and ionization measurements on charged V-particles, W. B. Fretter, E. W. Friesen, G. E. Kepler, and L. Lagarrigue—642(A)
Momentum spectrum from scattering in Pb of sea level penetrating shower secondaries, David L. Dye—1458
Multiple meson production theories applied to cosmic-ray showers, Osman El-Mofty and Mohamed El-Nadi—921
Multiplicity distribution of $0+N_s$ stars, D. T. King—642(A)
Neutron production by cosmic rays, K. W. Geiger—1645(A)
Positive excess of high-energy μ mesons, Robert B. Brode and Marvin J. Weber—610(A)
Problem in shower theory (Approximation A), R. C. O'Rourke and A. Anderson—1484
Rocket observations on soft radiation at northern latitudes, F. B. McDonald, R. A. Ellis, and M. B. Gottlieb—609(A)
Solar influence on anisotropy of primary cosmic radiation. I. Studies at low latitudes, V. Sarabhai, U. D. Desai, and D. Venkatesan—1490
Timing measurements on penetrating cosmic-ray showers, Kenneth W. Robinson—642(A)
Variation of position of cosmic-ray neutron intensity maximum with geomagnetic latitude, R. K. Soberman, A. Beiser, and S. A. Korff—608(A)
Cosmology (see **Astrophysics; Relativity and Gravitation**)
Critical Potentials (see **Atomic Structure and Spectra; Molecular Structure and Spectra**)
Cross Section (see **Electrons and Positrons; Nuclear Reactions; Radiation; Scattering**)
Crystal Counters (see **Methods and Instruments**)
Crystalline State (see also **Electrical Properties; Imperfections in Solids; Magnetic Properties; Semiconductors; etc.**)
Angular correlation of photons from positron annihilation in solids, A. T. Stewart—594(L)
Angular correlation of two-quantum annihilation in condensed material, L. A. Page, M. Heinberg, O. J. Wallace, and T. W. Trout—665(A)
Anisotropy of bremsstrahlung and pair production in single crystals, F. J. Dyson and H. Überall—604(L)
Annealing process in neutron-irradiated LiF, D. Binder and W. J. Sturm—603(L)
Application of augmented plane wave method to Cu, D. J. Howarth—469
Atomic heat of graphite between 1 and 20°K, P. H. Keesom and N. Pearlman—1119
Calculation of discontinuity in specific heat of Gd, Harry A. Brown—627(A)
Change in length of alkali halide crystals caused by x-ray irradiation, Lan-Ying Lin and B. R. Russell—657(A)
Cohesive energy of noble metals, K. Kambe—419
Combined tight binding and perturbation theory of graphite π states, J. C. Slonczewski and P. R. Weiss—636(A)
Comparison of Condon and and adiabatic approximations for impurity center, Jordan J. Markham—636(A)
Compression of alkali metals to 10 000 atmospheres at low temperature, C. A. Swenson—423
Computation of mean Debye temperature of cubic crystals from elastic constants. II, Paul M. Sutton—1826
Concept of temperature and Overhauser nuclear polarization effect, Charles P. Slichter—1822
Crystal growth phenomena in high-purity Pb, A. Rosenberg and W. C. Winegard—1635(A)
Crystal structure changes of sulphur, J. E. Miller, N. S. Kendrick, Jr., and G. W. Crawford—1631(A)
Crystal structure of $GdFeO_3$, S. Geller—1641(A)
Deformation-induced charge flow in NaCl crystals, D. B. Fischbach and A. S. Nowick—1333(L)
de Haas-van Alphen effect in As, Ted G. Berlincourt—1716
Densities and imperfections of single crystals, A. Smakula, J. Kalnajs, and V. Sils—1747
Dipolar ferromagnetism at 0°K, M. H. Cohen and F. Keffer—1135
Dipolar sums in primitive cubic lattices, M. H. Cohen and F. Keffer—1128
Effect of order-disorder on low-temperature resistance maximum, R. W. Schmitt—614(A)

Crystalline State (Continued)
Effect of screening on solute diffusion, F. J. Blatt—600(L)
Electron-phonon interaction in metals, John Bardeen and David Pines—1140
Electron spin resonance of V_1-centers, Werner Känzig—1890(L)
Electron traps in AgCl, Hiroshi Kanzaki—1888(L)
Electronic energy bands in Fe, Joseph Callaway—500
Electronic interaction of imperfections in semiconductors and insulators, R. L. Longini—636(A)
Electronic states in perturbed periodic lattice, Paula Feuer—1092
Energy levels of crystal modified by alloying or by pressure, R. H. Parmenter—1759
Entropies of lattice defects, H. B. Huntington, G. A. Shirn, and E. S. Wajda—1085
Experimental evidence for dislocations in crystalline quartz, H. E. Bömmel, W. P. Mason, and A. W. Warner, Jr.—1894(L)
Extension of molecular field theory to hexagonal lattice, R. B. Murray and L. D. Roberts—1630(A)
F' and *K* centers in additively colored KCl crystals, Felix E. Geiger, Jr.—1075
Ferromagnetism of Fe, Joseph Callaway—627(A)
Field emission observations of phase transformations in Ti, E. G. Brock—1651(A)
Frequency dependence of magnetocrystalline anisotropy, R. M. Bozorth, Beatrice B. Cetlin, J. K. Galt, F. R. Merritt, and W. A. Yager—1898(L)
Frequency spectrum of one-dimensional isotopic crystal mixture, Robert J. Rubin and B. A. Fleishman—656(A)
Indirect exchange coupling of nuclear moments by electrons in semiconductors and insulators, P. W. Anderson—623(A)
Influence of exchange and correlation of electron transport in metals, F. J. Blatt—1735
Infrared absorption in gaseous, liquid, and solid CO_2 induced by intermolecular forces, V. Gaizauskas and H. L. Welsh—1639(A)
Initial stages of oxidation of Ni, Ursula M. Martius—1635(A)
Interpretation of Knight shift in metallic Na, T. Kjeldaas, Jr., and W. Kohn—622(A)
Location of H atoms in unit cell of portlandite $[Ca(OH)_2]$, H. E. Petch—1635(A)
Long-wavelength neutron transmission as absolute method for determining concentration of lattice defects in crystals, J. J. Antal, R. J. Weiss, and G. J. Dienes—1081
Low-frequency vibrational spectrum of f.c.c. lattice, L. Salter—656(A)
Measurement of electron momentum by positron annihilation, G. Lang, S. DeBenedetti, and R. Smoluchowski—596(L)
Measurement of low-energy electron absorption in metals and insulators, E. J. Sternglass and M. M. Wachtel—646(A)
Monomolecular *vs* bimolecular relaxation kinetics in Cu_3Au and β brass, Jerome Rothstein—614(A)
Mutual solubilities of Fe and Os, S. S. Sidhu and D. D. Zauberis—615(A)
Number of vacancies created by heavy corpuscular radiation, J. Neufeld and W. S. Snyder—1326(L)
Optical bleaching of *F* centers in x-rayed alkali halide crystals, Robert Herman and Richard F. Wallis—435
Precision density determination of large single crystals by hydrostatic weights, A. Smakula and V. Sils—1744
Precision determination of lattice constants with Geiger-counter x-ray diffractometer, A. Smakula and J. Kalnajs—1737
Properties of iron oxide-alumina system, Walter Grattidge—1643(A)
Pure nuclear quadrupole spectra of Cl and Sb isotopes in solids, Tien-Chuan Wang—566
Revised Houston method for counting lattice frequencies, Jenn-Lin Hwang—1098
Self-diffusion and ionic conduction in crystals, Ernst Katz—1334(L)
Spin resonance in metals as function of Overhauser effect, Jerome I. Kaplan—1322
Surface adsorption and migration energies for KCl, John E. Hove—430
Surface barrier analysis for metals by means of Schottky deviations, D. W. Juenker—1155
Thermodynamic properties of α Ag-Cd and α Au-Cd alloys, P. Herasymenko—614(A)
Thermoelectric powers of some Pd alloys, J. C. Taylor and B. R. Coles—614(A)
Thermomagnetic anisotropy, Jerome I. Kaplan—1808
Thin film interference phenomena applied to study of gettering by Ti, V. L. Stout and M. D. Gibbons—1643(A)
Uniform strains and deformation potentials, R. H. Parmenter—1767
Validity of deformation-potential theory in *n*-type Ge, R. Rosenberg and M. Lax—649(A)
Vibrational anharmonicity and lattice thermal properties, J. S. Dugdale and D. K. C. MacDonald—1905(E)

Diamagnetism (see **Magnetic Properties**)
Dielectrics and Dielectric Properties
Electrical behavior of $BaTiO_3$ single crystals at low temperature, H. H. Wieder—1161
Electrical properties of guanidine aluminum sulfate hexahydrate (G.A.S.H.) and some isomorphs, W. J. Merz, J. P. Remeika, A. N. Holden, and B. T. Matthias—626(A)
Fused silica dielectric measurements at low frequencies, J. P. Sackinger—342(A)
Guanidine aluminum sulfate hexahydrate, A. N. Holden, B. T. Matthias, W. J. Merz, and J. P. Remeika—626(A)
Pyroelectric effect in $BaTiO_3$, A. G. Chynoweth—1642(A)
Quantum theory of dielectric relaxation, Joel L. Lebowitz and E. P. Gross—623(A)
Radial vibrations in short hollow cylinders of $BaTiO_3$, C. V. Stephenson—1631(A)
Specific heat anomaly of ferroelectric cadmium niobate at Curie temperature, H. Danner and R. Pepinsky—1215
X-ray study of phase transition of ferroelectric $PbTiO_3$ at low temperature, Jinzo Kobayashi and Ryuozo Ueda—1900(L)
Diffraction (see also **Scattering**)
Crystal structure changes of sulphur, J. E. Miller, N. S. Kendrick, Jr., and G. W. Crawford—1631(A)
Design of oven for obtaining x-ray diffraction patterns of materials with low thermal conductivity, N. S. Kendrick, Jr., J. E. Miller, and G. W. Crawford—1631(A)
Experimental investigation of diffraction of electromagnetic waves by dominating ridge, J. H. Crysdale, J. W. B. Day, and W. S. Cook—1638(A)
Ferromagnetic structure of UH_3, M. K. Wilkinson, C. G. Shull, and R. E. Rundle—627(A)
Location of H atoms in unit cell of portlandite $[CA(OH)_2]$, H. E. Petch—1635(A)
Oxygen parameters of $FeFe_{(2-x)}Cr_xO_4$ spinel system, H. J. Yearian and W. D. Derbyshire—626(A)
Precision determination of lattice constants with Geiger-counter x-ray diffractometer, A. Smakula and J. Kalnajs—1737

Small-angle x-ray scattering from cold-worked metals, R. H. Neynaber, W. G. Brammer, and W. W. Beeman—615(A)
X-ray diffraction studies of radiation damage of Ge single crystal, Sigmund Weissmann and Roger Chang—657(A)

Diffusion
Ambipolar diffusion in magnetic field, Albert Simon—646(A)
Ambipolar diffusion in Xe at 3-cm wavelength, R. L. Fey and W. J. Graham—1658(A)
Calculation of diffusion coefficients for polystyrenes from measured values of osmotic pressure, T. A. Barr and H. B. Jenkins—1631(A)
Diffusion of uranyl nitrate activity through porous media, F. L. Langford, R. A. Webb, and F. T. Rogers, Jr.—1631(A)
Effect of centrifugal field on rate of diffusion in metals, J. J. Connelly, Jr., O. R. Harris, and J. W. Beams—1635(A)
Effect of screening on solute diffusion, F. J. Blatt—600(L)
Gaseous thermal diffusion, G. R. Grove, K. W. Foster, and R. E. Vallee—340(A)
Maximizing separation factor of thermal diffusion column, J. W. Corbett and W. W. Watson—634(A)
Self-diffusion and ionic conduction in crystals, Ernst Katz—1334(L)

Discharge of Electricity in Gases (see **Electrical Discharges**)

Disintegration and Excitation of Nucleus (see **Nuclear Reactions**)

Dynamics (see **Mechanics**)

Elasticity and Plasticity
Compression of alkali metals to 10 000 atmospheres at low temperature, C. A. Swenson—423
Compressions of several high molecular weight hydrocarbons, W. G. Cutler, R. W. Schiessler, and W. Webb—638
Computation of mean Debye temperature of cubic crystals from elastic constants. II, Paul M. Sutton—1826
Deformation-induced charge flow in NaCl crystals, D. B. Fischbach and A. S. Nowick—1333(L)
Dislocation relaxations at low temperatures and limiting shear stress in metals, W. P. Mason—615(A)
Effects of stress on superconducting Sn, In, Tl, and Al, Nils L. Muench—1814
Elasto-galvanomagnetic effect in Ge, Robert W. Keyes—1655(A)
Frequency spectrum of one-dimensional isotopic crystal mixture, Robert J. Rubin and B. A. Fleishman—656(A)
Low-frequency vibrational spectrum of f.c.c. lattice, L. Salter—656(A)
Relationship between activation energy for slip in crystalline solids and applied stress based on dislocation model, Roger Chang—65(A)
Resiliency of pure metals, M. A. Melvin and J. W. Burgeson—1663(A)
Slip systems and creep in oxide crystals, J. B. Wachtman, Jr., and L. H. Maxwell—657(A)
Tensile strengths of Ag films of various thicknesses at different temperatures, J. B. Breazeale, W. L. Bart, and J. W. Beams—615(A)
Theory of slip-band formation, R. B. Green—1635(A)
Uniform strains and deformation potentials, R. H. Parmenter—1767

Electrical Breakdown (see **Dielectrics and Dielectric Properties; Electrical Discharges**)

Electrical Conductivity and Resistance (see also **Electrical Properties; Semiconductors; Superconductors**)
Conductivity of NiO as function of temperature and surrounding atmosphere, Robert Lindsay and John J. Banewicz—636(A)
Conductivity of thin films in longitudinal magnetic field, Ernest Koenigsberg and Leon Findley—615(A)
Corrections to Hall potential in ferromagnetic materials, Emerson M. Pugh and F. E. Allison—1642(A)
Effect of elastic strain upon electrical resistance when cold-work induced imperfections are present, E. W. Kammer—594
Effect of elastic strain upon electrical resistance when lattice imperfections are present, E. W. Kammer—1630(A)
Effect of order-disorder on low-temperature resistance maximum, R. W. Schmitt—614(A)
Effect of point imperfections on electrical properties of Cu. I. Conductivity, F. J. Blatt—1708
Effect of pressure on electrical conductivity of InSb, Robert W. Keyes—490
Effect of pressure on electrical properties of InSb, Donald Long—388
Effects of hydrostatic pressure on conductivity of InSb, Robert W. Keyes—626(A)
Electric conductivity of composite media, Edward H. Kerner—1656(A)
Electric resistance properties and structure of thin evaporated Ag films, R. A. Aziz and G. D. Scott—1636(A)
Electrical conductivity and Seebeck effect in $Ni_{0.98}Fe_{2.02}O_4$, F. J. Morin and T. H. Geballe—467
Electrical conductivity induced in MgO crystals by 1.3-Mev electron bombardment, M. A. Pomerantz, R. A. Shatas, and J. F. Marshall—489
Ferromagnetic Hall coefficient of Ni alloys, Albert I. Schindler and Edward I. Salkovitz—1251
Hall and Nernst effects in ferromagnetic materials, F. E. Allison and Emerson M. Pugh—1642(A)
Hall effect and conductivity of InSb, H. J. Hrostowski, F. J. Morin, T. H. Geballe, and G. H. Wheatley—626(A)
Hall effect and resistivity study of photoconducting PbS films, Joseph F. Woods—658(A)
Hall effect in permalloys, Simon Foner—1079
Impedance measurements on CdS crystals, Hartmut Kallmann, Bernard Kramer, and Peter Mark—1328(L)
Influence of exchange and correlation on electron transport in metals, F. J. Blatt—1735
Infrared quenching and unified description of photoconductivity phenomena in CdS and CdSe, Richard H. Bube—1105
Infrared stimulation and quenching of photoconductivity in luminescent powders, Hartmut Kallmann, Bernard Kramer, and Arnold Perlmutter—391
Microwave magnetoconductivity effects in InSb, R. N. Dexter and Benjamin Lax—635(A)
Preliminary study of electrical properties of semiconducting diamond, James J. Brophy—1336(L)
Pressure dependence of de Haas-van Alphen parameters in Bi, W. C. Overton, Jr., and Ted G. Berlincourt—1165
Pressure dependence of resistivity, Hall constant, and energy gap for InAs, Julius Taylor—1655(A)
Properties of grain boundaries in Au-doped Ge, A. G. Tweet—1182
Properties of iron oxide-alumina system, Walter Grattidge—1643(A)
Relation of magnetic structure to electrical conductivity in NiO and related compounds, R. R. Heikes—1232
Self-diffusion and ionic conduction in crystals, Ernst Katz—1334(L)
Sensitization of photoconductivity in PbSe, James N. Humphrey—625(A)

Electrical Conductivity and Resistance (Continued)
Technique for study of thin metallic films, R. L. Kelly—615(A)
Temperature scale for Mo, G. J. Baldwin, J. L. Shilts, and E. A. Coomes—1650(A)
Electrical Discharges
Absorption studies of He metastable atoms and molecules, A. V. Phelps—1307
Absorption studies of metastable states of Ne, A. V. Phelps—1657(A)
Ambipolar diffusion in magnetic field, Albert Simon—646(A)
Ambipolar diffusion in Xe at 3-cm wavelength, R. L. Fey and W. J. Graham—1658(A)
Cyclotron resonance of free electrons in nitrogen afterglow, R. V. Jones, W. Dobrowolsky, W. B. Kunkel, and C. D. Jeffries—646(A)
Doppler broadening of spectral lines emitted during dissociative recombination, William A. Rogers and Manfred A. Biondi—1657(A)
Growth of current between parallel plates, P. M. Davidson—1072
Measurement of coefficient of secondary electron emission with resonant cavity, R. K. Smither—646(A)
Periodic phenomena in direct-current glow discharges, Harry S. Robertson—1662(A)
Possible explanation of moving striations in discharge tube, Satosi Watanabe and Norman Oleson—646(A)
Spectra of low-current-density glow discharges, C. D. Maunsell—1661(A)
Streamer theory and value of α/p, K. Hasebe and K. Yamamoto—1331(L)
Temperature dependence of ionic mobilities: He^+ and He_2^+ in He, Lorne M. Chanin and Manfred A. Biondi—1658(A)
Traveling density waves in positive columns, Satosi Watanabe and Norman L. Oleson—1701
Electrical Properties (see also **Dielectrics and Dielectric Properties; Electrical Conductivity and Resistance; Semiconductors; Superconductors**)
Activation diffusion and thermionic emission in oxide coated cathodes, R. W. Peterson—1651(A)
Deformation-induced charge flow in NaCl crystals, D. B. Fischbach and A. S. Nowick—1333(L)
Dissociation of solid compounds by electron bombardment, George E. Moore and W. T. Hughes—1643(A)
Effect of adsorbed H_2 on field-emission current from 310 and 210 planes of tungsten, J. A. Becker—1643(A)
Effect of ambients on thermoelectric power and conductance of Ge particle aggregates, E. A. Kmetko—1642(A)
Effect of proton irradiation upon electrode potential of tungsten, M. Simnad and R. Smoluchowski—189(L)
Electrical conductivity and Seebeck effect in $Ni_{0.95}Fe_{2.05}O_4$, F. J. Morin and T. H. Geballe—467
Energy spectra of secondary electrons from Mo and W for low primary energies, G. A. Harrower—1650(A)
Field emission observations of phase transformations in Ti, E. G. Brock—1651(A)
Field-induced surface effects, Henry H. Kolm and George W. Pratt—1644(A)
Instantaneous Ba and BaO evaporation rates from thermionic cathodes, W. C. Rutledge—1651(A)
Measurement of coefficient of secondary electron emission with resonant cavity, R. K. Smither—646(A)
Measurement of low-energy electron absorption in metals and insulators, E. J. Sternglass and M. M. Wachtel—646(A)
Modulation of Schottky emission from metal point contacts to Ge, G. Wallis and J. F. Battey—625(A)
Photoelectric emission from metals into MgO, W. T. Peria—1647(A)
Photoelectric emission from polycrystalline graphite, E. Taft and L. Apker—1831
Photoelectric mixing of incoherent light, A. Theodore Forrester, Richard A. Gudmundsen, and Philip O. Johnson—1691
Rotational oscillations of electrostatically charged conductors, Oleg Yadoff and Sophie Yadoff—635(A)
Secondary electron emission and color centers, A. J. Dekker—1647(A)
Secondary electron emission from MgO single crystals, Robert G. Lye—1647(A)
Secondary emissions from negative-ion bombardment of metal surfaces, Howard Skelton Barringer and William Henry Bancroft, Jr.—1631(A)
Surface barrier analysis for metals by means of Schottky deviations, D. W. Juenker—1155
Technique for study of thin metallic films, R. L. Kelly—615(A)
Temperature scale for Mo, G. J. Baldwin, J. L. Shilts, and E. A. Coomes—1650(A)
T-F emission: experimental measurement of average electron current density from tungsten, W. P. Dyke, J. P. Barbour, E. E. Martin, and J. K. Trolan—1192
Thermionic properties of Th on W single crystals, J. E. Davey and E. A. Coomes—1651(A)
Thermoelectric power of InSb, H. P. R. Frederikse and Eugenie V. Mielczarek—1889(L)
Thermoelectric powers of some Pd alloys, J. C. Taylor and B. R. Coles—614(A)
Transition between field and thermionic emission, E. L. Murphy and R. H. Good, Jr.—1650(A)
Velocity distribution in field ion emission, Erwin W. Müller and Kanwar Bahadur—1651(A)
Work function of (100) face of Ge single crystal as function of heat treatment and ion bombardment, J. A. Dillon, Jr., and H. E. Farnsworth—1643(A)
Electrodynamics (see **Electromagnetic Theory and Electrodynamics**)
Electrolysis (see **Chemical Effects and Properties**)
Electromagnetic Theory and Electrodynamics (see also **Microwaves**)
Attempt to geometrize electromagnetic theory, R. H. Penfield—342(A)
Invariant relationship of energy-density and momentum-density of electromagnetic field, N. L. Balazs—1659(A)
New type of lens for charged particles, Nathaniel P. Carleton—664(A)
Production of electrostatic charges by rotation of permanent magnet, Oleg Yadoff—677(A)
Quantum effects in interaction between free electrons and and electromagnetic fields, P. S. Faragó and G. Marx—1063
Rotational oscillations of electrostatically charged conductors, Oleg Yadoff and Sophie Yadoff—635(A)
Electron Diffraction (see **Diffraction; Scattering of Electrons and Positrons**)
Electron Optics (see **Electromagnetic Theory and Electrodynamics**)
Electronic Tubes (see **Methods and Instruments**)
Electrons and Positrons (see also **Electromagnetic Theory and Electrodynamics; Elementary Particle Interactions; Scattering of Electrons and Positrons**)
Angular correlation of photons from positron annihilation in solids, A. T. Stewart—594(L)
Angular correlation of two-quantum annihilation in condensed materials, L. A. Page, M. Heinberg, O. J. Wallace, and T. W. Trout—665(A)

Anisotropy of bremsstrahlung and pair production in single crystals, F. J. Dyson and H. Überall—604(L)
Annihilation radiation from positrons stopping in superconducting Pb, S. M. Shafroth and J. A. Marcus—664(A)
Electron capture by positrons in gases, J. David Jackson—1653(A)
Internal pair creation in negatron decay, J. S. Greenberg and M. Deutsch—665(A)
Measurement of electron momentum by positron annihilation, G. Lang, S. DeBenedetti, and R. Smoluchowski—596(L)
Quenching of long lifetime component of positron annihilation in benzene, S. Berko and A. J. Zuchelli—1652(A)
Temperature effects in annihilation of positrons, Robert T. Wagner and Frank L. Hereford—593(L)
Temperature effects in 3-quantum annihilation of positrons, R. T. Wagner and F. L. Hereford—665(A)
Electrons, Mobility (see **Ions and Electrons, Mobility**)
Electrons, Scattering of (see **Scattering of Electrons and Positrons**)
Electrons, Secondary (see **Electrical Properties**)
Electrons, Thermionic (see **Electrical Properties**)
Electro-Optical Effects (see **Optical Properties**)
Electrostriction (see **Dielectrics and Dielectric Properties**)
Elementary Particle Interactions
Absorption experiments involving heavy mesons, T. D. Lee—337(L)
Analysis of properties of secondary particles in nucleon-nucleon collisions at very high energy, D. M. Haskin and Marcel Schein—643(A); R. G. Glasser, D. M. Haskin, Marcel Schein, and J. J. Lord—1555
Application of dispersion relations to pion-nucleon scattering, M. L. Goldberger, H. Miyazawa, and R. Oehme—981
Asymmetry in high-energy p-n-p double charge-exchange scattering, Hugh Bradner and Robert E. Donaldson—889
Asymmetry in p-n and p-p scattering from targets bombarded with 285-Mev polarized protons, Hugh Bradner and Robert E. Donaldson—891
Calculations on charge independence with repulsive core potentials, J. Shapiro and M. A. Preston—1654(A)
Causality conditions and dispersion relations. I. Boson fields, Marvin L. Goldberger—974
Certain matters pertaining to internal structure of nucleons, W. F. G. Swann—650(A)
Charge independence in light hyperfragments, R. H. Dalitz—1475
Classification of fundamental particles, R. G. Sachs—1573
Correlation of meson-nucleon scattering and nuclear forces, Abraham Klein and Bruce H. McCormick—618(A)
Covariant calculations of polarization in nucleon-nucleon scattering, Burton D. Fried—675(A)
Cross section for $p+p \rightarrow \pi^+ + p + n$, D. Stork and S. Whetstone—651(A)
Cross sections in deuterium at high energies, R. J. Glauber—630(A)
Effective range analysis of pion-nucleon S-waves, H. P. Noyes—618(A)
Elastic photoproduction of π^0 mesons from deuterium, B. Wolfe, A. Silverman, and J. W. DeWire—268
Elastic photoproduction of π^0 mesons from deuterium at 270 Mev, H. L. Davis and D. R. Corson—273
Electromagnetic properties of deuteron. I. Charge density and quadrupole moment, Jeremy Bernstein and Abraham Klein—961
Electromagnetic properties of nucleon in finite source theory, R. H. Capps and W. G. Holladay—926
Elementary particle models, T. F. Morris—650(A)
Elementary particles as self-maintained excitations, F. A. Kaempffer—1614(L)
Feynman amplitudes and strong-coupling pion theory, Hironari Miyazawa—939
456-Mev proton interactions with H and C, Irwin A. Pless and Richard J. Plano—639(A)
Further investigations on photon event, Marcel Schein, D. M. Haskin, and R. G. Glasser—643(A)
Inelastic polarization and nucleon momentum distribution, L. Marshall—1033(L)
Interaction between K-particles and nucleons, A. Pais and R. Serber—1551
K-meson mass from K-hydrogen scattering event, Warren W. Chupp, Gerson Goldhaber, Sulamith Goldhaber, William R. Johnson, and Joseph E. Lannutti—335(L)
Mesonic decay of ejected triton, Herman Yagoda—651(A)
Model for multiple meson production, E. M. Henley—619(A)
Multiple scattering corrections in π^0-deuteron scattering, S. D. Drell and L. Verlet—849
Neutral meson photoproduction at forward meson angles, Dale R. Corson, William S. McDonald, and Vincent Z. Peterson—652(A)
Neutral photomesons from hydrogen, L. J. Koester, Jr.—651(A); F. E. Mills and L. J. Koester, Jr.—651(A)
Neutron-electron interaction, George Salzman—968
n-p scattering at 300 Mev, John De Pangher—1447
Nuclear radius and nuclear forces, S. D. Drell—619(A)
Numerical calculation of meson-nucleon scattering, M. H. Kalos and R. H. Dalitz—617(A)
Phase-shift formulas for nucleon-nucleon scattering, S. Courtenay Wright—991
Phase shifts for relativistic corrections in high-energy p-p scattering, M. E. Ebel and M. H. Hull, Jr.—1596
Photoproduction of mesons in deuterium, John Chappelear—254
Photoproduction of positive pions in hydrogen-counter telescope method, A. V. Tollestrup, J. C. Keck, and R. M. Worlock—220
Photoproduction of positive pions in hydrogen-magnetic spectrometer method, R. L. Walker, J. G. Teasdale, V. Z. Peterson, and J. I. Vette—210
π^+ photomeson production at 143°, R. Stephen White, Mark J. Jakobson, and Gordon W. Repp—651(A)
π^+-p interactions at approximately 500 Mev, M. E. Blevins, M. M. Block, and E. M. Harth—1628(A)
π^+/π^- ratios produced by 340-Mev protons at 0°, J. E. Carothers and C. G. Andre—651(A)
π^--proton interactions at 4.5 Bev, George Maenchen, Wilson M. Powell, George Saphir, and Robert W. Wright—1619(L)
Pion-nucleon scattering at high energies, A. N. Mitra—952
Pion pair production by neutrons on He, Peter H. Moulthrop—651(A); 1509
Pion pair production by photons, R. M. Friedman, K. M. Crowe, and Hans Motz—672(A)
Pion production for polarized protons, F. Mandl and T. Regge—618(A)
Pion production from H by 600-Mev electrons, W. K. H. Panofsky and G. B. Yodh—651(A)
Pion production in electron-proton collision, R. H. Dalitz—618(A)
Pion production in p-p scattering, D. B. Lichtenberg—618(A)
Pion-proton elastic-scattering cross sections at 43 Mev and 37½°, S. W. Barnes, D. Miller, J. Ring, G. Giacomelli, R. Summers, and H. R. Childs—673(A)
Pion-proton total cross sections near 4 Bev, K. C. Bandtel, H. A. Bostick, B. J. Moyer, R. W. Wallace, and N. F. Wikner—673(A)

Elementary Particle Interactions (Continued)
Polarization effects in p-p scattering at 210 Mev, Emanuel Baskir, John Tinlot, and Sidney Spital—639(A)
Positive pion scattering by H at 300 Mev, R. S. Margulies —673(A)
Possible mathematical formulation of Gell-Mann model for new particles, Bernard d'Espagnat and Jacques Prentki —328(L)
p-p interactions at 3 Bev, A. Kernan and R. Cester—640 (A)
p-p scattering high energies, Robert Serber and William Rarita—629(A)
p-p scattering in nuclear emulsions at 432 Mev, S. K. Kao and A. F. Clark—894
Production of heavy unstable particles in p-p collision, M. M. Block, E. M. Harth, W. B. Fowler, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore—261
Quasi-bound states of pion-nucleon system in lowest Tamm-Dancoff approximation, B. P. Nigam and H. P. Noyes —989
Reaction $p+p\rightarrow\pi^{+}+d$ with polarized protons, F. Mandl and T. Regge—1478
Reciprocity theory of elementary particles, P. H. Fang—1658(A)
Relativistic corrections for high-energy p-p scattering, G. Breit—1581
Renormalization in new Tamm-Dancoff theory of meson-nucleon scattering, R. H. Dalitz and F. J. Dyson—301
Scattering analysis, William Rarita—630(A)
Scattering of negative pions near 15 Mev in hydrogen, M. C. Rinehart, K. C. Rogers, and L. M. Lederman—673 (A)
Scattering of pions by nucleons in intermediate coupling, M. H. Friedman and T. D. Lee—618(A)
Scattering of 22-Mev positive pions on protons, S. Whetstone and D. Stork—673(A)
Search for photoproduction of meson pairs in hydrogen, M. Sands, M. Bloch, J. G. Teasdale, and R. L. Walker —652(A)
Second maximum in negative pion scattering cross section, Freeman J. Dyson—1037(L)
Simple nonrelativistic model for single meson production, D. A. Geffen—1534
Singlet S-state nucleon-nucleon potential, R. B. Raphael —619(A)
Structure of mesonic cloud associated with nucleon, G. Salzman—619(A)
Two-nucleon potential from cutoff Yukawa theory, S. Gartenhaus—619(A)
Elements (see **Atomic Mass and Abundance**)
Energy Loss of Particles (see **Range and Energy Loss**)
Energy States of Atoms (see **Atomic Structure and Spectra**)
Energy States of Molecules (see **Molecular Structure and Spectra**)
Energy States of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Equations of State (see **Chemical Effects and Properties**)
Errata
Energy levels of Li^{8} from d-He differential cross sections, A. Galonsky and M. T. McEllistrem—1906(E)
Special-relativistic derivation of generally covariant gravitation theory, Robert H. Kraichnan—1906(E)
Spin-echoes with four pulses—extension to n pulses, T. P. Das and D. K. Roy—1906(E)
Ti^{45} and Cr^{45} decay, M. E. Bunker and J. W. Starner—1906(E)
Vibrational anharmonicity and lattice thermal properties, J. S. Dugdale and D. K. C. MacDonald—1905(E)
Errors of Measurement (see **Methods and Instruments**)
Evaporation (see **Liquids**)
Excitation of Atoms (see **Atomic Structure and Spectra**)
Excitation of Molecules (see **Molecular Structure and Spectra**)
Excitation of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Explosion Phenomena (see **Fluid Dynamics**)

Faraday Effect (see **Optical Properties**)
Ferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)
Ferromagnetism (see **Magnetic Properties**)
Field Emission (see **Electrical Properties**)
Field Theory (see also **Quantum Electrodynamics**)
Anomalous τ-meson decay, Tetsuo Eguchi—619(A)
Approximately relativistic equations, M. Klerer and R. D. Hatcher—675(A)
Canonical transformations of pseudovector field, M. Eisner —675(A)
Causality conditions and dispersion relations. I. Boson fields, Marvin L. Goldberger—974
Certain matters pertaining to internal structure of nucleons, W. F. G. Swann—650(A)
Classical microphysics, Gertrude T. Schwarzmann—662 (A)
Constraints in covariant field theories. II, James L. Anderson—1004
Correlation of meson-nucleon scattering and nuclear forces, Abraham Klein and Bruce H. McCormick—618(A)
Covariant calculations of polarization in nucleon-nucleon scattering, Burton D. Fried—675(A)
Decay of spin-zero mesons into two leptons, Hironari Miyazawa and Reinhard Oehme—315
Effective range analysis of pion-nucleon S-waves, H. P. Noyes—618(A)
Electromagnetic properties of deuteron, M. Sugawara—1601
Electromagnetic properties of deuteron. I. Charge density and quadrupole moment, Jeremy Bernstein and Abraham Klein—961
Electromagnetic properties of nucleon in finite source theory, R. H. Capps and W. G. Holladay—926
Elementary particle models, T. F. Morris—650(A)
Elementary particles as self-maintained excitations, F. A. Kaempffer—1614(L)
Expansion of two-dimensional wave fields in powers of $1/\rho$, Harvey Einbinder—676(A)
Feynman amplitudes and strong-coupling pion theory, Hironari Miyazawa—939
Flat picture of curved space, F. J. Belinfante—662(A)
Functional integrals and adiabatic limits in field theory, S. Deser—325
Functional integration and S-matrix theory, James L. Anderson—674(A)
Generalization of Feynman's integral-over-all-paths formulation of quantum mechanics, Y. Takano and J. L. Anderson—674(A)
Interaction of nonlocal and local fields, William Donald Schulz—290
Lagrangians linear in "velocities," Ezra Newman and Peter G. Bergmann—587
Lee model, Katsumi Tanaka—676(A)
Low-energy theorems for renormalizable field theories, Abraham Klein—993
Model for multiple meson production, E. M. Henley—619 (A)
Neutrino theory of light, O. W. Greenberg and A. S. Wightman—675(A)
Neutron-electron interaction, George Salzman—968
Nuclear radius and nuclear forces, S. D. Drell—619(A)

Numerical calculation of meson-nucleon scattering, M. H. Kalos and R. H. Dalitz—617
Peierls' introduction of canonical transformations into Lagrangian formalism, Peter G. Bergmann—676(A)
Pion-nucleon scattering at high energies, A. N. Mitra—952
Pion production for polarized protons, F. Mandl and T. Regge—618(A)
Pion production in electron-proton collisions, R. H. Dalitz—618(A)
Pion production in p-p scattering, D. B. Lichtenberg—618(A)
Possible mathematical formulation of Gell-Mann model for new particles, Bernard d'Espagnat and Jacques Prentki—328(L)
Quantum electrodynamics and mass operator, W. Wessel—676(A)
Quasi-bound states of pion-nucleon system in lowest Tamm-Dancoff approximation, B. P. Nigam and H. P. Noyes—984
Renormalization in new Tamm-Dancoff theory of meson-nucleon scattering, R. H. Dalitz and F. J. Dyson—301
Scattering of pions by nucleons in intermediate coupling, M. H. Friedman and T. D. Lee—618(A)
Simple model of elementary particles, F. A. Kaempffer—1659(A)
Simple results of Feynman field theory, J. R. H. Dempster—674(A)
Singlet S-state nucleon-nucleon potential, R. B. Raphael—619(A)
Space inversion and charge conjugation for fermion fields, B. P. Nigam and L. L. Foldy—675(A)
Spectrum of Bethe-Salpeter equation, Frederick L. Scarf—675(A)
Structure of mesonic cloud associated with nucleon, G. Salzman—619(A)
Transformation groups in configuration space, Irwin Goldberg and Allen Janis—676(A)
Two-nucleon potential from cutoff Yukawa theory, S. Gartenhaus—619(A)
Universal singular functions in local relativistic quantum field theory, A. S. Wightman and D. Hall—674(A)

Films, Properties
Adsorption measurements at very low pressures, S. Wagener—1643(A)
Conductivity of thin films in longitudinal magnetic field, Ernest Koenigsberg and Leon Findley—615(A)
Electrical properties of thin-film semiconductors, F. S. Ham and D. Mattis—1656(A)
Electrical resistance properties and structure of thin evaporated Ag films, R. A. Aziz and G. D. Scott—1636(A)
Hall effect and resistivity study of photoconducting PbS films, Joseph F. Woods—658(A)
Sensitization of photoconductivity in PbSe, James N. Humphrey—625(A)
Structure of thin evaporated Cu films by total reflection of x-rays, L. G. Parratt—1635(A)
Technique for study of thin metallic films, R. L. Kelly—615(A)
Tensile strengths of Ag films of various thicknesses at different temperatures, J. B. Breazeale, W. L. Bart, and J. W. Beams—615(A)
Thin film interference phenomena applied to study of gettering by Ti, V. L. Stout and M. D. Gibbons—1643(A)

Fine Structure (see **Atomic Structure and Spectra**)
Fission of Nucleus (see **Nuclear Fission**)
Fluctuation Phenomena (see **Noise**)
Fluid Dynamics
Hydromagnetic waves and acceleration of cosmic rays, Eugene N. Parker—241
One-dimensional dispersion of mass by molecular and turbulent diffusion, B. A. Fleishman—634(A)
Periodic shock production in resonating gas columns, George E. Hudson and Alfred Saenger—633(A)
Pictures of gas-streams at low-gas density taken by means of electrons, Berthold W. Schumacher—1638(A)
Radiation from strong shock front in krypton, E. B. Turner—633(A)
Reflection of compression wave from symmetrical wedge, R. W. Skulski and D. Weimer—633(A)
Shock wave spectroscopy, Richard J. Rosa—633(A)
Solution of problems involving hydromagnetic flow of compressible ionized fluids, R. E. Loughhead—1678
Transfer rate measurements in hydrodynamic system containing nonuniformly mixing compartment, Gerald A. Wrenshall and Harry Schachter—1640(A)
Turbulence spectrum in Chandrasekhar's theory, Joseph W. Chamberlain and Paul H. Roberts—1674

Fluorescence (see **Luminescence**)
Friction (see **Mechanics**)

Galvanomagnetic Effect (see **Magnetic Properties**)
Gamma Rays (see also **Nuclear Reactions; Nuclear Spectra; Range and Energy Loss**)
Monte-Carlo calculation of γ-ray reflection coefficients of concrete and Al, J. F. Perkins—1629(A)
Prediction of auroral γ rays, Stirling A. Colgate—665(A)

Gases
Adsorption measurements at very low pressures, S. Wagener—1643(A)
Dynamics of rarefied gases, Max Krook—1896(L)
Gaseous thermal diffusion, G. R. Grove, K. W. Foster, and R. E. Vallee—340(A)
Infrared absorption in gaseous, liquid, and solid carbon dioxide induced by intermolecular forces, V. Gaizauskas and H. L. Welsh—1639(A)
Pictures of gas-streams at low-gas density taken by means of electrons, Berthold W. Schumacher—1638(A)
PV isotherms of He^3 gas between 1.5 and 3.8°K, William E. Keller—670(A)
Quantum-statistical transport equation for dilute gases, A. W. Saenz—638(A)
Quantum theory of dielectric relaxation, Joel L. Lebowitz and E. P. Gross—623(A)

Geophysics
Atmospheric attenuation of solar mm-wave radiation, H. H. Theissing and P. J. Caplan—624(A)
Atmospheric turbulence, M. J. Saunders and A. G. Smith—1627(A)
Comparison of observed drop-size distributions in clouds and rain with proposed analytical expressions, Shepard Bartnoff—624(A)
Currents and water masses in Lake Huron, D. V. Anderson, J. C. Ayers, and D. C. Chandler—1639(A)
Diurnal variations in rate of meteor detection by forward scattering, C. O. Hines, P. A. Forsyth, and E. L. Vogan—1638(A)
Effect of radiation from solar flares on ionosphere and earth's magnetic field, R. N. Sedra and I. B. Hazzaa—1070
Infrared spectrum of night sky near 10 000 A, A. Vallence Jones—1637(A)
Motions of auroral light forms, J. H. Meek—1637(A)
Ozone measurements over Edmonton (lat. N. 53°34′, long. W. 113°31′) 1951 to 1954, E. H. Gowan—1637(A)
Prediction of auroral γ rays, Stirling A. Colgate—665(A)
Radio star scintillations and ionosphere, T. R. Hartz—1638(A)
Seasonal intensity variation of twilight Na emission, D. M. Hunten—1637(A)

Geophysics (Continued)
Soil moisture determination by neutron measurements, C. H. M. von Bavel, Newton Underwood, and R. W. Swanson—1626(A)
Vhf and uhf propagation in central Canada, D. R. Hay and R. C. Langille—1638(A)
Glasses (see **Molecular Aggregates**)
Gravitation (see **Relativity and Gravitation**)
Gyromagnetization (see **Magnetic Properties**)

Hall Effect (see **Electrical Conductivity and Resistance; Semiconductors**)
Heat Capacity (see **Thermal Properties**)
Heat Conduction (see **Thermal Properties**)
Heat of Dissociation and Formation (see **Molecular Structure and Spectra**)
Heat of Fusion (see **Thermal Properties**)
Heat of Vaporization (see **Thermal Properties**)
Helium, Liquid
Amplitude dependence of velocity of second sound, Alexander J. Dessler and William M. Fairbank—669(A)
Andronikashvilli disk measurements in liquid He^3–He^4 mixtures, John R. Pellam—1327(L)
Behavior of Bose system, G. V. Chester—1062
Damping of oscillations of sphere by liquid He II at large amplitudes, C. B. Benson and A. C. H. Hallett—1660(A)
Dipole fields and He film, N. G. McCrum and J. C. Eisenstein—1326(L)
He film transfer rate from 0.14 to 2.19°K, R. K. Waring, Jr.—1704
He II film transport. II. Role of surface finish, Bernard Smith and Henry A. Boorse—346; III. Role of film height—358; IV. Role of temperature—367
Heat transfer in fine channels of He II, Harold Forstat and Charles A. Reynolds—669(A)
Kinetic theory of liquid He II: heat transfer, C. A. Reynolds—669(A)
New method for measuring absolute viscosity of liquid He II, Henry H. Kolm and Melvin A. Herlin—669(A)
Second sound attenuation in rotating He II, R. G. Wheeler, C. H. Blakewood, and C. T. Lane—1667
Slope of λ curve of liquid He, K. R. Atkins—670(A)
Statistical mechanics of liquid He^3, Ryoichi Kikuchi—1684
Transition temperatures of He^3–He^4 solutions, J. G. Dash and R. Dean Taylor—598(L)
Ultrasonic measurements in magnetically-cooled liquid He, C. E. Chase and Melvin A. Herlin—669(A)
High-Voltage Tubes and Machines (see **Methods and Instruments**)
Hydrodynamics (see **Fluid Dynamics**)
Hyperfine Structure (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Nuclear Moments and Spin**)
Hyperons (see **Mesons and Hyperons**)

Imperfections in Solids (see also **Crystalline State; Electrical Conductivity and Resistance; Luminescence; Semiconductors**)
Anisotropic color centers in α quartz, Alvin J. Cohen—1636(A)
Annealing process in neutron-irradiated LiF, D. Binder and W. J. Sturm—603(L)
Change in length of alkali halide crystals caused by x-ray irradiation, Lan-Ying Lin and B. R. Russell—657(A)
Color centers in KI at liquid He temperatures, Herbert N. Hersh—1636(A)
Comparison of Condon and adiabatic approximations for impurity center, Jordan J. Markham—636(A)
Deformation-induced charge flow in NaCl crystals, D. B. Fischbach and A. S. Nowick—1333(L)
Densities and imperfections of single crystals, A. Smakula, J. Kalnajs, and V. Sils—1747
Deterioration of luminescent phosphor under positive ion bombardment, J. R. Young—1648(A)
Dislocation relaxations at low temperatures and limiting shear stress in metals, W. P. Mason—615(A)
Effect of elastic strain upon electrical resistance when cold-work induced imperfections are present, E. W. Kammer—594(L)
Effect of elastic strain upon electrical resistance when lattice imperfections are present, E. W. Kammer—1630(A)
Effect of point imperfections on electrical properties of Cu. I. Conductivity, F. J. Blatt—1708
Effect of proton irradiation upon electrode potential of tungsten, M. Simnad and R. Smoluchowski—1891(L)
Elasto-galvanomagnetic effect in Ge, Robert W. Keyes—1655(A)
Electrical conductivity induced in MgO crystals by 1.3-Mev electron bombardment, M. A. Pomerantz, R. A. Shatas, and J. F. Marshall—489
Electrical properties of plastically deformed Ge, A. G. Tweet—1245
Electron spin resonance of V_3-centers, Werner Känzig—1890(L)
Electron traps in AgCl, Tiroshi Kanzaki—1888(L)
Electronic interaction of imperfections in semiconductors and insulators, R. L. Longini—636(A)
Entropies of lattice defects, H. B. Huntington, G. A. Shirn, and E. S. Wajda—1085
Experimental evidence for dislocations in crystalline quartz, H. E. Bömmel, W. P. Mason, and A. W. Warner, Jr.—1894(L)
Experimentally determined configuration coordinate curves for F-centers in alkali-halide crystals, G. A. Russell and C. C. Klick—1636(A)
F' and K centers in additively colored KCl crystals, Felix E. Geiger, Jr.—1075
Fast neutron bombardment of p-type Ge, J. W. Cleland, J. H. Crawford, Jr., and J. C. Pigg—1170
Generation of $1/f$ noise by levels in linear or planar array, S. Roy Morrison—1904(L)
Infrared stimulation and quenching of photoconductivity in luminescent powders, Hartmut Kallmann, Bernard Kramer, and Arnold Perlmutter—391
Long-wavelength neutron transmission as absolute method for determining concentration of lattice defects in crystals, J. J. Antal, R. J. Weiss, and G. J. Dienes—1081
Luminescent centers in ZnS:Cu:Cl phosphors, R. Bowers and N. T. Melamed—1781
Number of vacancies created by heavy corpuscular radiation, J. Neufeld and W. S. Snyder—1326(L)
Optical bleaching of F centers in x-rayed alkali halide crystals, Robert Herman and Richard F. Wallis—435
Optical measurements on additively colored MgO single crystals, Bernard V. Haxby—1636(A)
Optical properties of plastically deformed Ge, H. G. Lipson, E. Burstein, and Paul L. Smith—444
Precision density determination of large single crystals by hydrostatic weights, A. Smakula and V. Sils—1744
Properties of grain boundaries in Au-doped Ge, A. G. Tweet—1182
Radiation effects in GaSb, J. W. Cleland and J. H. Crawford, Jr.—637(A)
Recombination of injected carriers at dislocation edges in semiconductors, J. P. McKelvey and R. L. Longini—1227

Relationship between activation energy for slip in crystalline solids and applied stress based on dislocation model, Roger Chang—65(A)
Secondary electron emission and color centers, A. J. Dekker—1647(A)
Sensitivity of radiation damage to displacement probability, John B. Sampson, H. Hurwitz, Jr., and E. F. Clancy—1657(A)
Slip systems and creep in oxide crystals, J. B. Wachtman, Jr., and L. H. Maxwell—657(A)
Small-angle x-ray scattering from cold-worked metals, R. H. Neynaber, W. G. Brammer, and W. W. Beeman—615(A)
Surface adsorption and migration energies for KCl, John E. Hove—430
Theory of slip-band formation, R. B. Green—1635(A)
X-ray diffraction studies of radiation damage of Ge single crystal, Sigmund Weissmann and Roger Chang—657(A)
X-ray scattering effects due to localized static lattice defects, Charles W. Tucker, Jr., and Peter Senio—1777

Inelastic Scattering (see **Nuclear Reactions; Scattering**)
Instruments (see **Methods and Instruments**)
Internal Conversion (see **Nuclear Spectra**)
Ionization (see also **Electrical Discharges; Range and Energy Loss of Particles**)
Electron loss cross sections for He atoms passing through gases, Sol Krasner—520
Photoionization efficiencies and cross sections in O_2, N_2, CO_2, A, H_2O, H_2, and CH_4, N. Wainfan, W. C. Walker, and G. L. Weissler—542

Ionization Potentials of Atoms (see **Atomic Structure and Spectra**)
Ionization Potentials of Molecules (see **Molecular Structure and Spectra**)
Ionosphere (see **Geophysics**)
Ions (see also **Electrical Discharges, Ions and Electrons, Mobility**)
Deterioration of luminescent phosphor under positive ion bombardment, J. R. Young—1648(A)
Differential cross sections for elastic scattering of nitrogen by nitrogen, H. L. Reynolds and A. Zucker—640(A)
Energy levels of H^-, L. Levitt, G. E. Tauber, and T. Y. Wu—1659(A)
Scintillation response of anthracene to low-energy protons and He ions, E. J. Zimmerman—1199
Secondary emissions from negative-ion bombardment of metal surfaces, Howard Skelton Barringer and William Henry Bancroft, Jr.—1631(A)
Traveling density waves in positive columns, Satosi Watanabe and Norman L. Oleson—1701

Ions and Electrons, Mobility (see also **Semiconductors**)
Temperature dependence of ionic mobilities: He^+ and He_2^+ in He, Lorne M. Chanin and Manfred A. Biondi—1658(A)

Isobars (see **Atomic Mass and Abundance**)
Isomers, Molecular (see **Molecular Structure and Spectra**)
Isomers, Nuclear (see **Nuclear Spectra**)
Isotopes (see **Atomic Mass and Abundance; Radioactivity**)

Kerr Effect (see **Optical Properties**)
Kinetic Theory of Gases (see **Gases**)

Liquid Helium (see **Helium, Liquid**)
Liquids
Compressions of several high molecular weight hydrocarbons, W. G. Cutler, R. W. Schiessler, and W. Webb—638(A)
Haeffner effect in Hg, G. G. Eichholz—1635(A)
Improved symmetrized cell theory of liquids, J. Dahler and J. O. Hirschfelder—637(A)
Infrared absorption in gaseous, liquid, and solid CO_2 induced by intermolecular forces, V. Gaizauskas and H. L. Welsh—1639(A)
Sonoluminescence of water, D. Srinivasan and L. V. Holroyd—633(A)
Temperature-pressure-structure effects on viscosity of several higher hydrocarbons, D. A. Lowitz, W. Webb, and R. W. Schiessler—637(A)

Luminescence
Impedance measurements on CdS crystals, Hartmut Kallmann, Bernard Kramer, and Peter Mark—1328(L)
Dependence of light amplification in phosphors on light intensity, Frank Matossi—1332(L)
Deterioration of luminescent phosphor under positive ion bombardment, J. R. Young—1648(A)
Electroluminescence excited by short field pulses, Frank Matossi and Sol Nudelman—1100
Energy transport in scintillation process, E. R. Hardwick and W. G. McMillan—658(A)
Influence of alternating electric fields on light emission of some phosphors, I. T. Steinberger, W. Low, and E. Alexander—1217
Infrared stimulation and quenching of photoconductivity in luminescent powders, Hartmut Kallmann, Bernard Kramer, and Arnold Perlmutter—391
Luminescent centers in ZnS:Cu:Cl phosphors, R. Bowers and N. T. Melamed—1781
Oxygen quenching and wavelength shifters in liquid scintillators, C. A. Ziegler, H. H. Seliger, and I. Jaffe—663(A)
Photoluminescent modulation in nonuniformly excited ZnS phosphors, R. E. Halsted—1897(L)
Scintillation response of anthracene to low-energy protons and He ions, E. J. Zimmerman—1199
Sonoluminescence of water, D. Srinivasan and L. V. Holroyd—633(A)
Surface recombination of CdS, S. H. Liebson and E. J. West—647(A)

Magnetic Fields (see **Electromagnetic Theory and Electrodynamics**)
Magnetic Properties
Anisotropy and magnetostriction of some ferrites, R. M. Bozorth, Elizabeth F. Tilden, and Albert J. Williams—1898
Application of Bethe-Weiss method to ferrimagnetism, J. Samuel Smart—1642(A)
Calculation of Curie temperatures, Harry A. Brown—1641(A)
Corrections to Hall potential in ferromagnetic materials, Emerson M. Pugh and F. E. Allison—1642(A)
Crystal structure of $GdFeO_3$, S. Geller—1641(A)
Crystalline electric field splitting effects in antiferromagnetic transitions, L. D. Roberts and R. B. Murray—1630(A)
de Haas-van Alphen effect in As, Ted G. Berlincourt—1716
Dipolar ferromagnetism at 0°K, M. H. Cohen and F. Keffer—1135
Dipolar sums in primitive cubic lattices, M. H. Cohen and F. Keffer—1128
Effect of Al on saturation magnetic moments of Fe-Co alloys, B. R. Coles and W. R. Bitler—627(A)
Effects of spin-orbit coupling in ferromagnetics, Petros N. Argyres—1641(A)
Electrical conductivity and Seebeck effect in $Ni_{1-x}Fe_{2+x}O_4$, F. J. Morin and T. H. Geballe—467
Electronic energy bands in Fe, Joseph Callaway—500

Magnetic Properties (Continued)
Energy distribution of neutrons scattered by paramagnetic substances, B. N. Brockhouse—601(L)
Extension of molecular field theory to hexagonal lattice, R. B. Murray and L. D. Roberts—1630(A)
Ferromagnetic Hall coefficient of Ni alloys, Albert I. Schindler and Edward I. Salkovitz—1251
Ferromagnetic resonance in two Ni-Fe ferrites, W. A. Yager, J. K. Galt, and F. R. Merritt—1203
Ferromagnetic structure of UH_3, M. K. Wilkinson, C. G. Shull, and R. E. Rundle—627(A)
Ferromagnetism in noble metal alloys containing Mn, F. A. Otter, Jr., P. J. Flanders, and E. Klokholm—599(L)
Ferromagnetism of Fe, Joseph Callaway—627(A)
First-order magnetic anisotropy constants of ferrites, J. B. Birks—1821
Frequency dependence of magnetic resonance in α-Fe_2O_3, Hiroo Kumagai, Hidetaro Abe, Kazuo Ono, and Izuo Hayashi—1116
Frequency dependence of magnetocrystalline anisotropy, R. M. Bozorth, Beatrice B. Cetlin, J. K. Galt, F. R. Merritt, and W. A. Yager—1898(L)
Galvanomagnetic effects in single crystals of Sb, H. J. Juretschke, S. J. Freedman, and S. Epstein—636(A)
Gyromagnetic ratio of Fe at low magnetic intensities, G. G. Scott—1241
Gyromagnetic ratio of Ni at low magnetic intensities, G. G. Scott—1824
Hall and Nernst effects in ferromagnetic materials, F. E. Allison and Emerson M. Pugh—1642(A)
Hall effect in permalloys, Simon Foner—1079
Infrared spectra of ferrites, R. D. Waldron—1727
Intradomain magnetic saturation for Fe, Warren E. Henry—668(A)
Ionic equilibrium in series of Mg-Mn ferrites, C. J. Kriessman and S. E. Harrison—627(A)
Magnetic indications of electronic structure of conduction band in Ge, J. H. Crawford, Jr., H. C. Schweinler, and D. K. Stevens—1330(L)
Magnetic measurements on single microscopic particle, A. H. Morrish and S. P. Yu—1641(A)
Magnetic properties of $GdFeO_3$ crystal, M. A. Gilleo—1641(A)
Magnetic susceptibility of InSb, D. K. Stevens and J. H. Crawford, Jr.—487
Magnetic susceptibility of metallic Li, Emerson William Pugh and J. E. Goldman—1641(A)
Magnetic susceptibility of Na, R. Bowers—1640(A)
Magnetic susceptibility of Ti and substitutional Ti alloys, J. M. Denney—1640(A)
Magnetic susceptibility of UO_2 from 2°K to 300°K, Anthony Arrott and J. E. Goldman—1641(A)
Magnetic transformation in MnBi, R. R. Heikes—446
Magnetostriction and permeability of magnetite and Co-substituted magnetite, L. R. Bickford, Jr., J. Pappis, and J. L. Stull—1210
Multiple resonances in cobalt ferrite, P. E. Tannenwald—463
Oscillatory galvanomagnetic properties of Sb single crystals at liquid He temperatures, M. C. Steele—1751
Oxygen parameters of $FeFe_{(2-x)}Cr_xO_4$ spinel system, H. J. Yearian and W. D. Derbyshire—626(A)
Permanent magnetic moments of superconducting sphere, Tom S. Teasdale—1248
Pressure dependence of de Haas-van Alphen parameters in Bi, W. C. Overton, Jr., and Ted G. Berlincourt—1165
Properties of iron oxide-alumina system, Walter Grattidge—1643(A)
Relation of magnetic structure to electrical conductivity in NiO and related compounds, R. R. Heikes—1232
Thermodynamic properties of chrome alum, L. D. Jennings and Melvin A. Herlin—668(A)
Thermomagnetic anisotropy, Jerome I. Kaplan—1808

Magnetic Resonance (see also **Nuclear Moments and Spin**)
Atomic phosphorus paramagnetic resonance experiment employing universal dissociator, H. G. Dehmelt—527
Au^{196} and Au^{198} nuclear spins and hyperfine separations, J. B. Reynolds, R. L. Christensen, D. R. Hamilton, A. Lemonick, F. M. Pipkin, and H. H. Stroke—613(A)
Bloembergen spin reservoir temperature in paramagnetic resonance experiments, J. H. Van Vleck—1659(A)
Calculation of spin resonance equation, J. I. Kaplan—622(A)
Cl^{36} nuclear magnetic moment and mass, P. C. Fletcher and L. C. Aamodt—613(A)
Concept of temperature and Overhauser nuclear polarization effect, Charles P. Slichter—1822
Cyclotron resonance of free electrons in nitrogen afterglow, R. V. Jones, W. Dobrowolsky, W. B. Kunkel, and C. D. Jeffries—646(A)
Effects of spin-orbit coupling in ferromagnetics, Petros N. Argyres—1641(A)
Electron spin resonance of V_1-centers, Werner Känzig—1890(L)
Ferromagnetic resonance in two Ni-Fe ferrites, W. A. Yager, J. K. Galt, and F. R. Merritt—1203
Fine structure of singly ionized He, Robert Novick, Edgar Lipworth, and Paul F. Yergin—612(A)
Frequency dependence of magnetic resonance in α-Fe_2O_3, Hiroo Kumagai, Hidetaro Abe, Kazuo Ono, Izuo Hayashi, Junji Shimada, and Kenzo Iwanaga—1116
Hfs in paramagnetic resonances in solutions of manganous salts, Joseph E. Geusic and Dudley Williams—612(A)
Hfs of Ga isotopes in ground state, A. Lurio and A. G. Prodell—613(A)
Indirect exchange coupling of nuclear moments by electrons in semiconductors and insulators, P. W. Anderson—623(A)
Interpretation of Knight shift in metallic Na, T. Kjeldaas, Jr., and W. Kohn—622(A)
La^{139} spin, magnetic moment, and electric quadrupole moment and Cl^{36} magnetic moment, P. B. Sogo and C. D. Jeffries—613(A)
Line breadths in microwave magnetic resonance spectrum of O_2, M. Tinkham and M. W. P. Strandberg—537
Low-field magnetic resonance, M. A. Garstens and J. I. Kaplan—459
Magnetic moment of proton, D. J. Collington, A. N. Dellis, J. H. Sanders, and K. C. Turberfield—1622(L)
Multiple resonances in cobalt ferrite, P. E. Tannenwald—463
Nuclear magnetic relaxation in ethane derivatives, S. L. Linder—614(A)
Nuclear magnetic resonance spectrum of Al^{27} in euclase, R. G. Eades—1652(A)
Nuclear resonance fluorescence in Ge^{74} and Pr^{141}, Franz R. Metzger—613(A)
Nuclear spin and magnetic moment of 3.1-hr Cs^{134m}, L. S. Goodman and S. Wexler—192
Paramagnetic resonance absorption in glass, R. H. Sands—1222
Paramagnetic resonance at low fields, Stewart Becker—1681
Paramagnetic resonance of irradiated H_2S, D_2S, and $N_2H_5Cl_3$ at liquid air temperature, William B. Ard, Jr., and Walter Gordy—612(A)
Pure nuclear quadrupole spectra of Cl and Sb isotopes in solids, Tien-Chuan Wang—566

Quadrupole resonances in multichlorobenzenes, P. J. Bray and R. G. Barnes—1653(A)
Quadrupole resonances of chloro- and bromobenzene derivatives, P. J. Bray and R. G. Barnes—613(A)
Ratio of magnetic moments of stable Ga isotopes, Michael Rice and R. V. Pound—1036(L)
Rb^{86} (4.7-hr) spin and magnetic moment, J. C. Hubbs, J. P. Hobson, W. A. Nierenberg, and H. B. Silsbee—612(A)
Rb^{85} nuclear spin—method of measurement, J. P. Hobson, J. C. Hubbs, W. A. Nierenberg, and H. B. Silsbee—612(A)
Relaxation processes in system of two spins, I. Solomon—559
Resonance transitions in molecular beam experiments. I. General theory of transitions in rotating magnetic field, Harold Salwen—1274
Spin echoes with four pulses, G. J. B. Crawford—600(L)
Spin echoes with four pulses—extension to n pulses, T. P. Das and D. K. Roy—1906(E)
Spin resonance in metals as function of Overhauser effect, Jerome I. Kaplan—1322
Spin resonance of impurity atoms in Si, Charles P. Slichter—479
Systematic g-shift for free electrons, J. G. Castle, Jr.—341(A)
Theory of magnetic resonance saturation, E. P. Gross—622(A)

Magneto-Optical Effects (see **Optical Properties**)
Magnetoresistance (see **Electrical Conductivity and Resistance; Semiconductors**)
Magnetostriction (see **Magnetic Properties**)
Mass Defects (see **Atomic Mass and Abundance**)
Mass Spectroscopy (see **Atomic Mass and Abundance; Methods and Instruments**)
Mathematical Methods
Application of operator calculus to irreversibility, U. Fano—660(A)
Applications of topology to general relativity, C. W. Misner—662(A)
Asymptotic spatial trend of electron penetration, L. V. Spencer—661(A)
Automatic computation of electronic wave functions of molecules, R. C. Sahni—1639(A)
Double interpolation and differentiation formulas, Kuo-Chu Ho—1627(A)
Expansion of two-dimensional wave fields in powers of $1/\rho$, Harvey Einbinder—676(A)
Functional integration and S-matrix theory, James L. Anderson—674(A)
Green's function for heat conduction-convection problems with given motion of boundaries, Kurt H. Forster—660(A)
Isotopic spin and group-space of proper Lorentz group, E. J. Schremp—1603
Monte Carlo calculation of response of NaI(Tl) scintillation spectrometers, Martin J. Berger and John A. Doggett—663(A)
Numerical solution of integral transport equation, Daniel Schiff—660(A)
Simplification in finding symmetry-adapted eigenstates, M. A. Melvin—1659(A)

Measurements (see **Methods and Instruments**)
Mechanics
Dynamics of Klein particle, David Finkelstein—649(A)
Dynamics of rarefied gases, Max Krook—1896(L)
Exact classical and quantum mechanical equations of motion for N particles using collective coordinates, G. J. Yevick and J. K. Percus—661(A)
Exact new reformulation of many-body problem, J. K. Percus and G. J. Yevick—661(A)
Peierls' introduction of canonical transformations into Lagrangian formalism, Peter G. Bergmann—676(A)
Transformation groups in configuration space, Irwin Goldberg and Allen Janis—676(A)

Mechanics, Quantum—Atomic Structure and Spectra (see **Atomic Structure and Spectra**)
Mechanics, Quantum—General (see **Quantum Mechanics**)
Mechanics, Quantum—Molecular Structure and Spectra (see **Molecular Structure and Spectra**)
Mechanics, Quantum—Nuclear (see **Nuclear Structure Theory**)
Mechanics, Quantum—of Solid Bodies (see **Crystalline State**)
Mechanics, Statistical (see **Statistical Mechanics and Thermodynamics**)
Meson Field Theory (see **Field Theory**)
Mesons and Hyperons (see also **Cosmic Radiation; Elementary Particle Interactions; Nuclear Reactions Induced by Mesons; Scattering of Mesons**)
Absorption experiments involving heavy mesons, T. D. Lee—337(L)
Analysis of properties of secondary particles in nucleon-nucleon collisions at very high energy, D. M. Haskin and Marcel Schein—643(A); R. G. Glasser, D. M. Haskin, Marcel Schein, and J. J. Lord—1555
Angular correlations in V^0-particle decays, B. V. Sreekantan, A. Pevsner, and G. Sandri—642(A)
Anomalous τ-meson decay, Tetsuo Eguchi—619(A)
Associated photons in K-particle decays observed with multiplate cloud chamber, H. Courant—282
β decay of K-mesons, G. Yekutieli, M. F. Kaplon, and J. Klarmann—641(A)
β decay of K-mesons and classification of K-meson decays, M. F. Kaplon, J. Klarmann, and G. Yekutieli—1528
Bevatron K-mesons, Robert W. Birge, Roy P. Haddock, Leroy T. Kerth, James R. Peterson, Jack Sandweiss, Donald H. Stork, and Marian N. Whitehead—329(L)
Capture of negative K mesons, Stanley C. Freden and Harold K. Ticho—1057(L)
Charge independence in light hyperfragments, R. H. Dalitz—1475
Cross section for $p+p\rightarrow\pi^++p+n$, D. Stork and S. Whetstone—651(A)
Decay of spin-zero mesons into two leptons, Hironari Miyazawa and Reinhard Oehme—315
Diffusion cloud-chamber study of very slow mesons. II. β decay of muon, C. P. Sargent, M. Rinehart, L. M. Lederman, and K. C. Rogers—885
Disintegration of hyperfragments, W. F. Fry, J. Schneps, and M. S. Swami—1561
Elastic photoproduction of π^0 mesons from deuterium, B. Wolfe, A. Silverman, and J. W. DeWire—268
Elastic photoproduction of π^0 mesons from deuterium at 270 Mev, H. L. Davis and D. R. Corson—273
Elastic photoproduction of π^0 mesons in He and (γ,n) reaction on He at high energies, Gerard deSaussure and L. S. Osborne—843
Electromagnetic production of μ mesons, G. E. Masek, A. J. Lazarus, and W. K. H. Panofsky—650(A)
Electronic detection of heavy mesons, Kenneth W. Robinson—1606(L)
Energy distribution of γ rays from π^0 decay, R. M. Sternheimer—277; 618(A)
Evidence for charge asymmetry of V^0-particles, Y. B. Kim, J. R. Burwell, R. W. Huggett, and R. W. Thompson—642(A)
γ stability of K-mesons, S. B. Treiman and H. W. Wyld, Jr.—1039(L)

Mesons and Hyperons (Continued)
Heavy mesons produced by 2.2- and 3.0-Bev protons, R. D. Hill, E. O. Salant, and M. Widgoff—229
Interaction between K-particles and nucleons, A. Pais and R. Serber—1551
K-meson mass from K-hydrogen scattering event, Warren W. Chupp, Gerson Goldhaber, Sulamith Goldhaber, William R. Johnson, and Joseph E. Lannutti—1042(L)
K-particles from Bevatron, Warren W. Chupp, Gerson Goldhaber, Sulamith Goldhaber, Stephen J. Goldsack, Joseph E. Lannutti, Francis M. Smith, and Francis H. Webb—335(L)
K-series x-rays from π-mesonic atoms, M. Camac, A. D. McGuire, J. B. Platt, and H. J. Schulte—897
A^0—θ^0 ratio in Pb and C, Martin M. Block and Robert Jastrow—619(A)
L-series x-rays from π-mesonic atoms, M. Camac, M. L. Halbert, and J. B. Platt—905
Mass measurements of particles and existence of 1450 m_e mesons, A. Husain, C. J. D. Jarvis, and E. Pickup—1612(L)
Masses of S particles, George T. Reynolds and W. A. Aron—1038(L)
Mean lifetime of positive K mesons, E. L. Hoff, W. W. Chupp, Gerson Goldhaber, S. Goldhaber, J. E. Lannutti, A. Pevsner, and D. Ritson—1617(L)
Mesonic decay of ejected triton, Herman Yagoda—651(A)
Mesonic decay of $_1H^4$ nucleus, Ö. Haugerud and S. O. Sörensen—1046(L)
Mesonic x-rays from capture of cosmic-ray μ mesons in chemical compound, A. Fafarman and M. H. Shamos—623(A)
Model for multiple meson production, E. M. Henley—619(A)
Momentum and ionization measurements on charged V-particles, W. B. Fretter, E. W. Friesen, G. E. Kepler, and L. Lagarrigue—642(A)
μ^+—β^+ decay spectrum, K. M. Crowe, R. H. Helm, and G. W. Tautfast—872
μ—e decay spectrum, R. H. Helm, K. M. Crowe, and G. W. Tautfest—650(A)
Multiple meson production in emulsions exposed to Bevatron beam, William R. Johnson—1047(L)
Multiple meson production theories applied to cosmic-ray showers, Osman El-Mofty and Mohamed El-Nadi—921
Negative K mesons, J. Hornbostel and E. O. Salant—338(L)
Neutral meson photoproduction at forward meson angles, Dale R. Corson, William S. McDonald, and Vincent Z. Peterson—652(A)
Neutral photomesons from hydrogen, L. J. Koester, Jr.—651(A); F. E. Mills and L. J. Koester, Jr.—651(A)
Photoproduction of mesons in deuterium, John Chappelear—254
Photoproduction of positive pions in hydrogen–counter telescope method, A. V. Tollestrup, J. C. Keck, and R. M. Worlock—220
Photoproduction of positive pions in hydrogen–magnetic spectrometer method, R. L. Walker, J. G. Teasdale, V. Z. Peterson, and J. I. Vette—210
π—μ decay with associated electron pair, W. F. Fry, J. Schneps, G. A. Snow, and M. S. Swami—1055(L)
π^0 photomeson production at 143°, R. Stephen White, Mark J. Jakobson, and Gordon W. Repp—651(A)
π^0 photoproduction in carbon, K. M. Crowe, R. M. Friedman, and Hans Motz—673(A)
π^-/π^+ ratios in photoproduction, Hans Motz, K. M. Crowe, and R. M. Friedman—673(A)
π^+/π^- ratios produced by 340-Mev protons at 0°, J. E. Carothers and C. G. Andre—651(A)
Pion pair production by photons, R. M. Friedman, K. M. Crowe, and Hans Motz—672(A)
Pion production by neutrons on He, Peter H. Moulthrop—651(A); 1509
Pion production for polarized protons, F. Mandl and T. Regge—618(A)
Pion production from H by 600-Mev electrons, W. K. H. Panofsky, and G. B. Yodh—651(A)
Pion production in electron-proton collisions, R. H. Dalitz—618(A)
Pion production in p-p scattering, D. B. Lichtenberg—618(A)
Positive excess of high-energy μ mesons, Robert B. Brode and Marvin J. Weber—610(A)
Possible mathematical formulation of Gell-Mann model for new particles, Bernard d'Espagnat and Jacques Prentki—328(L)
p-p interactions at 3 Bev, A. Kernan and R. Cester—640(A)
Production of heavy mesons at Bevatron, L. T. Kerth, D. H. Stork, R. W. Birge, R. P. Haddock, and M. H. Whitehead—641(A)
Production of heavy unstable particles in p-p collision, M. M. Block, E. M. Harth, W. B. Fowler, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore—261
Production of π^+ mesons at 0° by 335-Mev protons on deuterium and complex nuclei, Jack Merritt and Daniel A. Hamlin—1523
Radiative τ-meson decay, R. H. Dalitz—915
Reaction $p+p\rightarrow\pi^++d$ with polarized protons, F. Mandl and T. Regge—1478
S-particles, H. DeStaebler, Jr., H. S. Bridge, B. Rossi, and B. V. Sreekantan—642(A); J. Ballam, A. L. Hodson, and George T. Reynolds—1038(L)
Search for photoproduction of meson pairs in hydrogen, M. Sands, M. Bloch, J. G. Teasdale, and R. L. Walker—652(A)
Simple nonrelativistic model for single meson production, D. A. Geffen—1534
Stopped K-mesons observed near geomagnetic equator, B. Stiller, M. M. Shapiro, and N. Seeman—641(A)
Timing measurements on penetrating cosmic-ray showers, Kenneth W. Robinson—642(A)
Unstable combinations which can stimulate neutral mesons, Arthur E. Ruark and William B. Good—1628(A)
"V-particles" in nuclear emulsion, J. Klarmann, M. F. Kaplon, and G. Yekutieli—641(A)
Metals (see **Crystalline State**)
Metastable Atoms (see **Atomic Structure and Spectra**)
Metastable Molecules (see **Molecular Structure and Spectra**)
Meteorology (see **Geophysics**)
Methods and Instruments
Application of photomultiplier to interference spectroscope, Joseph G. Hirschberg—623(A)
Automatic pressure control system, D. F. Herring—634(A)
Betatron energy control, E. C. B. Pederson and L. Katz—1634(A)
Betatron oscillations in fixed-field alternate-gradient accelerator with spirally-ridged poles, L. Jackson Laslett—653(A)
Calorimetric method for direct determination of energy locally absorbed in irradiated material, J. P. Bernier, H. E. Johns, and D. V. Cormack—1640(A)
Chronotron for time-of-flight studies of cosmic rays, G. G. Slaughter, M. M. Black, and E. M. Harth—1626(A)
Comparison of ionization-range methods of mass estimation, F. W. O'Dell and M. M. Shapiro—641(A)

Counting efficiency of electromechanical message registers, Gregory Theoclitus and Homer C. Wilkins—634(A)
Cyclotron energy measurement by time-of-flight, S. D. Bloom, C. O. Muehlhause, and H. E. Wegner—654(A)
Derivation relating pumping speed of ionization gauge to quantity of gas pumped, N. P. Carleton and D. G. Bills—1662(A)
Design of oven for obtaining x-ray diffraction pattern of material with low thermal conductivity, N. S. Kendrick, Jr., J. E. Miller, and G. W. Crawford—1631(A)
Design studies for alternating-gradient magnets. I. Field distributions computed by relaxation method, M. Hildred Blewett—652(A); II. Model measurements, Glen R. Lambertson, C. Lasky, and Robert H. Phillips—653(A)
Determination of current in absolute measure, Raymond L. Driscoll—634(A)
Dissociation of solid compounds by electron bombardment, George E. Moore and W. T. Hughes—1643(A)
8-Mev variable-energy cyclotron, H. W. Fulbright, D. A. Bromley, and J. A. Bruner—654(A)
Electronic instrumentation for Yale slow-neutron velocity selector, H. L. Schultz and W. G. Wadey—1634(A)
Energy control for external cyclotron beams, G. Schrank—677(A)
Fast multichannel coincidence circuit, T. H. Braid and R. W. Detenbeck—663(A)
FM multichannel pulse-height analyzer, James Couchman and C. D. Curtis—1626(A)
Focusing high-current electron beams by aperture effect, Kuo-chu Ho—1627(A)
Four-pole permanent-magnet rings for focusing beams of charged particles, J. B. Blewett, N. C. Christofilos, and A. M. Vash—652(A)
Gated multiple light-pulse generator, Ralph D. Drosd—1662(A)
Hfs in inversion spectrum of $N^{14}H_3$ by new high-resolution microwave spectrometer, J. P. Gordon—1253
Long-wavelength neutron transmission as absolute method for determining concentration of lattice defects in crystals, J. J. Antal, R. J. Weiss, and G. J. Dienes—1081
Magnetic measurements on single microscopic particle, A. H. Morrish and S. P. Yu—1641(A)
Maximizing separation factor of thermal diffusion column, J. W. Corbett and W. W. Watson—634(A)
Method for prompt destruction of electron beam in conventional synchrotron, C. L. Hammer and A. J. Bureau—653(A)
Micromachining with virtual electrodes, A. Uhlir, Jr.—615(A)
Microwave magnetoconductivity bridge for semiconductors, Simon Foner, H. J. Zeiger, R. L. Powell, and Benjamin Lax—635(A)
Molecular-beam microwave-absorption spectroscope, M. Peter and M. W. P. Strandberg—667(A)
Monte Carlo calculation of response of NaI(Tl) scintillation spectrometers, Martin J. Berger and John A. Doggett—663(A)
Negative-pressure pentane bubble chamber used in high-energy experiments, Richard J. Plano and Irwin A. Pless—639(A)
Neutron time-of-flight spectroscopy with linear electron accelerator, T. F. Godlove and J. G. Carver—1634(A)
New method for measuring absolute viscosity of liquid He II, Henry H. Kolm and Melvin A. Herlin—669(A)
New multichannel recording time-delay analyzer, P. G. Koontz, C. W. Johnstone, G. R. Keepin, Jr., and J. D. Gallagher—664(A)
New technique for high-resolution microwave spectroscopy, R. H. Romer and R. H. Dicke—532
New type of lens for charged particles, Nathaniel P. Carleton—664(A)
Nonlinearities in alternate-gradient synchrotron, E. D. Courant—652(A)
Nuclear coincidence techniques applied to optical transitions, Eric Brannen, F. R. Hunt, R. H. Adlington, and R. W. Nicholls—1658(A)
Occluded-gas ion source, Lawrence Ruby and James D. Gow—663(A)
Oxygen quenching and wavelength shifters in liquid scintillators, C. A. Ziegler, H. H. Seliger, and I. Jaffe—663(A)
Parallel-plate transmission line, John E. Keys—1639(A)
Pictures of gas-streams at low-gas density taken by means of electrons, Berthold W. Schumacher—1638(A)
Precision monitor for electron beams, G. W. Tautfest and K. L. Brown—664(A)
Precision vibrating-coil magnetic-gradient recorder, Martin Graham—653(A)
Performance of cathode-ray tube coincidence discriminator, R. H. Rohrer, J. B. Bailey, and A. K. Furr—1626(A)
Pumping speed of ionization gauge, D. G. Bills, F. G. Allen, and N. P. Carleton—1662(A)
Rb^{85} nuclear spin—method of measurement, J. B. Hobson, J. C. Hubbs, W. A. Nierenberg, and H. B. Silsbee—612(A)
Resolving time of Geiger-Mueller counters, D. V. P. Williams and Dixon Callihan—1626(A)
Response of NaI spectrometer to high-energy electrons, H. W. Koch, J. M. Wyckoff, and B. Petree—663(A)
Revised Yale linear electron accelerator and facilities, W. G. Wadey and H. L. Schultz—1634(A)
Ring-focus collection in thin-lens nuclear spectrometers, K. C. Mann, D. C. Milley, and J. A. L. Thompson—1634(A)
Role of re-emission in ionic pumping, L. J. Varnerin, Jr., and J. H. Carmichael—1662(A)
Scattering of electromagnetic waves by coaxial cylinders, Albert W. Adey—1639(A)
Scattering of electrons in strong-focusing synchrotron, Michael J. Moravcsik and J. Michael Sellen, Jr.—653(A)
Scintillation spectrometry of x-rays from Be-window tube, P. K. S. Wang, R. J. Raridon, and Marvin Tidwell—1639(A)
Shock wave spectroscopy, Richard J. Rosa—633(A)
Si analysis for B by thermal neutrons, E. G. K. Schwarz—625(A)
Simultaneous contrast effect in heterochromatic brightness comparisons, Antonios Antonakos—1626(A)
Slot radiators in rectangular metal plates, D. G. Frood and J. R. Wait—1639(A)
Small electromagnet for low-temperature magnetic measurements, J. E. Leinhart and J. M. Reynolds—1626(A)
Steady-state calibration of vibration transducers at accelerations up to ±4000 g, T. A. Perls, C. W. Kissinger, and D. R. Paquette—635(A)
Synchro-microtron requiring no static magnetic guide field, H. F. Kaiser—653(A)
Technique for detection of nuclear resonances by observing residual radioactivity, Robert T. Smith, Jr., J. C. Harris, and John N. Cooper—340(A)
Technique for study of thin metallic films, R. L. Kelly—615(A)
The maser—new type of microwave amplifier, frequency standard, and spectrometer, J. P. Gordon, H. J. Zeiger, and C. H. Townes—1264
Transfer rate measurements in hydrodynamic system containing nonuniformly mixing compartment, Gerald A. Wrenshall and Harry Schachter—1640(A)

Methods and Instruments (Continued)
Transient response of cavity resonator, C. W. Hoover, Jr.—634(A)
Transmission-line demonstration, M. J. Pryor—342(A)
Triggering fast two-crystal Compton scintillation spectrometer with iodine-escape x-rays from NaI(Tl) primary crystal, P. R. Howland and N. E. Scofield—663(A)
Ultra-high speed cine-microscopy and time-resolved spectroscopy, George Hauver and Louis Zernow—635(A)
Ultra-high vacuum valve, D. G. Bills and F. G. Allen—646(A)
Ultra-low-level voltage detector using Bi and superconductors, Julius Babiskin—668(A)
Using snooperscope tube with spectrometer, Donald E. Dean—341(A)
Velocity distributions in K and Tl atomic beams, R. C. Miller and P. Kusch—1314
X-ray microscopy by reconstructed wave fronts, Hussein M. A. El-Sum and Albert V. Baez—624(A)
Microwaves (see also **Atomic Structure and Spectra; Magnetic Resonance; Molecular Structure and Spectra; Nuclear Moments and Spin**)
Experimental investigation of diffraction of electromagnetic waves by dominating ridge, J. H. Crysdale, J. W. B. Day, and W. S. Cook—1638(A)
Microwave absorption in compressed O_2, A. A. Maryott and G. Birnbaum—1886(L)
Molecular-beam microwave-absorption spectroscope, M. Peter and M. W. P. Strandberg—667(A)
New technique for high-resolution microwave spectroscopy, R. H. Romer and R. H. Dicke—532
Parallel-plate transmission line, John E. Keys—1639(A)
Radio star scintillations and ionosphere, T. R. Hartz—1638(A)
Scattering of electromagnetic waves by coaxial cylinders, Albert W. Adey—1639(A)
Slot radiators in rectangular metal plates, D. G. Frood and J. R. Wait—1639(A)
The maser—new type of microwave amplifier, frequency standard, and spectrometer, J. P. Gordon, H. J. Zeiger, and C. H. Townes—1264
Transient response of cavity resonator, C. W. Hoover, Jr.—634(A)
Vhf and uhf propagation in central Canada, D. R. Hay and R. C. Langille—1638(A)
Miscellaneous
Classical microphysics, Gertrude T. Schwarzmann—662(A)
Transmission-line demonstration, M. J. Pryor—342(A)
Mobility of Ions and Electrons (see **Ions and Electrons, Mobility**)
Molecular Aggregates
Calculation of diffusion coefficients for polystyrenes from measured values of osmotic pressure, T. A. Barr and H. B. Jenkins—1631(A)
Fused silica dielectric measurements at low frequencies, J. P. Sackinger—342(A)
Paramagnetic resonance absorption in glass, R. H. Sands—1222
Molecular Beams (see **Atomic and Molecular Beams**)
Molecular Structure and Spectra
Absorption studies of He metastable atoms and molecules, A. V. Phelps—1307
Automatic computation of electronic wave functions of molecules, R. C. Sahni—1639(A)
"Average" internuclear separations arising in study of molecular band-systems, R. W. Nicholls and W. R. Jarmain—667(A)
Centrifugal distortion effects in ozone, Louis Pierce—666(A)
Cl^{36} nuclear magnetic moment and mass, P. C. Fletcher and L. C. Aamodt—613(A)
Effect of inclusion of exchange in Thomas-Fermi treatment of molecules, James D. Alexander and Wayne A. Bowers—1627(A)
Effect of sample preparation upon the infrared spectra of polynuclear hydrocarbons, Nelson Fuson, Marie-Louise Josien, and James R. Lawson—1625(A)
Effects of bending mode of vibration on hfs of ICN, Ali Javan—1302
Electron impact studies with dimethylamine, Herman Branson and Nasira F. Ledbetter—1643(A)
Electronic contribution to effective nuclear masses in molecules, M. W. P. Strandberg—667(A)
Emission bands in Cu, N. L. Singh—1624(A)
Excited torsional states in asymmetric hindered rotors, P. R. Swan and M. W. P. Strandberg—667(A)
Hfs in inversion spectrum of $N^{14}H_3$ by a new high-resolution microwave spectrometer, J. P. Gordon—1253
High-dispersion measurements on ν_3 of NO_2 at 200°C, Fred L. Keller and Alvin H. Nielsen—1624(A)
Infrared intensity measurements in halogenated methanes, Tom T. True, Nand Lal Singh, and Joseph W. Straley—1624(A)
Infrared spectrum of HF, George Kuipers—1624(A)
Infrared spectrum of SCl_2, John A. Herndon, A. H. Nielsen, and W. H. Fletcher—1624(A)
Internal motion in methyl amine, D. Kivelson and D. R. Lide—667(A)
Line breadths in microwave magnetic resonance spectrum of O_2, M. Tinkham and M. W. P. Strandberg—537
Microwave absorption in compressed O_2, A. A. Maryott and G. Birnbaum—1886(L)
Microwave spectra of InCl and InBr, A. H. Barrett and M. Mandel—666(A)
Microwave spectrum of ozone molecule, E. K. Gora—666(A)
Molecular-beam microwave-absorption spectroscope, M. Peter and M. W. P. Strandberg—667(A)
New technique for high-resolution microwave spectroscopy, R. H. Romer and R. H. Dicke—532
Nuclear magnetic relaxation in ethane derivatives, S. L. Linder—614(A)
Orientational transitions in CD_4, T. A. Keenan and H. M. James—1660(A)
Photoionization efficiencies and cross sections in O_2, N_2, CO_2, A, H_2O, H_2, and CH_4, N. Wainfan, W. C. Walker, and G. L. Weissler—542
Pure rotational spectrum of HF, D. F. Smith and A. H. Nielsen—1624(A)
Quadrupole resonances of chloro- and bromobenzene derivatives, P. J. Bray and R. G. Barnes—613(A)
The maser—new type of microwave amplifier, frequency standard, and spectrometer, J. P. Gordon, H. J. Zeiger, and C. H. Townes—1264
Theory of fine structure of microwave spectrum of NO_2, Chun C. Lin—666(A)
Threshold for photodetachment from OH^-, S. J. Smith and L. M. Branscomb—1657(A)
Use of statistical field approximation in molecular physics, J. W. Sheldon—1291
Vibrational spectra, structure, force constants, and thermodynamic properties of AsF_3, Laurence K. Akers and Ernest A. Jones—1624(A)
Vibrational spectrum of tetrabromoethylene, D. E. Mann, Janet Hawkins Meal, and Earle K. Plyler—667(A)
Moments, Nuclear (see **Nuclear Moments and Spin**)
Moments of Molecules (see **Molecular Structure and Spectra**)

Neutrino (see also **Nuclear Spectra; Radioactivity**)
Attempt to detect neutrinos by reaction $Cl^{37}(\beta,\sigma)A^{37}$, Raymond Davis, Jr.—664(A)
Charge spectrum of Cl^{37} recoils from neutrino emission in electron-capture decay of A^{37}, Arthur H. Snell and Frances Pleasonton—1625(A)
Neutrino theory of light, O. W. Greenberg and A. S. Wightman—675(A)
Neutron Diffraction (see **Diffraction; Scattering of Neutrons**)
Neutrons (see **Elementary Particle Interactions**)
Noise
Cause and elimination of anomalous flicker effect, W. W. Lindemann—1650(A)
Generation of $1/f$ noise by levels in linear or planar array, S. Roy Morrison—1904(L)
Noise characteristics of Si photovoltaic junctions, U. F. Gianola—1656(A)
Noise fluctuations and irreversible processes, D. L. Falkoff —1657(A)
Surface levels, their influence on field effect and $1/f$ noise, S. R. Morrison—1655(A)
Nuclear Fission
Angular dependence of neutron-induced fission. II, J. E. Brolley, Jr., W. C. Dickinson, and R. L. Henkel—159
Angular distribution of fragments from neutron-induced fission of U^{238}, J. E. Brolley, Jr., and R. L. Henkel—616(A)
Average number of neutrons per spontaneous fission of Cm^{244}, G. H. Higgins, W. W. T. Crane, and S. R. Gunn —183
Bombardment energy and fission product yield pattern for protons on natural U and U^{238}, W. H. Jones, A. Timnick, J. H. Paehler, and T. H. Handley—184
Energy spectrum of delayed γ rays from U photofission, J. M. Wyckoff and H. W. Koch—616(A)
Fission of U^{238} by 14-Mev neutrons: Nuclear charge distribution and yield fine structure, Arthur G. Wahl—730
High-energy fission of Bi. Proton energy dependence, Luis G. Jodra and Nathan Sugarman—1470
High-energy fission of heavy elements. Nuclear charge dependence, Paul Kruger and Nathan Sugarman—1459
Neutron-induced fission excitation curve for Am^{241}, R. A. Nobles, R. L. Henkel, and R. K. Smith—616(A)
Spontaneous-fission neutron multiplicities, R. V. Pyle, D. A. Hicks, and John Ise, Jr.—616(A)
U^{238} photofission, L. Katz, T. M. Kavanagh, A. G. W. Cameron, E. C. Bailey, and J. W. T. Spinks—98
Nuclear Forces (see **Elementary Particle Interactions; Field Theory; Nuclear Structure Theory**)
Nuclear Induction (see **Magnetic Resonance; Nuclear Moments and Spin**)
Nuclear Isomers (see **Nuclear Spectra; Radioactivity**)
Nuclear Moments and Spin
Au^{198} and Au^{199} nuclear spins and hyperfine separations, J. B. Reynolds, R. L. Christensen, D. R. Hamilton, A. Lemonick, F. M. Pipkin, and H. H. Stroke—613(A)
Cl^{35} nuclear magnetic moment and mass, P. C. Fletcher and L. C. Aamodt—613(A)
Co^{59} and Co^{60} ratio of magnetic moments, J. C. Wheatley, D. F. Griffing, and R. D. Hill—334(L)
Concept of temperature and Overhauser nuclear polarization effect, Charles P. Slichter—1822
Configuration mixing and quadrupole moments of odd nuclei, Hisashi Horie and Akito Arima—778
Coupling of $2s_{\frac{1}{2}}$ and $1d_{\frac{1}{2}}$ orbitals, P. Goldhammer and E. Feenberg—648(A)
Direct polarization of In^{115} nuclei; J-value for 1.458-ev resonance, J. W. T. Dabbs, L. D. Roberts, and S. Bernstein—1652(A)
Electromagnetic properties of deuteron, M. Sugawara—1601
Electromagnetic properties of deuteron. I. Charge density and quadrupole moment, Jeremy Bernstein and Abraham Klein—966
Exchange moment contributions to modified shell model, A. Russek—834
Hfs anomaly in atomic P-states, Charles Schwartz—1035 (L)
Hfs in inversion spectrum of $N^{14}H_3$ by new high-resolution microwave spectrometer, J. P. Gordon—1253
Intermediate coupling in $1p$ shell, Dieter Kurath—648(A)
Intermediate coupling shell model for Be^9, J. B. French, E. C. Halbert, and Sudhir P. Pandya—1387
La^{139} spin, magnetic moment, and electric quadrupole moment and Cl^{35} magnetic moment, P. B. Sogo and C. D. Jeffries—613(A)
Magnetic moment of proton, D. J. Collington, A. N. Dellis, J. H. Sanders, and K. C. Turberfield—1622(L)
Nuclear spin and magnetic moment of 3.1-hr Cs^{134m}, L. S. Goodman and S. Wexler—192
Pure nuclear quadrupole spectra of Cl and Sb isotopes in solids, Tien-Chuan Wang—566
Ratio of magnetic moments of stable Ga isotopes, Michael Rice and R. V. Pound—1036(L)
Rb^{81} (4.7 hr) spin and magnetic moment, J. C. Hubbs, J. P. Hobson, W. A. Nierenberg, and H. B. Silsbee—612 (A)
Rb^{81} nuclear spin—method of measurement, J. P. Hobson, J. C. Hubbs, W. A. Nierenberg, and H. B. Silsbee—612(A)
Spin resonance in metals as function of Overhauser effect, Jerome I. Kaplan—1322
Ta^{181} and Lu^{175} quadrupole moments, Tohru Kamei—789
Nuclear Photoeffects
Angular and energy distributions of photoprotons from Al, Cu, Rh, and Au, W. K. Dawson—1648(A)
Deuteron-model calculation of high-energy nuclear photoeffect, K. G. Dedrick—1654(A)
Effect of spin-orbit interaction on photonuclear electric dipole absorption, Sherman Frankel—169
Elastic photoproduction of π^0 mesons from deuterium, B. Wolfe, A. Silverman, and J. W. DeWire—268
Elastic photoproduction of π^0 mesons from deuterium at 270 Mev, H. L. Davis and D. R. Corson—273
Elastic photoproduction of π^0 mesons in He and (γ,π) reaction of He at high energies, Gerard deSaussure and L. S. Osborne—843
Energy and angular distributions of photoneutrons, W. R. Dixon—1646(A)
Energy spectrum of delayed γ rays from U photofission, J. M. Wyckoff and H. W. Koch—616(A)
Fine structure in photoproton spectrum of oxygen, Sven A. E. Johansson and Bengt Forkman—1030(L)
Neutral meson photoproduction at forward meson angles, Dale R. Corson, William S. McDonald, and Vincent Z. Peterson—652(A)
Neutral photomesons from hydrogen, L. J. Koester, Jr.—651(A); F. E. Mills and L. J. Koester, Jr.—651(A)
$N^{14}(\gamma,\pi)$ cross section near threshold, B. G. Chidley and L. Katz—1646(A)
$Pb^{207,208}$ photoproduction, W. L. Bendel, M. E. Toms, and R. A. Tobin—672(A)
Photodeuteron/photoproton yield from sulfur, Laurence S. Ring, Jr.—137
Photoproduction of mesons in deuterium, John Chappelear —254
Photoproduction of positive pions in hydrogen-counter telescope method, A. V. Tollestrup, J. C. Keck, and R. M. Worlock—220

Nuclear Photoeffects (Continued)
Photoproduction of positive pions in hydrogen-magnetic spectrometer method, R. L. Walker, J. G. Teasdale, V. Z. Peterson, and J. I. Vette—210
Photoprotons from oxygen, B. M. Spicer—33
π^+ photomeson production at 143°, R. Stephen White, Mark J. Jakobson, and Gordon W. Repp—651(A)
π^+ photoproduction in carbon, K. M. Crowe, R. M. Friedman, and Hans Motz—673(A)
π^-/π^+ ratios in photoproduction, Hans Motz, K. M. Crowe, and R. M. Friedman—673(A)
Pion pair production by photons, R. M. Friedman, K. M Crowe, and Hans Motz—672(A)
Search for photoproduction of meson pairs in hydrogen, M. Sands, M. Bloch, J. G. Teasdale, and R. L. Walker—652(A)
Shell effect on photonuclear reactions, J. Goldemberg and J. Leite Lopes—1053(L)
U^{238} photofission, L. Katz, T. M. Kavanagh, A. G. W. Cameron, E. C. Bailey, and J. W. T. Spinks—98
Nuclear Reactions, General (see also **Elementary Particle Interactions; Scattering**)
Experimental checks of statistical theory of nuclear reactions, Louis Rosen and Leona Stewart—1052(L)
Heavy particle stripping, L. Madansky and George E. Owen—1608(L)
Inelastic scattering of nucleons by dynamic nuclear wall, David M. Chase—629(A)
Nuclear oscillator potential, D. C. Peaslee—648(A)
Photoproton-proton coincidences from various nuclei, R. M. Weinstein, A. Odian, P. C. Stein, and A. Wattenberg—1621(L)
Quantum calculation of Coulomb excitation, L. C. Biedenharn—629(A)
Technique for detection of nuclear resonances by observing residual radioactivity, Robert T. Smith, Jr., J. C. Harris, and John N. Cooper—340(A)
Theory of nucleon transfer, G. Breit—629(A)
Nuclear Reactions Induced by α Particles and He^4 (see also **Scattering of α Particles**)
$C^{13}(\alpha,n)$ reaction, R. B. Walton, R. L. Becker, J. D. Clement, and M. S. Zucker—1649(A)
Energy levels in Ru, Pd, and Cd by Coulomb excitation, G. M. Temmer and N. P. Heydenburg—617(A)
Energy levels in Ti, Fe, Ge, and Mo by Coulomb excitation, N. P. Heydenburg and G. M. Temmer—617
Energy levels of B^{10}, C^{12}, C^{13}, and F^{21}, C. B. Bigham, K. W. Allen, and E. Almqvist—631(A)
Energy levels of isobars Li^8–He^8, K. W. Allen, E. Almqvist, and C. B. Bigham—631(A)
He^5 and T reactions in some light elements, E. Almqvist, K. W. Allen, and C. B. Bigham—631(A)
Heavy particle stripping, L. Madansky and George E. Owen—1608(L)
Internal conversion electrons from electric excitation, E. M. Bernstein and H. W. Lewis—617(A)
Investigation of α resonances in Al, T. K. Fowler and J. I. Hopkins—1629(A)
$Ni^{58}(\alpha,\gamma)Zn^{62}$ reaction, H. Morinaga—655(A)
Protons from α bombardment of A^{36} and A^{40}, Robert B. Schwartz, James W. Corbett, and William W. Watson—655(A)
Nuclear Reactions Induced by Deuterons and Tritons (see also **Scattering of Deuterons**)
Angular distribution of proton groups from $Ca^{40}(d,p)Ca^{41}$ reaction, C. K. Bockelman, C. M. Braams, W. W. Buechner, and D. B. Guthe—655(A)
Angular distribution of proton groups from $N^{14}(d,p)N^{15}$ reaction, R. D. Sharp, A. Sperduto, and W. W. Buechner—632(A)
Angular distribution of protons from $O^{16}(d,p)O^{17}$ reaction as function of bombarding energy, J. C. Grosskreutz—643(A)
Angular distributions and angular correlations in $Be^9(d,p)Be^{10}$, and $B^{10}(d,p)B^{11}$, S. A. Cox and R. M. Williamson—631(A)
Angular distributions and angular correlations in $Mg^{24}(d,p)Mg^{25}$, R. M. Williamson and S. A. Cox—644(A)
Angular distributions for $Ti^{46,48}(d,p)Ti^{47,49}$ reactions with 4.16-Mev deuterons, L. L. Lee, Jr., and Waldo Rall—1384
Breakup of deuterons on H, T, He^3, and He^4, R. L. Henkel, J. E. Perry, Jr., and R. K. Smith—1050(L)
Deuteron capture by O^{16}, J. W. Butler—643(A)
Deuteron stripping processes at high energies, R. J. Glauber—1515
Differential cross sections for $C^{13}+d$ reactions, M. T. McEllistrem, Ren Chiba, R. A. Douglas, D. F. Herring, and E. A. Silverstein—632(A)
(d,p) reactions from C^{12} and C^{13}, J. N. McGruer, E. K. Warburton, and R. S. Bender—632(A)
Energy dependence of cross sections for reactions $C^{13}(d,n)N^{14}$ and $C^{13}(d,t)C^{11}$ up to E_D=20 Mev, D. H. Wilkinson—632(A)
Energy levels of B^{10}, C^{12}, C^{13}, and F^{21}, C. B. Bigham, K. W. Allen, and E. Almqvist—631(A)
Energy levels of isobars Li^8–He^8, K. W. Allen, E. Almqvist, and C. B. Bigham—631(A)
Energy levels of Li^8 from d-He differential cross section, A. Galonsky and M. T. McEllistrem—1906(E)
F^{21} mass measurement and excited states, Nelson Jarmie—1043(L)
γ rays from deuteron bombardment of Be^9, B^{10}, N^{14}, and F^{19}, R. D. Bent, T. W. Bonner, J. H. McCrary, W. A. Ranken, and R. F. Sippel—710
$H^3(d,n)\alpha$ and $He^3(d,p)\alpha$ reactions, John L. Johnson and William S. Porter—630(A)
He^5 and T reactions in some light elements, E. Almqvist, K. W. Allen, and C. B. Bigham—631(A)
Heavy particle stripping, L. Madansky and George E. Owen—1608(L)
Magnetic analysis of protons from $Al^{27}(d,p)Al^{28}$, W. W. Buechner, A. Sperduto, and Marcos Mazari—644(A)
Mirror reactions $H^3(d,n)He^4$ and $He^3(d,p)He^4$, D. P. Hale and R. D. Present—1366
Na^{23} energy levels, C. P. Browne and W. C. Cobb—644(A)
Nuclear reactions of Cu with various high-energy particles, G. H. Coleman and H. A. Tewes—288
$O^{18}(d,n\gamma)F^{18}$ reaction, H. D. Holmgren and J. W. Butler—655(A)
Protons from deuteron bombardment of C^{12}, T. W. Bonner, Alfred A. Kraus, Jr., J. T. Eisinger, and J. B. Marion—631(A)
Scarcity of low-energy levels of Be^8 appearing in two B reactions, R. E. Holland, D. R. Inglis, R. E. Malm, and F. P. Mooring—92
Stripping reactions $Fe^{56}(d,p)Fe^{57}$ and $Fe^{57}(d,p)Fe^{58}$, Charles E. McFarland, Franklin B. Small, Alexander J. Elwyn, and Benjamin Zeidman—655(A)
Stripping theory of $Be^9(d,p)Be^{10}$ reaction, M. M. Gordon—1625(A)
Nuclear Reactions Induced by Mesons (see also **Elementary Particle Interactions; Mesons; Scattering of Mesons**)
Absorption experiments involving heavy mesons, T. D. Lee—337(L)
Capture of negative K mesons, Stanley C. Freden and Harold K. Ticho—1057(L)

Cross sections in deuterium at high energies, R. J. Glauber —630(A)
Interaction of π^- mesons with light nuclei, Joseph Callaway—1628(A)
A^0–θ^0 ratio in Pb and C, Martin M. Block and Robert Jastrow—619(A)
π^+-p interactions at approximately 500 Mev, M. E. Blevins, M. M. Block, and E. M. Harth—1628(A)
π^--proton interactions at 4.5 Bev, George Maenchen, Wilson M. Powell, George Saphir, and Robert W. Wright—1619(L)
Pion-proton total cross sections near 4 Bev, K. C. Bandtel, H. A. Bostick, B. J. Moyer, R. W. Wallace, and N. F. Wikner—673 (A)

Nuclear Reactions Induced by Neutrons (see also **Elementary Particle Interactions; Scattering of Neutrons**)

Alternative interpretations of slow-neutron cross sections, O. Kofoed-Hansen—154
Analysis of inelastic neutron scattering data for Mn, Fe, and I, D. A. Lind and J. J. Van Loef—621(A)
Analysis of low-energy neutron-resonance cross sections, B. Margolis, O. Kofoed-Hansen, and E. Nagel—611(A)
Analysis of neutron resonances and results of fast chopper measurements on Ta, V. E. Pilcher, D. J. Hughes, and J. A. Harvey—611(A)
Angular distribution of fragments from neutron-induced fission of U^{238}, J. E. Brolley, Jr., and R. L. Henkel—616 (A)
Collision matrix for (n,d) and (p,d) reactions, R. G. Thomas—
Cross sections in deuterium at high energies, R. J. Glauber —630(A)
Determination of strength function of nuclear energy levels, S. E. Darden—748
Disintegration of C into three α particles by 12–20-Mev neutrons, G. M. Frye, Jr., L. Rosen, and L. Stewart—1375
Excitation curve for $F^{19}(n,\alpha)N^{16}$, Norman A. Bostrom, Emmett L. Hudspeth, and Ira L. Morgan—643(A)
Experimental checks of statistical theory of nuclear reactions, Louis Rosen and Leona Stewart—1052(L)
Fast-chopper measurements of radiation widths, A. Stolovy and J. A. Harvey—611(A)
Fast-neutron reactions in KI(Tl) crystals, Mary Jean Scott and Ralph E. Segel—622(A)
Fission of U^{235} by 14-Mev neutrons: Nuclear charge distribution and yield fine structure, Arthur G. Wahl—730
14-Mev (n,α) cross sections in Zr. I, J. E. Brolley, Jr., M. E. Bunker, D. R. F. Cochran, R. L. Henkel, J. P. Mize, and J. W. Starner—330(L)
14-Mev (n,α) and (n,p) cross sections in Zr. II, A. H. Armstrong and J. E. Brolley, Jr.—330(L)
14-Mev (n,α) cross sections in Zr. III, F. L. Ribe and R. W. Davis—331(L)
γ radiation from interaction of 4.4-Mev neutrons with Fe^{54} and Fe^{56}, Rolf M. Sinclair—1351
γ radiation from interaction of 4.4-Mev neutrons with Ge and W, Rolf M. Sinclair—621(A)
γ-ray spectrum of $Cd^{113}(n,\gamma)Cd^{114}$, Henry Motz—656(A)
Imaginary part of potential in optical model of nucleus, A. M. Lane and C. F. Wandel—647(A)
Inelastic neutron scattering in F^{19}, Joan M. Freeman—1446
Interactions of 3.7-Mev neutrons with Al, S, Fe, and Cu, Ira L. Morgan—621(A)
Mn thermal neutron activation cross section, J. DeJuren and J. Chin—191
Neutron and proton distributions in heavy nuclei, R. G. P. Voss and R. Wilson—1056(L)
Neutron-induced fission excitation curve for Am^{241}, R. A. Nobles, R. L. Henkel, and R. K. Smith—616(A)
Neutron resonances in kev region: Cl^{35}, Cl^{37}, K^{39}, and K^{41}, A. L. Toller, J. R. Patterson, and H. W. Newson—620(A)
Neutron resonances in kev region: F^{19} and P^{31}, J. R. Patterson, H. W. Newson, and E. Merzbacher—1625(A)
Neutron resonances in kev region: Na^{23} and Al^{27}, A. L. Toller, H. W. Newson, and E. Merzbacher—1625(A)
Neutron time-of-flight spectroscopy with linear electron accelerator, T. F. Godlove and J. G. Carver—1634(A)
Nuclear reactions of Cu with various high-energy particles, G. H. Coleman and H. A. Tewes—288
Pion production by neutrons on He, Peter H. Moulthrop —651(A); 1509
Radiation widths in slow-neutron resonances of Ir, H. H. Landon—610(A)
Resonance parameters in Ta, F. B. Simpson, R. G. Fluharty, and O. D. Simpson—610(A)
Secondaries from high-energy neutron interactions with tungsten, R. W. Waniek, L. Garrido, R. Goloskie, and E. G. Silver—622(A)
Si analysis for B by thermal neutrons, E. G. K. Schwarz —625(A)
Size distribution of neutron widths, D. J. Hughes and J. A. Harvey—1032(L)
Slow-neutron capture resonances in Te, W, and In, J. G. Carver and T. F. Godlove—1634(A)
Slow-neutron resonance scattering in In, J. Moore—610 (A)
Systematics of neutron capture cross sections, B. G. Harvey—333(L)
Thermal neutron capture cross section of Au^{198} and half-life of 209-kev state in Hg^{199}, R. L. Graham, R. E. Bell, L. Yaffe, and J. S. Geiger—1646(A)
Total cross sections for high-energy neutrons, Vaughn Culler and R. W. Waniek—740
Total neutron cross section of Np^{237} in 0.02- to 3-ev region, M. S. Smith, R. R. Smith, E. G. Joki, and J. E. Evans —611(A)
Total neutron cross section of Re, G. Igo—610(A)
Total neutron cross sections in kev region: Zr^{90}, Zr^{92}, and Zr^{94}, P. F. Nichols, R. G. Smith, and H. W. Newson—621(A)
Total neutron cross sections of light elements, R. L. Becker, R. B. Perkins, and H. H. Barschall—1646(A)
Total neutron cross sections of Na, K, and Rb, in 0.03- to 10-ev region, E. G. Joki, L. G. Miller, and J. E. Evans— 610(A)

Nuclear Reactions Induced by Protons (see also **Elementary Particle Interactions; Scattering of Protons**)

Angular distribution of γ rays from Coulomb excitation, F. K. McGowan and P. H. Stelson—127
Angular distribution of γ's from Coulomb excitation of thin Pt, W. I. Goldberg—617(A)
Attenuation cross sections for 860-Mev protons, Francis F. Chen, Christopher P. Leavitt, and Anatole M. Shapiro —857
Be^9 energy levels, L. L. Lee, Jr., and D. R. Inglis—96
Bombardment energy and fission product yield pattern for protons on natural U and U^{238}, W. H. Jones, A. Timnick, J. H. Paehler, and T. H. Handley—184
$C^{13}(p,pn)C^{12}$ cross section for 340-Mev protons, W. E. Crandall, W. Birnbaum, G. P. Millburn, and R. V. Pyle—631(A)
Competition between (p,pn) and $(p,2p)$ reactions on Ce^{140}, A. A. Caretto, Jr., and G. Friedlander—1649(A)
Coulomb excitation of states in Tl and Pb, P. H. Stelson and F. K. McGowan—616(A)

Nuclear Reactions Induced by Protons (Continued)
Cross sections in deuterium at high energies, R. J. Glauber —630(A)
Disintegration of Al by protons in energy range 0.4 to 3.0 Bev, G. Friedlander, J. Hudis, and R. L. Wolfgang—263
Electric excitation of Pd, Cd, and Mo by protons, George Paulissen and Hans Mark—617(A)
F^{19} energy levels, J. W. Butler and H. D. Holmgren—1649(A)
456-Mev proton interactions with H and C, Irwin A. Pless and Richard J. Plano—639(A)
γ radiation from proton bombardment of Mg^{24}, G. A. Bartholomew, H. E. Gove, A. E. Litherland, and E. B. Paul—1649(A)
γ-ray cascades in Al^{28}, A. E. Litherland, E. B. Paul, G. A. Bartholomew, and H. E. Gove—644(A)
γ-ray resonances in reaction $Si^{29}(p,\gamma)P^{30}$, S. Milani, John N. Cooper, and J. C. Harris—645(A)
γ-ray yield from natural Si bombarded with protons, Milton R. Seiler, John N. Cooper, and J. C. Harris—340(A)
γ-ray yields from Coulomb excitation, P. H. Stelson and F. K. McGowan—112
γ rays from proton bombardment of Cu^{63} and Cu^{65}, C. E. Weller and J. C. Grosskreutz—655(A)
γ rays from proton bombardment of Mg^{24}, E. B. Paul, G. A. Bartholomew, H. E. Gove, and A. E. Litherland—644(A)
γ rays from proton bombardment of O^{18}, Emmett L. Hudspeth, Ira L. Morgan, and Joseph T. Peoples—643(A)
γ rays from proton bombardment of phosphorus, B. D. Kern and L. W. Cochran—645(A)
γ rays from protons on P^{31}, J. W. Olness and H. W. Lewis —654(A)
γ rays from reaction $Mg^{25}(p,p'\gamma)$, H. E. Gove, A. E. Litherland, E. B. Paul, and G. A. Bartholomew—1649(A)
Heavy mesons produced by 2.2- and 3.0-Bev protons, R. D. Hill, E. O. Salant, and M. Widgoff—229
Inelastic scattering of 19-Mev protons by O^{16}: (A) proton groups, R. Sherr and W. F. Hornyak—632(A); (B) γ radiation, W. F. Hornyak and R. Sherr—632(A)
Inelastic scattering of protons from Fe^{54} and Fe^{56}, G. C. Phillips, C. R. Gossett, J. P. Schiffer, and P. M. Windham—655(A)
Inelastic scattering of protons from isotopes of Mn, Ni, and Cu, J. P. Schiffer, P. M. Windham, C. R. Gossett, and G. C. Phillips—655(A)
Intermediate coupling shell model for Be^9, J. B. French, E. C. Halbert, and Sudhir P. Pandya—1387
Internal conversion electrons from electric excitation, E. M. Bernstein and H. W. Lewis—617(A)
Mechanism of reaction $C^{13}+p\rightarrow p+3\alpha$ at 29 Mev, John L. Need—1356
Mg^{24}, properties of some excited states, R. W. Krone, N. P. Baumann, and F. W. Prosser, Jr.—1649(A)
Na^{23} energy levels, W. Haeberli—640(A)
Neutron and proton distributions in heavy nuclei, R. G. P. Voss and R. Wilson—1056(L)
Neutrons from proton bombardment of S^{32} and S^{34}, F. Ajzenberg, A. Rubin, and J. G. Likely—654(A)
Nuclear internal momentum distribution, John M. Wilcox and Burton J. Moyer—875
Nuclear reactions of Cu with various high-energy particles, G. H. Coleman and H. A. Tewes—288
(p,γ), (p,α), (p,He^3), (p,t), and (p,Be^7) cross sections, B. L. Cohen, H. G. Blosser, D. J. Coombe, G. H. McCormick, and E. Newman—656(A)
π^+/π^- ratios produced by 340-Mev protons at 0°, J. E. Carothers and C. G. Andre—651(A)
Pion production for polarized protons, F. Mandl and T. Regge—618(A)
(p,n) threshold measurements, J. D. Kington, J. K. Bair, Hans O. Cohn, and H. B. Willard—1393
p-p interactions at 3 Bev, A. Kernan and R. Cester—640(A)
(p,pn) and $(p,2n)$ cross sections in medium weight elements, Bernard L. Cohen and Eugene Newman—718
$(p,pn)+(p,2n)$ and $(p,2p)$ cross sections in medium weight elements, B. L. Cohen, E. Neuman, and T. H. Handley —723
Production of heavy unstable particles in p-p collision, M. M. Block, E. M. Harth, W. B. Fowler, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore—261
Production of π^+ mesons at 0° by 335-Mev protons on deuterium and complex nuclei, Jack Merritt and Daniel A. Hamlin—1523
Proton capture γ rays from reaction $P^{31}(p,\gamma)S^{32}$ leading to ground and first excited states of S^{32}, E. B. Paul, H. E. Gove, A. E. Litherland, and G. A. Bartholomew—1339
Radiative capture of protons by N^{14}, S. Bashkin, R. R. Carlson, and E. B. Nelson—107
Reaction $P^{31}(p,\alpha)Si^{28}$, R. L. Clarke, E. Almqvist, and E. B. Paul—654(A)
Reaction $p+p\rightarrow\pi^++d$ with polarized protons, F. Mandl and T. Regge—1478
Resonances in elastic scattering of protons, B. B. Kinsey—332(L)
Resonant capture of protons by F in energy range 0.5 to 2.2 Mev, S. E. Hunt and K. Firth—786
Scarcity of low-energy levels of Be^8 appearing in two B reactions, R. E. Holland, D. R. Inglis, R. E. Malm, and F. P. Mooring—92
$Si^{28}(p,p'\gamma)Si^{28}$ reaction, H. O. Cohn, J. K. Bair, J. D. Kington, and H. B. Willard—644(A)
$T(p,\gamma)He^4$ reaction, J. E. Perry, Jr., and S. J. Bame, Jr. —1368
2− state at 8.85 Mev in O^{16}, B. J. Toppel, D. H. Wilkinson, and D. E. Alburger—632(A)
Nuclear Scattering (see **Scattering**)
Nuclear Spectra (see also **Nuclear Reactions; Radioactivity**)
Al^{28} long-lived isomer, T. H. Handley and W. S. Lyon—755
α spectrum in decay of Li^8, R. T. Frost and S. S. Hanna —8
Am^{241} α-γ directional correlation, T. B. Novey—672(A)
Analysis of triple angular correlations in nuclear bombardment experiments, A. J. Ferguson and A. E. Litherland —1654(A)
Angular distribution of γ rays from Coulomb excitation, F. K. McGowan and P. H. Stelson—127
Angular distribution of γ's from Coulomb excitation of thin Pt, W. I. Goldburg—617(A)
As^{75} energy levels, A. W. Schardt and Joan P. Welker—810
Attenuation of Cd^{111} directional correlation in liquid In^{111} sources, R. M. Steffen—659(A)
Au^{194} and Au^{196} decay, M. T. Thieme and E. Bleuler—1646(A)
Ba^{136} angular correlation of γ rays, M. G. Stewart, R. P. Scharenberg, and M. L. Wiedenbeck—691
Bi^{207} decay, D. E. Alburger and A. W. Sunyar—695
Ca^{47} radioactive decay, L. J. Lidofsky, N. Benczer, and V. K. Fischer—658(A)
Cascade transitions between rotational levels in odd-A nuclei, Hans Mark and George Paulissen—1654(A)
Cd^{114} perturbed γ-γ directional correlation, Scott C. Daubin and Donald R. Hamilton—683

Ce^{140} excited states, Herbert H. Bolotin, Charles H. Pruett, Paul L. Roggenkamp, and Roger G. Wilkinson—62; C. H. Pruett, H. H. Bolotin, P. L. Roggenkamp, and R. G. Wilkinson—670(A)

Ce^{140} (33-hr) radiations, D. W. Martin, J. M. Cork, and S. B. Burson—670(A)

Charge spectrum of Cl^{37} recoils from neutrino emission in electron-capture decay of A^{37}, Arthur H. Snell and Frances Pleasonton—1625(A)

Classification of nucleonic states in deformed nuclei, B. R. Mottelson and S. G. Nilsson—1615(L)

Co^{57} and Co^{58} radiation energies, J. M. Cork, M. K. Brice, and L. C. Schmid—703

Co^{58} and Co^{60} ratio of magnetic moments, J. C. Wheatley, D. F. Griffing, and R. D. Hill—334(L)

Coulomb excitation of states in Tl and Pb, P. H. Stelson and F. K. McGowan—616(A)

Coupling constants of β-decay interaction and decay of Rb^{87}, M. A. Preston—1654(A)

Coupling of $2s_{1/2}$ and $1d_{3/2}$ orbitals, P. Goldhammer and E. Feenberg—648(A)

Cr^{51} internal conversion coefficient, Z. O'Friel and A. H. Weber—659(A)

Cs^{134} radioactive decay, H. H. Forster and J. S. Wiggins—660(A)

Decay of neutron-deficient Rh isotopes, Donald J. Farmer—659(A)

Decay of 72-sec In^{114} ground state, R. M. Steffen and J. N. Brazos—1646(A)

Dual decay of 50-day In^{114} isomer, J. N. Brazos and R. M. Steffen—1646(A)

Electric excitation of Pd, Cd, and Mo by protons, George Paulissen and Hans Mark—617(A)

Energy levels in Ru, Pd, and Cd by Coulomb excitation, G. M. Temmer and N. P. Heydenburg—617(A)

Energy levels in Ti, Fe, Ge, and Mo by Coulomb excitation, N. P. Heydenburg and G. M. Temmer—617(A)

Evidence against existence of 23-hour V^{52}, Raymond K. Sheline, Joseph R. Wilkinson, Bruce J. Dropesky, and Theodore T. Shull—1055(L)

F^{19} energy levels, J. W. Butler and H. D. Holmgren—1649(A)

F^{21} mass measurement and excited states, Nelson Jarmie—1043(L)

Fast $E2$ transition probabilities from Coulomb excitation, G. M. Temmer and N. P. Heydenburg—1609(L)

Fast favored first-forbidden β transition, Michael J. Glaubman—659(A)

Fractional occurrence numbers of eigenstates, M. A. Melvin—1663(A)

Ga^{73} radioactive decay, M. W. Johns, B. C. Chidley, and I. R. Williams—1645(A)

γ radiation from interaction of 4.4-Mev neutrons with Fe^{54} and Fe^{56}, Rolf M. Sinclair—1351

γ radiation from proton bombardment of Mg^{24}, G. A. Bartholomew, H. E. Gove, A. E. Litherland, and E. B. Paul—1649(A)

γ-ray cascades in Al^{28}, A. E. Litherland, E. B. Paul, G. A. Bartholomew, and H. E. Gove—644(A)

γ-ray resonances in reaction $Si^{30}(p,\gamma)P^{31}$, S. Milani, John N. Cooper, and J. C. Harris—645(A)

γ-ray spectrum of $Cd^{113}(n,\gamma)Cd^{114}$, Henry Motz—656(A)

γ-ray yield from natural Si bombarded with protons, Milton R. Seiler, John N. Cooper, and J. C. Harris—340(A)

γ-ray yields from Coulomb excitation, P. H. Stelson and F. K. McGowan—112

γ rays from deuteron bombardment of Be^9, B^{10}, N^{14}, and F^{19}, R. D. Bent, T. W. Bonner, J. H. McCrary, W. A. Ranken, and R. F. Sippel—710

γ rays from P^{34}, Cl^{34}, and P^{30}, E. Bleuler and H. Morinaga—658(A)

γ rays from proton bombardment of Cu^{63} and Cu^{65}, C. E. Weller and J. C. Grosskreutz—655(A)

γ rays from proton bombardment of Mg^{24}, E. B. Paul, G. A. Bartholomew, H. E. Gove, and A. E. Litherland—644(A)

γ rays from proton bombardment of O^{18}, Emmett L. Hudspeth, Ira L. Morgan, and Joseph T. Peoples—643(A)

γ rays from proton bombardment of phosphorus, B. D. Kern and L. W. Cochran—645(A)

γ rays from protons on P^{31}, J. W. Olness and H. W. Lewis—654(A)

γ rays from reaction $Mg^{25}(p,p'\gamma)$, H. E. Gove, A. E. Litherland, E. B. Paul, and G. A. Bartholomew—1649(A)

Gauge problem in internal conversion, M. E. Rose—1628(A)

Hf^{175} radiations, relative intensities, A. O. Burford, J. F. Perkins, and S. K. Haynes—3

Hg^{197} angular correlation measurements, Horace H. Coburn and Sherman Frankel—671(A)

Hg^{198} excited states, Herbert H. Bolotin and Roger G. Wilkinson—671(A)

Inner bremsstrahlung from V^{49}, R. W. Hayward and D. D. Hoppes—659(A)

Interaction contribution to nuclear isomerism, A. Rotenberg and L. Spruch—649(A)

Internal conversion coefficients of Tl^{200} (parent, Hg^{200}), R. K. Doerner and A. H. Weber—672(A)

Internal conversion electrons from electrical excitation, E. M. Bernstein and H. W. Lewis—617(A)

Internal pair creation in negatron decay, J. S. Greenberg and M. Deutsch—665(A)

Isobaric triplet Cr^{48}–V^{48}–Ti^{48}, Raymond K. Sheline and Joseph R. Wilkinson—165

K-series fluorescence yield measurements of A, Cu^{65}, and In^{115}, G. R. Harrison, R. C. Crawford, and J. I. Hopkins—1629(A)

K^{40} branching ratio, A. McNair, R. N. Glover, and H. W. Wilson—771

Metastable states in Re^{180}, Ir^{185}, Au^{196}, Pb^{203}, and Pb^{209}, Vera Kistiakowsky Fischer—672(A); 764

Mn^{52}, new isotope, Joseph R. Wilkinson and Raymond K. Sheline—752

Mn^{52}, new radioactivity, Raymond K. Sheline and Joseph R. Wilkinson—1630(A)

Monte Carlo calculation of response of NaI(Tl) scintillation spectrometers, Martin J. Berger and John A. Doggett—663(A)

Nd^{150} energy available for β decay, Benjamin G. Hogg—175

Neutron-deficient activities of Tb, T. H. Handley and W. S. Lyon—1415

Neutron time-of-flight spectroscopy with linear electron accelerator, T. F. Godlove and J. G. Carver—1634(A)

99^{254} nuclide, B. G. Harvey, S. G. Thompson, G. R. Choppin, and A. Ghiorso 337(A)

"Normalized" β interactions, D. C. Peaslee—1654(A)

Np^{239} β spectroscopy, John O. Rasmussen, Hilding Slätis, and Thomas O. Passell—42

Np^{239} scintillation spectroscopy and coincidence studies, John O. Rasmussen, Frank S. Stephens, Jr., Donald Strominger, and Björn Åström—47

Nuclear forces and β decay of C^{14}, William M. Visscher and Richard A. Ferrell—649(A)

Nuclear resonance fluorescence in Ge^{74} and Pr^{141}, Franz R. Metzger—613(A)

Po^{208} γ-ray spectrum, E. H. Daggett and G. R. Grove—1

$_{84}Po^{214}$ (RaC') cascade γ rays, R. E. Rowland—757

Nuclear Spectra (Continued)
Production and identification of long-lived Tc isotopes at masses 97, 98, and 99, G. E. Boyd, J. R. Sites, Q. V. Larson, and C. R. Baldock—1030(L)
Proton capture γ rays from reaction $P^{31}(p,\gamma)S^{32}$ leading to ground and first excited states of S^{32}, E. B. Paul, H. E. Gove, A. E. Litherland, and G. A. Bartholomew—1339
Pt^{199} γ-γ directional correlation, H. W. Taylor and R. W. Pringle—1345
Pt^{197} radiations, V. R. Potnis, C. E. Mandeville, and John S. Burlew—671(A)
Pu^{239} 193-millimicrosecond metastable level, D. Englekemeir and L. B. Magnusson—135
Quantum calculation of Coulomb excitation, L. C. Biedenharn—629(A)
Radiations from long-lived Tc^{99}, Seymour Katcoff—1618(L)
Re^{186} β-γ angular anisotropy, F. T. Porter, M. S. Freedman, T. B. Novey, and F. Wagner, Jr.—671(A)
Re^{187} nonunique first forbidden β transitions, M. S. Freedman, F. T. Porter, T. B. Novey, and F. Wagner, Jr.—671(A)
Relative number of γ rays from Po^{210}, Onofre Rajo, M. A. Hakeem, and Max Goodrich—1629(A)
Rh^{104} and Rh^{104m} decay, M. E. Bunker, J. P. Mize, and J. W. Starner—659(A)
Rotational levels in β decay of Pa isotopes, Ong Ping Hok—1613(L)
Sb^{122} radiations, B. Farrelly, L. Koerts, N. Benczer, R. van Lieshout, and C. S. Wu—1440
Sc^{44} decay, J. W. Blue and E. Bleuler—659(A)
Sc^{47} decay, W. S. Lyon and Bernd Kahn—728
Scarcity of low-energy levels of Be^8 appearing in two B reactions, R. E. Holland, D. R. Inglis, R. E. Malm, and F. P. Mooring—92
Search for double β decay in Cd and Mo, Rolf G. Winter—88
$Si^{28}(p,p'\gamma)Si^{28}$ reaction, H. O. Cohn, J. K. Bair, J. D. Kington, and H. B. Willard—644(A)
$_{50}Sn^{125}$ (9.7-day and 9.5-min) radiations, S. B. Burson, J. M. LeBlanc, and D. W. Martin—660(A)
Spacings and neutron widths of nuclear energy levels, J. A. Harvey, D. J. Hughes, R. S. Carter, and V. E. Pilcher—10
Superallowed β transitions in $N-Z=3$ series, Eugene Feenberg—71
Supermultiplets and spin-dependent forces, R. W. King—67
Te^{123} and Te^{125} γ rays, C. A. Mallmann, A. H. W. Aten, Jr., D. R. Bes, and Clara M. de McMillan—7
Theoretical analysis of charge distribution on recoil Cl ions from K capture in A^{37}, R. A. Rubenstein and J. N. Snyder—189
Theoretical results on orbital capture, H. Brysk and M. E. Rose—649(A)
Theory of radiative β decay and electron capture, F. G. Hess and W. Opechowski—1654(A)
Thermal neutron capture cross section of Au^{196} and half-life of 209-kev state in Hg^{200}, R. L. Graham, R. E. Bell, L. Yaffe, and J. S. Geiger—1646(A)
Ti^{51} and Cr^{51} decay, M. E. Bunker and J. W. Starner—1906(E)
Tl^{196}, Tl^{197}, and Tl^{198m} decay properties, J. D. Knight and E. W. Baker—1646(A)
Tl^{205} lifetime of 279-kev excited state, H. de Waard—1045(L)
Triggering fast two-crystal Compton scintillation spectrometer with iodine-escape x-rays from NaI(Tl) primary crystal, P. R. Howland and N. E. Scofield—663(A)
2− state at 8.85 Mev in O^{16}, B. J. Toppel, D. H. Wilkinson, and D. E. Alburger—632(A)
U^{232} decay properties, Frank Asaro and I. Perlman—37
U^{235} decay (74 yr), Gertrude Scharff-Goldhaber, E. der Mateosian, G. Harbottle, and M. McKeown—180
Y^{90} decay scheme, Wayne A. Cassatt, Jr., and W. Wayne Meinke—760
Yb^{175} radioactive decay, J. P. Mize, M. E. Bunker, and J. W. Starner—671(A)
Zn^{65}, new Zn isotope, James B. Cumming—1645(A)
Nuclear Structure Theory (see also **Nuclear Reactions; Nuclear Spectra**)
Charge and mass distributions in nuclei, Osamu Miyatake and Clark Goodman—1040(L)
Classification of nucleonic states in deformed nuclei, B. R. Mottelson and S. G. Nilsson—1615(L)
Collective modes in nuclei, F. Coester—170; 648(A)
Configuration mixing and quadrupole moments of odd nuclei, Hisashi Horie and Akito Arima—778
Consistency of nuclear radius determinations from elastic scattering of alphas, D. D. Kerlee, J. S. Blair, and G. W. Farwell—1652(A)
Coupling of $2s_{1/2}$ and $1d_{3/2}$ orbitals, P. Goldhammer and E. Feenberg—648(A)
Determination of strength function of nuclear energy levels, S. E. Darden—748
Deuteron-model calculation of high-energy nuclear photoeffect, K. G. Dedrick—1654(A)
Effect of spin-orbit interaction on photonuclear electric dipole absorption, Sherman Frankel—169
Electromagnetic properties of deuteron, M. Sugawara—1601
Electromagnetic properties of deuteron. I. Charge density and quadrupole moment, Jeremy Bernstein and Abraham Klein—966
Energy eigenvalues for spherical well with exponentially diffuse boundary, Alex E. S. Green and Kiuck Lee—772
Exchange moment contributions to modified shell model, A. Russek—834
Fractional occurrence numbers of eigenstates, M. A. Melvin—1663(A)
High-energy electron scattering and nuclear structure determinations. III. C^{12} nucleus, Jerome H. Fregeau and Robert Hofstadter—1503
Imaginary part of potential in optical model of nucleus, A. M. Lane and C. F. Wandel—647(A)
Independent particle model of nucleus. I. Interparticle forces and configuration mixing, Carl Levinson and Kenneth W. Ford—792
Interaction contribution to nuclear isomerism, A. Rotenberg and L. Spruch—649(A)
Interactions between configurations of three nucleons in $1d$, $2s$ shell, Martin G. Redlich—1427
Intermediate coupling in $1p$ shell, Dieter Kurath—648(A)
Intermediate coupling in odd-odd nuclei, R. Adkins and J. G. Brennan—706
Intermediate coupling shell model for Be^9, J. B. French, E. C. Halbert, and Sudhir P. Pandya—1387
Lowest state of surface oscillation of O^{16} at 14.7 Mev, D. H. Wilkinson—1347
L-series x-rays from π-mesonic atoms, M. Camac, M. L. Halbert, and J. B. Platt—905
Mixed Wigner-IPM mass surface, Julius Salacz-Dohnanyi and Alex E. S. Green—1627(A)
Neutron and proton distributions in heavy nuclei, R. G. P. Voss and R. Wilson—1056(L)
Nuclear charge distribution in Pb^{208}, David L. Hill, Burton E. Freeman, and Kenneth W. Ford—649(A)

Nuclear energy level fine structure and configuration mixing, K. A. Brueckner, R. J. Eden, and N. C. Francis—76
Nuclear forces and β decay of C^{14}, William M. Visscher and Richard A. Ferrell—649(A)
Nuclear oscillator potential, D. C. Peaslee—648(A)
Nuclear radius and nuclear forces, S. D. Drell—619(A)
Nuclear saturation: Generalized Hartree-Fock method, R. J. Eden—1418
Particle binding energies and diffuseness of nuclear boundary, Alex E. S. Green—1410
Particle binding energies in diffuse boundary IPM, Kiuck Lee and Alex E. S. Green—1627(A)
Particle states in spheroidal nuclei, Steven A. Moszkowski—803
Particle states in spheroidal potential, Steven A. Moszkowski—648(A)
Pb^{209} energy levels, G. E. Tauber—176
Perturbations of semiempirical mass equation, Kenneth L. Zankel and Alex E. S. Green—1628(A)
Possibility of nuclear change of phase, L. E. H. Trainor and W. R. Dixon—1655(A)
Shell effect on photonuclear reactions, J. Goldemberg and J. Leite Lopes—1053(L)
Size distribution of neutron widths, D. J. Hughes and J. A. Harvey—1032(L)
Supermultiplets and spin-dependent forces, R. W. King—67
Variational approach to collective nuclear behavior, James J. Griffin—648(A)
Wave functions for nuclear shell theory by variation method, Martin G. Redlich—1421

Optical Instruments (see **Methods and Instruments**)
Optical Properties (see also **Luminescence**)
Absorption cross section of He and A in extreme uv, Po Lee and G. L. Weissler—540
Absorption of alkali-halides in far uv, J. R. Nelson, J. G. Siegfried, and P. L. Hartman—658(A)
Absorption studies of He metastable atoms and molecules, A. V. Phelps—1307
Absorption studies of metastable states of Ne, A. V. Phelps—1657(A)
Anisotropic color centers in α quartz, Alvin J. Cohen—1636(A)
Atmospheric turbulence, M. J. Saunders and A. G. Smith—1627(A)
Change in length of alkali-halide crystals caused by x-ray irradiation, Lan-Ying Lin and B. R. Russell—657(A)
Color centers in KI at liquid He temperatures, Herbert N. Hersh—1636(A)
Dispersion electrons and refractive index in soft x-ray region, D. E. Bedo and D. H. Tomboulian—624(A)
Experimentally determined configuration coordinate curves for F-centers in alkali-halide crystals, G. A. Russell and C. C. Klick—1636(A)
F' and K centers in additively colored KCl crystals, Felix E. Geiger, Jr.—1075
Impedance measurements on CdS crystals, Hartmut Kallmann, Bernard Kramer, and Peter Mark—1328(L)
Infrared absorption in gaseous, liquid, and solid CO_2 induced by intermolecular forces, V. Gaizauskas and H. L. Welsh—1639(A)
Infrared absorption in InSb, W. G. Spitzer and H. Y. Fan—1893(L)
Infrared absorption of Cu and Ag at 4.2°K, Manfred A. Biondi—1647(A)
Infrared absorption of liquid and solid H_2 and its dependence on ortho-para ratio, Elizabeth J. Allin, W. F. J. Hare, and H. L. Welsh—1639(A)
Infrared absorption of liquid and solid H_2 with various ortho-para ratios, W. F. J. Hare, Elizabeth J. Allin, and H. L. Welsh—1887(L)
Infrared quenching and unified description of photoconductivity phenomena in CdS and CdSe, Richard H. Bube—1105
Infrared spectra of ferrites, R. D. Waldron—1727
Infrared stimulation and quenching of photoconductivity in luminescent powders, Hartmut Kallmann, Bernard Kramer, and Arnold Perlmutter—391
Intrinsic optical absorption in single-crystal Ge and Si at 77°K and 300°K, W. C. Dash and R. Newman—1151
Microwave absorption in compressed O_2, A. A. Maryott and G. Birnbaum—1886(L)
Optical absorption spectrum of MgO by reflectivity, James R. Nelson—1902(L)
Optical bleaching of F centers in x-rayed alkali halide crystals, Robert Herman and Richard F. Wallis—435
Optical measurements on additively colored MgO single crystals, Bernard V. Haxby—1636(A)
Optical properties of In-doped Si, R. Newman—465
Optical properties of solids, Herbert B. Rosenstock—657(A)
Optical studies of avalanche breakdown in Si, K. G. McKay and A. G. Chynoweth—1648(A)
Photoionization efficiencies and cross sections in O_2, N_2, CO_2, A, H_2O, H_2, and CH_4, N. Wainfan, W. C. Walker, and G. L. Weissler—542
Secondary electron emission and color centers, A. J. Dekker—1647(A)
Simultaneous contrast effect in heterochromatic brightness comparisons, Antonios Antonakos—1626(A)
Temperature scale for Mo, G. J. Baldwin, J. L. Shilts, and E. A. Coomes—1650(A)
Theory of infrared absorption by carriers in semiconductors, R. B. Dingle—1901(L)
Threshold for photodetachment from OH^-, S. J. Smith and L. M. Branscomb—1657(A)
X-ray microscopy by reconstructed wave fronts, Hussein El-Sum, and Albert V. Baez—624(A)

Pair Production (see **Electrons and Positrons**)
Phosphors and Phosphorescence (see **Luminescence; Semiconductors**)
Photoconductivity (see **Electrical Conductivity and Resistance**)
Photodisintegration (see **Nuclear Photoeffects**)
Photoelasticity (see **Elasticity and Plasticity**)
Photoelectric Effect (see **Electrical Properties**)
Photography and Photographic Emulsions (see **Methods and Instruments; Optical Properties**)
Photometry (see **Methods and Instruments; Optical Properties**)
Photons (see **Radiation**)
Photovoltaic Effect (see **Electrical Properties; Semiconductors**)
Piezoelectric Effect (see **Dielectrics and Dielectric Properties**)
Plasticity (see **Elasticity and Plasticity**)
Polarization, Electrical (see **Dielectrics and Dielectric Properties**)
Polymers (see **Molecular Aggregates**)
Positrons (see **Electrons and Positrons**)
Probability (see **Mathematical Methods**)
Proceedings of the American Physical Society
Meeting of the Southeastern Section at the University of Florida, Gainesville, Florida, April 7, 8, and 9, 1955—1623
Spring Meeting of the Ohio Section at Ohio Wesleyan University, Delaware, Ohio, April 22 and 23, 1955—340

Proceedings of the American Physical Society (Continued)
Washington Meeting at Washington, D. C., April 28, 29, and 30, 1955 [Bull. Am. Phys. Soc. 30, No. 3 (1955)]—605
Spring Meeting of the New York State Section at Buffalo, May 13 and 14, 1955—341
Toronto Meeting at Toronto, Canada, June 22, 23, and 24, 1955 [Bull. Am. Phys. Soc. 30, No. 4 (1955)]—1632
Protons (see **Elementary Particle Interactions**)

Quantum Electrodynamics (see also **Field Theory**)
Approximately relativistic equations, M. Klerer and R. D. Hatcher—675(A)
Consequences of gauge invariance for electromagnetic transitions. II, R. H. Capps—921
Multiple bremsstrahlung, Suraj N. Gupta—1015
Neutrino theory of light, O. W. Greenberg and A. S. Wightman—675(A)
Outgoing and ingoing waves in final states and bremsstrahlung, Haakon Olsen—1335(L)
Quantum electrodynamics and mass operator, W. Wessel—676(A)
Radiative correction to high-energy electron scattering, Hiroshi Suura—1020
Reduction of relativistic two-particle wave equations to approximate forms, W. A. Barker and F. N. Glover—317
Quantum Mechanics
Application of augmented plane wave method to Cu, D. J. Howarth—469
Application of operator calculus to irreversibility, U. Fano—660(A)
Atomic energy levels for Thomas-Fermi and Thomas-Fermi-Dirac potential, Richard Latter—510
Dynamics of Klein particle, David Finkelstein—649(A)
Exact classical and quantum mechanical equations of motion for N particles using collective coordinates, G. J. Yevick and J. K. Percus—661(A)
Exact new reformulation of many-body problem, J. K. Percus and G. J. Yevick—661(A)
Exchange in Thomas-Fermi-Dirac model, W. G. McMillan—661(A)
Functional integration and S-matrix theory, James L. Anderson—674(A)
Generalization of Feynman's integral over-all-paths formulation of quantum mechanics, Y. Takano and J. L. Anderson—674(A)
He correlation energy, Henri Mitler—1835
Isotopic spin and group-space of proper Lorentz group, E. J. Schremp—1603
Necessary condition for positive definite energy, Robert L. Pease and Jane Pease—1600
Particle motion in nonrelativistic quantum theory, Ralph Schiller—662(A)
Peierls' introduction of canonical transformations into Lagrangian formalism, Peter G. Bergmann—676(A)
Physical significance of three quantum numbers, Gertrude T. Schwarzmann—677(A)
Quantum calculation of Coulomb excitation, L. C. Biedenharn—629(A)
Quantum effects in interaction between free electrons and electromagnetic fields, P. S. Farago and G. Marx—1063
Reciprocity theory of elementary particles, P. H. Fang—1658(A)
Reduction of relativistic two-particle wave equations to approximate forms. III, W. A. Barker and F. N. Glover—317
Simple model of elementary particles, F. A. Kaempffer—1659(A)
Simplification in finding symmetry-adapted eigenstates, M. A. Melvin—1659(A)
Solutions of temperature-perturbed Thomas-Fermi equation, J. J. Gilvarry and G. H. Peebles—550
Spectrum of Bethe-Salpeter equation, Frederick L. Scarf—675(A)
Theorem on many-body quantum ground state, P. J. Price—670(A)
Transformation groups in configuration space, Irwin Goldberg and Allen Janis—676(A)
Wave equation for spin 0 in Hamiltonian form, K. M. Case—1572
Quenching of Radiation (see **Radiation**)

Radar (see **Methods and Instruments; Radiation**)
Radiation (see also **Gamma Rays; Range and Energy Loss; X-Rays**)
Absorption cross section of He and A in extreme uv, Po Lee and G. L. Weissler—540
Anisotropy of bremsstrahlung and pair production in single crystals, F. J. Dyson and H. Uberall—604(L)
Anomalous skin effect at low frequencies, M. P. Garfunkel and L. J. Varnerin, Jr.—1647(A)
Bipartition angles for Compton scattering by free electrons, H. M. Childers and J. D. Graves—343
Causality conditions and dispersion relations. I. Boson fields, Marvin L. Goldberger—979
Effect of radiation from solar flares on ionosphere and earth's magnetic field, R. N. Sedra and I. B. Hazzaa—1070
Gravitational radiation, Adrian E. Scheidegger—1883; Joshua N. Goldberg—1873
Inner bremsstrahlung from V^{48}, R. W. Hayward and D. D. Hoppes—659(A)
Multiple bremsstrahlung, Suraj N. Gupta—1015
Outgoing and ingoing waves in final states and bremsstrahlung, Haakon Olsen—1335(L)
Photoelectric mixing of incoherent light, A. Theodore Forrester, Richard A. Gudmundsen, and Philip O. Johnson—1691
Proton bremsstrahlung, David Cohen—1629(A); S. D. Drell and Kerson Huang—686; Kerson Huang and S. D. Drell—628(A)
Radiation dosage from thermonuclear explosions, M. S. Steinberg—666(A)
Radiation flux field outside of stars and spherical reactors, M. A. Melvin—371; 1663(A)
Radiation from strong shock front in Kr, E. B. Turner—633(A)
Radiations from spinning rod, David Park—1324
Radiative transitions in semiconductors, R. Braunstein—1892(L)
Three-millimeter wave radiation from sun, Walter Gordy, Steve J. Ditto, James H. Wyman, and Roy S. Anderson—1905(L)
Z-dependence of bremsstrahlung, W. C. Barber, A. I. Berman, K. L. Brown, and W. D. George—59; K. L. Brown, W. C. Barber, A. I. Berman, and W. D. George—665(A)
Radio Waves (see **Radiation**)
Radioactivity (see also **Nuclear Spectra**)
Ac^{227} emission constant, G. R. Grove and L. N. Russell—340(A)
Am^{241} α-γ directional correlation, T. B. Novey—672(A)
Cs^{137} half-life, D. M. Wiles and R. H. Tomlinson—188
Diffusion of uranyl nitrate activity through porous media, F. L. Langford, R. A. Webb, and F. T. Rogers, Jr.—1631(A)
Evidence against existence of 23-hour V^{48}, Raymond K. Sheline, Joseph R. Wilkinson, Bruce J. Dropesky, and Theodore T. Shull—1055(L)

K^{40} branching ratio, A. McNair, R. N. Glover, and H. W. Wilson—771
Nd^{150} energy available for β decay, Benjamin G. Hogg—175
New elements einsteinium and fermium, atomic numbers 99 and 100, A. Ghiorso, S. G. Thompson, G. H. Higgins, G. T. Seaborg, M. H. Studier, P. R. Fields, S. M. Fried, H. Diamond, J. F. Mech, G. L. Pyle, J. R. Huizenga, A. Hirsch, W. M. Manning, C. I. Browne, H. L. Smith, and R. W. Spence—1048(L)
99^{254} nuclide, B. G. Harvey, S. G. Thompson, G. R. Choppin, and A. Ghiorso—337(L)
Np^{239} β spectroscopy, John O. Rasmussen, Hilding Slätis, and Thomas O. Passell—42
$_{84}Po^{214}$ (RaC') cascade γ rays, R. E. Rowland—757
Production and identification of long-lived Tc isotopes at masses 97, 98, and 99, G. E. Boyd, J. R. Sites, Q. V. Larson, and C. R. Baldock—1030(L)
Radiations from long-lived Tc^{98}, Seymour Katcoff—1618(L)
Relative number of γ rays from Po^{210}, Onofre Rojo, M. A. Hakeem and Max Goodrich—1629(A)
Relative stability of even-numbered isobars, J. D. Kurbatov and J. W. Downs—340(A)
Rotational levels in β decay of Pa isotopes, Ong Ping Hok—1613(L)
Stability of transuranic elements, R. Klingensmith, E. Dally, and G. Arfken—340(A)
Technique for detection of nuclear resonances by observing residual radioactivity, Robert T. Smith, Jr., J. C. Harris, and John N. Cooper—340(A)
Theory of radiative β decay and electron capture, F. G. Hess and W. Opechowski—1654(A)
U^{235} decay properties, Frank Asaro and I. Perlman—37
U^{235} decay (74 yr), Gertrude Scharff-Goldhaber, E. der Mateosian, G. Harbottle, and M. McKeown—180
Use of clays for disposal of radioactive wastes, William L. R. Rice—340(A)
Validity of current practice of using single-exposure data to calculate maximum permissible concentrations in air and water for continuous exposure to radioisotopes, M. J. Cook, K. Z. Morgan, and A. G. Barkow—1628(A)

Raman Spectra (see **Molecular Structure and Spectra**)

Range and Energy Loss of Particles (see also **Scattering**)
Angular dependence of characteristic energy loss of electrons passing through metal foils, R. A. Ferrell—641(A)
Asymptotic spatial trend of electron penetration, L. V. Spencer—661(A)
Calorimetric method for direct determination of energy locally absorbed in irradiated material, J. P. Bernier, H. E. Johns, and D. V. Cormack—1640(A)
Comparison of ionization-range methods of mass estimation, F. W. O'Dell and M. M. Shapiro—641(A)
Cross sections for characteristic energy loss of electrons, Lewis B. Leder and L. Marton—647(A)
Density effect in ionization energy loss of charged particles, Jacob Neufeld and R. H. Ritchie—1125
Electron capture by positrons in gases, J. David Jackson—1653(A)
Mean free path for discrete electron energy losses in metallic foils, R. D. Birkhoff, A. W. Blackstock, and R. H. Ritchie—647(A)
Momentum and ionization measurement on charged V-particles, W. B. Fretter, E. W. Friesen, G. E. Kepler, and L. Lagarrigue—642(A)
Quantum mechanical calculation on stopping cross section of H atoms for protons, A. Dalgarno and G. W. Griffing—1653(A)
Scintillation response of anthracene to low-energy protons and He ions, E. J. Zimmerman—1199
Special stopping-power laws, Marguerite M. Rogers—1631(A)

Recombination (see **Molecular Structure and Spectra**)

Rectifiers (see **Electrical Conductivity and Resistance; Semiconductors**)

Relativity and Gravitation
Applications of topology to general relativity, C. W. Misner—662(A)
Attempt to geometrize electromagnetic theory, R. H. Penfield—342(A)
Conservation of charge in Einstein's generalization of gravitation theory, James L. Anderson and Parviz Merat—1871
Defining invariants of metric spaces, Arthur Komar—662(A)
Flat picture of curved space, F. J. Belinfante—662(A)
Formulation of relativity, Huseyin Yilmaz—662(A)
Gravitational radiation, Adrian E. Scheidegger—1883; Joshua N. Goldberg—1873
Radiations from spinning rod, David Park—1324
Special-relativistic derivation of generally covariant gravitation theory, Robert H. Kraichnan—1906(E)

Resistance, Electrical (see **Electrical Conductivity and Resistance**)

Resonance Radiation (see **Radiation**)

Scattering, General (see also **Diffraction; Elementary Particle Interactions; Nuclear Reactions; Range and Energy Loss of Particles**)
Classical calculation of differential cross section for scattering from Coulomb potential with exponential screening, Edgar Everhart, Gerald Stone, and R. J. Carbone—1287
Covariant calculations of polarization in nucleon-nucleon scattering, Burton D. Fried—675(A)
Differential cross sections for elastic scattering of nitrogen by nitrogen, H. L. Reynolds and A. Zucker—640(A)
Inelastic molecular collisions near threshold, B. Widom—1658(A)
Inelastic scattering of nucleons by dynamic nuclear wall, David M. Chase—629(A)
Multiple Coulomb scattering including nuclear size effects, William T. Scott—629(A)
Phase-shift formulas for nucleon-nucleon scattering, S. Courtenay Wright—996
Scattering analysis, William Rarita—630(A)
Scattering and potential, John A. Wheeler—630(A)
Scattering approximations using plane wave trial functions, J. Mayo Greenberg—630(A)
Scattering of fast Ne atoms in Ne gas, H. W. Berry—553

Scattering of α Particles (see also **Nuclear Reactions Induced by α Particles and He^4**)
Consistency of nuclear radius determinations from elastic scattering of α's, D. D. Kerlee, J. S. Blair, and G. W. Farwell—1652(A)
Elastic scattering of α particles and deuterons by complex nuclei, C. E. Porter—1400
Elastic scattering of 19-Mev α particles by Al and Cu, E. Bleuler and D. J. Tendam—1605(L); 1652(A)
Elastic scattering of 40-Mev α particles from Al, R. M. Eisberg, G. Igo, and H. E. Wegner—1606(L)
Elastic scattering of 40-Mev α particles from heavy elements, H. E. Wegner, R. M. Eisberg, and G. Igo—825
Elastic scattering of 40-Mev α particles from heavy nuclei, Harvey E. Wegner, R. M. Eisberg, and G. Igo—640(A)
Elastic scattering of 48.2-Mev α particles, Robert E. Ellis and Larry Schecter—1044(L)
Elastic scattering of protons, deuterons, and α particles from heavy elements, H. E. Gove—1353

Scattering of α Particles (Continued)
Multiple scattering of low-energy α particles in gas, G. Allen, R. Webeler, and S. Barile—556
Scattering of Atoms and Molecules (see **Atomic and Molecular Beams**)
Scattering of Deuterons (see also **Nuclear Reactions Induced by Deuterons and Tritons**)
Elastic scattering of α particles and deuterons by complex nuclei, C. E. Porter—1400
Elastic scattering of protons, deuterons, and α particles from heavy elements, H. E. Gove—1353
Scattering of Electrons and Positrons (see also **Electrons and Positrons**)
Asymptotic spatial trend of electron penetration, L. V. Spencer—661(A)
Distribution of electrons scattered by Au, L. Marton, J. Arol Simpson, and T. F. McCraw—495
Distribution of electrons scattered in solids, L. Marton, J. Arol Simpson, and T. F. McCraw—1648(A)
Elastic scattering of slow electrons by atoms, William G. Byatt—1630(A)
Electron capture cross section for protons, P. M. Stier and C. F. Barnett—1630(A)
Electron scattering on W at 31, 40, and 60 Mev, R. W. Pidd and C. L. Hammer—1396
High-energy electron scattering and nuclear structure determinations. III. C^{12} nucleus, Jerome H. Fregeau and Robert Hofstadter—1503
Many-body effects in nuclear scattering of electrons, R. R. Lewis, Jr.—628(A)
Nuclear charge distribution in Pb^{208}, David L. Hill, Burton E. Freeman, and Kenneth W. Ford—649(A)
Pion production in electron-proton collisions, R. H. Dalitz—618(A)
Radiative correction to high-energy electron scattering, Hiroshi Suura—1020
Scattering of electrons in strong-focusing synchrotron, Michael J. Moravcsik and J. Michael Sellen, Jr.—653(A)
Statistical theory of atomic excitation by electron impact. I. Theoretical development, Robert W. Hart, Ernest P. Gray, and William H. Guier—1661(A); II. Application to H and He, Ernest P. Gray, Robert W. Hart, and William H. Guier—1661(A)
Variational calculation of electron scattering by static potential, Lyman Mower—1065
Variational treatment of elastic scattering of electrons from hydrogen, M. C. Newstein—628(A)
Scattering of Mesons (see also **Mesons; Nuclear Reactions Induced by Mesons**)
Application of dispersion relations to pion-nucleon scattering, M. L. Goldberger, H. Miyazawa, and R. Oehme—986
Correlation of meson-nucleon scattering and nuclear forces, Abraham Klein and Bruce H. McCormick—618(A)
Effective range analysis of pion-nucleon S-waves, H. P. Noyes—618(A)
K-meson mass from K-hydrogen scattering event, Warren W. Chupp, Gerson Goldhaber, Sulamith Goldhaber, William R. Johnson, and Joseph E. Lannutti—1042(L)
Multiple scattering corrections in π^+-deuteron scattering, S. D. Drell and L. Verlet—849
Numerical calculation of meson-nucleon scattering, M. H. Kalos and R. H. Dalitz—617(A)
π^--proton interactions at 4.5 Bev, George Maenchen, Wilson M. Powell, George Saphir, and Robert W. Wright—1619(L)
Pion-nucleon scattering at high energies, A. N. Mitra—957
Pion-proton elastic scattering cross sections at 43 Mev and $37\frac{1}{2}°$, S. W. Barnes, D. Miller, J. Ring, G. Giacomelli, R. Summers, and H. R. Childs—673(A)
Positive pion scattering by H at 300 Mev, R. S. Margulies—673(A)
Renormalization in new Tamm-Dancoff theory of meson-nucleon scattering, R. H. Dalitz and F. J. Dyson—301
Scattering analysis, William Rarita—630(A)
Scattering of negative pions near 15 Mev in hydrogen, M. C. Rinehart, K. C. Rogers, and L. M. Lederman—673(A)
Scattering of pions by nucleons in intermediate coupling, M. H. Friedman and T. D. Lee—618(A)
Scattering of 22-Mev positive pions on protons, S. Whetstone and D. Stork—673(A)
Second maximum in negative pion scattering cross section, Freeman J. Dyson—1037(L)
Scattering of Neutrons (see also **Nuclear Reactions Induced by Neutrons**)
Analysis of inelastic neutron scattering data for Mn, Fe, and I, A. Lind and J. J. Van Loef—621(A)
Angular distributions of scattering of moderate-energy neutrons, A. Langsdorf, Jr., and R. O. Lane—621(A)
Calculations on charge independence with repulsive core potentials, J. Shapiro and M. A. Preston—1654(A)
Elastic scattering of 14.6-Mev neutrons, W. G. Cross and R. G. Jarvis—621(A)
Elastic scattering of neutrons from Ne, Hans O. Cohn and J. L. Fowler—1625(A)
Energy distribution of cold neutrons scattered by lattice vibrations, R. S. Carter, D. J. Hughes, and H. Palevsky—611(A)
Energy distribution of neutrons scattered by paramagnetic substances, B. N. Brockhouse—601(L)
Inelastic neutron scattering in F^{19}, Joan M. Freeman—1446
Inelastic scattering of cold neutrons by lattice vibrations of crystalline solids, H. Palevsky, D. J. Hughes, and R. L. Zimmerman—611(A)
Neutron velocity distribution in infinite scattering medium with finite absorption, John W. Niestlie, Jr., and Arthur I. Berman—612(A)
n-p scattering at 300 Mev, John De Pangher—1447
Nucleon scattering by nuclei at high energies, I. I. Shapiro and R. J. Glauber—629(A)
Scattering of 4.4-Mev neutrons by C, Ca, Fe, and Zr, J. B. Weddell, B. Jennings, and R. L. Hellens—621(A)
Scattering of polarized neutrons by heavy nuclei, Albert Okazaki—55
Scattering of Protons (see also **Nuclear Reactions Induced by Protons**)
Absolute angular distribution of 20-Mev protons elastically scattered by O and N, Richard H. Chow and Byron T. Wright—640(A)
Analysis of elastic scattering of protons from F^{19}, Elizabeth Urey Barnager—145
Asymmetry in high-energy p-n-p double charge-exchange scattering, Hugh Bradner and Robert E. Donaldson—890
Asymmetry in p-n and p-p scattering from targets bombarded with 285-Mev polarized protons, Robert E. Donaldson and Hugh Bradner—892
Attenuation cross sections for 860-Mev protons, Francis F. Chen, Christopher P. Leavitt, and Anatole M. Shapiro—857
Calculations on charge independence with repulsive core potentials, J. Shapiro and M. A. Preston—1654(A)
Double scattering experiment with 96-Mev protons, Karl Strauch—150
Elastic scattering of 5.25-Mev protons on Ni and Cu, D. A. Bromley and N. S. Wall—1029(L)

Elastic scattering of 17-Mev protons by nuclei, W. Aron, J. S. McIntosh, G. Schrank, and J. H. Bigelow—629 (A); G. Schrank—640(A)
Elastic scattering of protons by F^{19}, T. S. Webb, F. B. Hagedorn, W. A. Fowler, and C. C. Lauritsen—138
Elastic scattering of protons by He^3 and T, R. M. Frank and J. L. Gammel—1406
Elastic scattering of protons, deuterons, and α particles from heavy elements, H. E. Gove—1353
456-Mev proton interactions with H and C, Irwin A. Pless and Richard J. Plano—639(A)
Inelastic polarization and nucleon momentum distribution, L. Marshall—1033(L)
Inelastic scattering of 19-Mev protons by O^{16}: (A) proton groups, R. Sherr and W. F. Hornyak—632(A); (B) γ radiation, W. F. Hornyak and R. Sherr—632(A)
Inelastic scattering of protons from Fe^{54} and Fe^{56}, G. C. Phillips, C. R. Gossett, J. P. Schiffer, and P. M. Windham—655(A)
Inelastic scattering of protons from isotopes of Mn, Ni, and Cu, J. P. Schiffer, P. M. Windham, C. R. Gossett, and G. C. Phillips—655(A)
Nuclear internal momentum distributions, John M. Wilcox and Burton J. Moyer—875
Nucleon scattering by nuclei at high energies, I. I. Shapiro and R. J. Glauber—629(A)
Phase-shift analysis of 210-Mev proton polarization, E. M. Hafner and W. Chesnut—639(A)
Phase shifts for relativistic corrections in high-energy p-p scattering, M. E. Ebel and M. H. Hull, Jr.—1596
Phenomenological evidence for polarization of 310-Mev protons by elastic scattering in *G5* emulsion, Jerome I. Friedman—1047(L)
Pion production in p-p scattering, D. B. Lichtenberg—618 (A)
Polarization effects in p-p scattering at 210 Mev, Emanuel Baskir, John Tinlot, and Sidney Spital—639(A)
Polarization of 210-Mev protons elastically scattered from carbon, W. G. Chesnut, E. M. Hafner, and R. Harding —639(A)
p-p interactions at 3 Bev, A. Kernan and R. Cester—640 (A)
p-p scattering high energies, Robert Serber and William Rarita—629(A)
p-p scattering in nuclear emulsions at 432 Mev, S. K. Kao and A. F. Clark—895
Proton bremsstrahlung, David Cohen—1629(A); Kerson Huang and S. D. Drell—628(A)
Relativistic corrections for high-energy p-p scattering, G. Breit—1581
Resonances in elastic scattering of protons, B. B. Kinsey—332(L)

Scattering of Radiation (see **Gamma Rays; Radiation; X-Rays**)
Scintillation Counters (see **Methods and Instruments**)
Secondary Emission (see **Electrical Properties**)
Semiconductors

Avalanche breakdown in Ge, S. L. Miller—1234
Comparison of Condon and adiabatic approximations for impurity center, Jordan J. Markham—636(A)
Conductivity of NiO as function of temperature and surrounding atmosphere, Robert Lindsay and John J. Banewicz—636(A)
Effect of ambients on thermoelectric power and conductance of Ge particle aggregates, E. A. Kmetko—1642(A)
Effect of pressure on electrical conductivity of InSb, Robert W. Keyes—490
Effect of pressure on electrical properties of InSb, Donald Long—388
Effects of hydrostatic pressure on conductivity of InSb, Robert W. Keyes—626(A)
Elasto-galvanomagnetic effect in Ge, Robert W. Keyes—1655(A)
Electrical properties of Ge semiconductors at low temperatures, H. Fritzsche—406
Electrical properties of Ge-Si alloys, A. Levitas—1810
Electrical properties of plastically deformed Ge, A. G. Tweet—1245
Electrical properties of p-type InSb at low temperatures, H. Fritzsche and K. Lark-Horovitz—400
Electrical properties of thin film semiconductors, F. S. Ham and D. Mattis—1656(A)
Electron capture probability of upper Cu acceptor level, J. F. Battey and R. M. Baum—624(A)
Electronic interaction of imperfections in semiconductors and insulators, R. L. Longini—636(A)
Fast neutron bombardment of p-type Ge, J. W. Cleland, J. H. Crawford, Jr., and J. C. Pigg—1170
Forward characteristic of Ge point contact rectifiers, M. Cutler—625(A)
Galvanomagnetic effects in single crystals of Sb, H. J. Juretschke, S. J. Freedman, and S. Epstein—636(A)
Galvanomagnetic theory of holes in Ge and Si, J. G. Mavroides and Benjamin Lax—1656(A)
Galvanomagnetic theory of n-Ge and Si in saturation limit, Louis Gold and Laura M. Roth—1655(A)
Hall effect and conductivity of InSb, H. J. Hrostowski, F. J. Morin, T. H. Geballe, and G. H. Wheatley—626 (A)
Hall effect and density of states in Ge, E. M. Conwell—1195
Hall theory in n-type Ge, Louis Gold—596(L)
Hot electron problem in semiconductors with spheroidal energy surfaces, Motoichi Shibuya—1189
Indirect exchange coupling of nuclear moments by electrons in semiconductors and insulators, P. W. Anderson —623(A)
Infrared absorption in InSb, W. G. Spitzer and H. Y. Fan —1893(L)
Intrinsic optical absorption in single-crystal Ge and Si at 77°K and 300°K, W. C. Dash and R. Newman—1151
Ionization and solubility of impurities in semiconductors, C. S. Fuller and Howard Reiss—624(A)
Magnetic indications of electronic structure of conduction band in Ge, J. H. Crawford, Jr., H. C. Schweinler, and D. K. Stevens—1330(L)
Magnetic susceptibility of InSb, D. K. Stevens and J. H. Crawford, Jr.—487
Magnetoresistance in Ge at low temperatures, F. J. Darnell and S. A. Friedberg—636(A)
Microplasmas in Si, D. J. Rose and K. G. McKay—1648 (A)
Microwave magnetoconductivity bridge for semiconductors, Simon Foner, H. J. Zeiger, R. L. Powell, and Benjamin Lax—635(A)
Microwave magnetoconductivity effects in InSb, R. N. Dexter and Benjamin Lax—635(A)
Mobility of holes in Ge-Si alloys, A. Levitas—625(A)
Modulation of Schottky emission from metal point contacts to Ge, G. Wallis and J. F. Battey—625(A)
Nature of water-vapor-induced excess current on grown Ge p-n junctions, Edward N. Clarke—1656(A); 1899(L)
New intrinsic recombination radiation from Ge, J. R. Haynes—1659(A)
Noise characteristics of Si photovoltaic junctions, U. F. Gianola—1656(A)
Optical properties of In-doped Si, R. Newman—465
Optical properties of plastically deformed Ge, H. G. Lipson, E. Burstein, and Paul L. Smith—444

Semiconductors (Continued)
Optical studies of avalanche breakdown in Si, K. G. McKay and A. G. Chynoweth—1648(A)
Physical theory of semiconductor surfaces, C. G. B. Garrett—376
Preliminary study of electrical properties of semiconducting diamond, James J. Brophy—1336(L)
Pressure dependence of resistivity, Hall constant, and energy gap for InAs, Julius Taylor—1655(A)
Propagation and plasma oscillation in semiconductors, Benjamin Lax and Laura M. Roth—637(A)
Properties of grain boundaries in Au-doped Ge, A. G. Tweet—1182
Radiation effects in GaSb, J. W. Cleland and J. H. Crawford, Jr.—637(A)
Radiative transitions in semiconductors, R. Braunstein—1892(L)
Recombination of injected carriers at dislocation edges in semiconductors, J. P. McKelvey and R. L. Longini—1227
Recombination processes in Te, David Redfield—635(A)
Saturation Hall constant of semiconductors, John A. Swanson—1799
Sensitization of photoconductivity in PbSe, James N. Humphrey—625(A)
Si analysis for B by thermal neutrons, E. G. K. Schwarz—625(A)
Si conductivity-modulated diffused p-n junction rectifier, M. B. Prince—625(A)
Spin resonance of impurity atoms in Si, Charles P. Slichter—479
Surface levels, their influence on field effect and $1/f$ noise, S. R. Morrison—1655(A)
Theory of acceptor levels in Ge, Walter Kohn and Daniel Schechter—1903(L)
Theory of infrared absorption by carriers in semiconductors, R. B. Dingle—1901(L)
Thermoelectric power of InSb, H. P. R. Frederikse and Eugenie V. Mielczarek—1889(L)
Two-carrier model of p-type Ge at 77°K, E. N. Adams, R. E. Davis, and Colman Goldberg—625(A)
Validity of deformation-potential theory in n-type Ge, R. Rosenberg and M. Lax—649(A)
Work function of (100) face of Ge single crystal as function of heat treatment and ion bombardment, J. A. Dillon, Jr., and H. E. Farnsworth—1643(A)
X-ray diffraction studies of radiation damage of Ge single crystal, Sigmund Weissmann and Roger Chang—657(A)
Shock Waves (see **Fluid Dynamics**)
Solid State (see **Crystalline State**)
Solutions (see **Liquids**)
Sound (see **Acoustics**)
Spallation (see **Nuclear Reactions**)
Spark Discharge (see **Electrical Discharges**)
Specific Heat (see **Thermal Properties**)
Spectra, Atomic (see **Atomic Structure and Spectra**)
Spectra, General
Application of photomultiplier to interference spectroscope, Joseph G. Hirschberg—623(A)
Atmospheric attenuation of solar millimeter-wave radiation, H. H. Theissing and P. J. Caplan—624(A)
Doppler broadening of spectral lines emitted during dissociative recombination, William A. Rogers and Manfred A. Biondi—1657(A)
Infrared spectrum of night sky near 10 000 A, A. Vallence Jones—1637(A)
Line broadening by electrons: Validity of simple theories, Roland E. Meyerott and Henry Margenau—1851
Quantum theory of dielectric relaxation, Joel L. Lebowitz and E. P. Gross—623(A)
Seasonal intensity variation of twilight Na emission, D. M. Hunten—1637(A)
Shock wave spectroscopy, Richard J. Rosa—633(A)
Spectra of low-current-density glow discharges, C. D. Maunsell—1661(A)
Ultra-high speed cine-microscopy and time resolved spectroscopy, George Hauver and Louis Zernow—635(A)
Spectra, Molecular (see **Molecular Structure and Spectra**)
Spectra, Nuclear (see **Nuclear Spectra**)
Spectroscopy Technique (see **Methods and Instruments**)
Spinor Fields (see **Field Theory**)
Standards (see **Constants, Standards, Units**)
Stark Effect (see **Atomic Structure and Spectra**)
Statistical Mechanics and Thermodynamics
Application of operator calculus to irreversibility, U. Fano—660(A)
Behavior of Bose system, G. V. Chester—1062
Calculation of discontinuity in specific heat of Gd, Harry A. Brown—627(A)
Compressions of several high molecular weight hydrocarbons, W. G. Cutler, R. W. Schiessler, and W. Webb—638(A)
Dynamics of rarefied gases, Max Krook—1896(L)
Einstein-Bose gas below critical temperature, J. Ford and T. H. Berlin—638(A)
Entropies of lattice defects, H. B. Huntington, G. A. Shirn, and E. S. Wajda—1085
Ideal gas thermodynamic functions of isotopic hydrogen sulfides, Lester Haar, Joe C. Bradley, and Abraham S. Friedman—638(A)
Improved symmetrized cell theory of liquids, J. Dahler and J. O. Hirschfelder—637(A)
New approach to nonequilibrium processes, Peter G. Bergmann and Joel L. Lebowitz—578
Noise fluctuations and irreversible processes, D. L. Falkoff—1657(A)
Numerical solution of integral transport equation, Daniel Schiff—660(A)
Possibility of nuclear change of phase, L. E. H. Trainor and W. R. Dixon—1655(A)
PV isotherms of He^3 gas between 1.5 and 3.8°K, William E. Keller—670(A)
Quantum-statistical transport equation for dilute gases, A. W. Saenz—638(A)
Radiation flux field outside of stars and spherical reactors, M. A. Melvin—371; 1663(A)
Solutions of temperature-perturbed Thomas-Fermi equation, J. J. Gilvarry and G. H. Peebles—550
Specific interaction between identical molecule pairs, Herbert Jehle, J. M. Yos, and W. L. Bade—1640(A)
Statistical mechanical calculation of data of state of He isotopes at intermediate temperatures and densities, Abraham S. Friedman and Irwin Oppenheim—638(A)
Statistical mechanics of isotopic systems with small quantum corrections, Jacob Bigeleisen—638(A)
Statistical mechanics of liquid He^3, Ryoichi Kikuchi—1684
Temperature behavior of Thomas-Fermi statistical model for atoms, Richard Latter—1854
Theorem on many-body quantum ground state, P. J. Price—670(A)
Thermodynamic properties of α Ag-Cd and α Au-Cd alloys, P. Herasymenko—614(A)
Thermodynamic properties of chrome alum, L. D. Jennings and Melvin A. Herlin—668(A)
Variant on Yang-Lee theory of condensation, M. B. Lewis and A. J. F. Siegert—661(A)

Vibrational spectra structure, force constants, and thermodynamic properties of AsF_5, Lawrence K. Akers and Ernest A. Jones—1624(A)
Virial series of ideal Bose-Einstein gas, H. S. Shapiro—1673
"Virial theorem" for flow of energy, R. Eisenschitz—1059
Statistical Methods (see **Mathematical Methods**)
Superconductivity
Annihilation radiation from positrons stopping in superconducting Pb, S. M. Shafroth and J. A. Marcus—664(A)
Atomic heat of Sn in normal and superconducting states, W. S. Corak and C. B. Satterthwaite—1660(A)
Dependence of superconducting transition on measuring current, D. C. Baird—1660(A)
Displacement of superconducting critical field by pressure, N. L. Muench and H. E. Rorschach, Jr.—668(A)
Effects of stress on superconducting Sn, In, Tl, and Al, Nils L. Muench—1814
Heat capacities of V and Ta in normal and superconducting phases, R. D. Worley, M. W. Zemansky, and H. A. Boorse—447
Permanent magnetic moments of superconducting sphere, Tom S. Teasdale—1248
Specific heat of V in normal and superconducting states, C. B. Satterthwaite, W. S. Corak, B. B. Goodman, and Aaron Wexler—1660(A)
Superconductivity of Hf, R. A. Hein—668(A)
Superconductivity of Sn whiskers, O. S. Lutes and E. Maxwell—668(A)
Surface energies in superconductors, H. W. Lewis—669(A)
Ultra-low-level voltage detector using Bi and superconductors, Julius Babiskin—668(A)
Supersonics (see **Fluid Dynamics**)

Thermal Conductivity (see **Thermal Properties**)
Thermal Diffusion (see **Diffusion**)
Thermal Expansion (see **Thermal Properties**)
Thermal Properties
Atomic heat of graphite between 1 and 20°K, P. H. Keesom and N. Pearlman—1119
Atomic heat of Sn in normal and superconducting states, W. S. Corak and C. B. Satterthwaite—1660(A)
Calculation of discontinuity in specific heat of Gd, Harry A. Brown—627(A)
Green's function for heat conduction-convection problems with given motion of boundaries, Kurt H. Forster—660(A)
Heat capacities of V and Ta in normal and superconducting phases, R. D. Worley, M. W. Zemansky, and H. A. Boorse—447
Melting curves of He^3, He^4, H_2, D_2, Ne, N_2, and O_2 up to 3500 kg/cm², R. L. Mills and E. R. Grilly—480
Specific heat anomaly of ferroelectric cadmium niobate at Curie temperature, H. Danner and R. Pepinsky—1215
Specific heat of Bi at liquid He temperatures, K. G. Ramanathan and T. M. Srinivasan—442
Specific heat of V in normal and superconducting states, C. B. Satterthwaite, W. S. Corak, B. B. Goodman, and Aaron Wexler—1660(A)
Thermal conductivity of Ge at ambient temperatures, Kathryn A. McCarthy and Stanley S. Ballard—1104
Vibrational anharmonicity and lattice thermal properties, J. S. Dugdale and D. K. C. MacDonald—1905(E)
Thermal Radiation (see **Radiation**)
Thermionic Emission (see **Electrical Properties**)
Thermodynamics (see **Statistical Mechanics and Thermodynamics**)
Thermoelectric Effect (see **Electrical Properties; Semiconductors**)
Thermoluminescence (see **Luminescence**)
Thermomagnetic Effect (see **Magnetic Properties**)
Total Cross Sections (see **Electrons and Positrons; Nuclear Reactions**)
Transmutation (see **Nuclear Reactions**)

Uncertainty Principle (see **Quantum Mechanics**)
Units (see **Constants, Standards, Units**)

Vacuum Tubes (see **Methods and Instruments**)
Van der Waals Forces (see **Molecular Structure and Spectra**)
Viscosity (see **Liquids**)

Wave Mechanics (see **Quantum Mechanics**)
Work Function (see **Electrical Properties**)

X-Rays
Crystal structure change of sulphur, J. E. Miller, N. S. Kendrick, Jr., and G. W. Crawford—1631(A)
Design of oven for obtaining x-ray diffraction patterns of materials with low thermal conductivity, N. S. Kendrick, Jr., J. E. Miller, and G. W. Crawford—1631(A)
Dispersion electrons and refractive index in soft x-ray region, D. E. Bedo and D. H. Tomboulian—624(A)
Energy spectrum of low-voltage x-ray tube, Marvin Tidwell, S. K. Haynes, and P. K. S. Wang—1629(A)
K-series fluorescence yield measurements of A, Cu^{63}, and In^{113}, G. R. Harrison, R. C. Crawford, and J. I. Hopkins—1629(A)
K-series x-rays from π-mesonic atoms, M. Camac, A. D. McGuire, J. B. Platt, and H. J. Schulte—897
L-series x-rays from π-mesonic atoms, M. Camac, M. L. Halbert, and J. B. Platt—905
Location of H atoms in unit cell of portlandite, $[Ca(OH)_2]$, H. E. Petch—1635(A)
Mesonic x-rays from capture of cosmic-ray μ mesons in chemical compound, A. Fafarman and M. H. Shamos—623(A)
Multiple electron excitation in Auger processes, Max Wolfsberg and Morris L. Perlman—1833
Oxygen parameters of $FeFe_{(2-x)}Cr_xO_4$ spinel system, H. J. Yearian and W. D. Derbyshire—626(A)
Precision determination of lattice constants with Geiger-counter x-ray diffractometer, A. Smakula and J. Kalnajs—1737
Scintillation spectrometry of x-rays from Be-window tube, P. K. S. Wang, R. J. Raridon, and Marvin Tidwell—1639(A)
Small-angle x-ray scattering from cold-worked metals, R. H. Neynaber, W. G. Brammer, and W. W. Beeman—615(A)
Structure of thin evaporated Cu films by total reflection of x-rays, L. G. Parratt—1635(A)
Tungsten *L* x-ray from Be-window tube, Richard Raridon and P. K. S. Wang—1629(A)
X-ray diffraction studies of radiation damage of Ge single crystal, Sigmund Weissmann and Roger Chang—657(A)
X-ray microscopy by reconstructed wave fronts, Hussein M. A. El-Sum and Albert V. Baez—624(A)
X-ray scattering effects due to localized static lattice defects, Charles W. Tucker, Jr., and Peter Senio—1777

Author Index to Volume 100

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (T) designate title only. References with (L) are to Letters to the Editor. References with (E) are to Errata.

Abraham, M. and S. J. Goldsack. Pi meson production in Pb and C—1799(A)

Adair, Robert K. Angular distribution of Λ^0 and θ^0 decays —1540(L)

Adams, A., Jr. (see Statz, H.)—1260(A)

Adkins, R. and J. G. Brennan. Intermediate coupling in odd-odd nuclei—1790(E)

Ahrens, T. Matrix element relations in β decay theory and nuclear forces—974(A)

—— (see Miller, M. M.)—974(A)

Ajzenberg, F., A. Rubin, G. D. Johnson, and M. Mazari. Neutrons from proton bombardment of B^{11}—960(A)

—— (see Rubin, A.)—961(A)

Akeley, Edward S. Determination of magnetic field strength H and its vector potential A in terms of magnetic field strength H_0 on plane surface, with application to spiral ridged FFAG accelerator—972(A)

Alaga, G. New type of selection rules in β-decay of strongly deformed nuclei—432(L)

Alba Andrade, Fernando. Experimental nuclear physics in University of Mexico—954(T)

—— (see Mazari, M.)—972(A)

Alburger, D. E. and B. J. Toppel. Radioactive decays of Rh^{106} and Ag^{106}—1357

—— (see Toppel, B. J.)—1254(A)

Alexeff, Igor and Edward C. Peterson. Evapor-ion pump behavior with noble gases—1239(A)

Alger, R. S. (see Anderson, T. H.)—964(A)

Allen, William A. (see Mayfield, Earle B.)—1800(A)

Allis, W. P. (see Dreicer, H.)—1234(A)

Allison, B. (see Fabricand, B. P.)—1249(A)

Almqvist, E., R. L. Clarke, and E. B. Paul. (p,α) reactions in Cl and K—1265(A)

Alvarez, Luis W. Hydrogen bubble-chamber design and experiments—1255(T)

——, **Frank S. Crawford, Jr., Myron L. Good, and M. Lynn Stevenson.** K-meson lifetimes—1264(A)

Anderson, A. B. C. Dependence of discrete acoustic frequencies emitted by jet on vortex-ring coalescence at Reynolds numbers up to 7000—1800(A)

Anderson, C. D. (see Sorrels, J. D.)—1457

Anderson, H. L., W. C. Davidon, M. Glicksman, and U. E. Kruse. Scattering of positive pions by H at 189 Mev—279

——, **W. C. Davidon, and U. E. Kruse.** Causality in pion-proton scattering—339

—— **and M. Glicksman.** Scattering of pions by H at 165 Mev—268

Anderson, J. D., R. W. Kenney, and C. A. McDonald. Yield of π^0 photomesons as function of atomic number—1798(A)

Anderson, J. M. and L. Goldstein. Interaction of electromagnetic waves of rf in isothermal plasmas: Collision cross section of He atoms and ions for electrons—1037

—— **and L. Goldstein.** Microwave studies of slow electron collision processes in He plasmas—1229(A)

—— (see Goldstein, L.)—1229(A)

Anderson, P. W. Electromagnetic theory of cyclotron resonance in metals—749(L)

—— **and H. Hasegawa.** Considerations on double exchange —675

—— **and H. Suhl.** Instability in motion of ferromagnets at high microwave power levels—1788(L)

Anderson, T. H., R. D. Jordan, and R. S. Alger. Irradiation effects in some organic compounds—964(A)

Antes, L. L. (see Marburger, R. E.)—978(A)

Apfel, J. H. and L. N. Hadley. Exciton absorption in cuprous oxide—1689

Argo, H. V. (see Holm, Dale M.)—1244(A)

Armstrong, Baxter H. High-energy pion-proton cross sections—1798(A)

Arnold, W. H., Jr., J. Ballam, M. Grisaru, C. McGrew, and H. W. Wyld. Anomalous V^0-particles—1804(A)

——, **J. Ballam, and George T. Reynolds.** Cloud-chamber observations on charged V particles—295

——, **W. Martin, and H. W. Wyld.** Anomalous neutral V-particles—1545(L)

Arnowitt, R. and S. Deser. Renormalization of derivative coupling theories—349

Aron, Jack and Gerhart Groetzinger. Longitudinal photomagnetoelectric effect in Ge—1128

—— (see Groetzinger, Gerhart)—978(A)

Artman, J. O. Microwave resonance relations in anisotropic single crystal ferrites—1243(A)

Asaro, Frank, F. S. Stephens, Jr., W. M. Gibson, R. A. Glass, and I. Perlman. α-decay properties of Am^{239}—1541(L)

——, **Frank S. Stephens, Jr., B. G. Harvey, and I. Perlman.** Complex α and γ spectra of $Cf^{250,252}$—137

—— (see Stephens, F. S., Jr.)—1543(L)

Auer, Peter L. Semiempirical calculation of Townsend α—1228(A)

Austerman, Stanley B. Stored energy release in graphite irradiated at low temperatures—1807(A)

—— **and John E. Hove.** Irradiation of graphite at liquid He temperatures—1214(L)

Austern, N. Isobar role in two-nucleon processes: Deuteron photoeffect—1522

Austin, Alfred E. and Ralph J. Harrison. Interpretation of stored energy of irradiated graphite in terms of elastic energy associated with microscopic strain—1225(L)

Autler, S. H. and C. H. Townes. Stark effect in rapidly varying fields—703

Axel, Peter (see Fox, John D.)—1249(A)

—— (see Vegors, Stanley H., Jr.)—1238(A)

Ayres, R. U. and R. H. Tredgold. Crystal structure of solid rare gases—1257(A)

Ayres, W. P., P. H. Vartanian, and J. L. Melchor. Frequency doubling in ferrites—1791(A)

Backus, John. Alternative interpretation of magnetic forces between moving charges—1808(A)

Bader, M. (see Pixley, R. E.)—1805(A)

Baggerly, L. L., P. Marmier, F. Boehm, and J. W. M. DuMond. Decay of Ir^{192}—1364

Bailey, T. L. and E. E. Muschlitz. Scattering of low-energy H^- ions in He—1231(A)

Bair, J. K., J. D. Kington, and H. B. Willard. γ-ray and neutron yields from proton bombardment of B—21

Baker, E. W. (see Knight, J. D.)—1334

Baldwin, John (see Fischer, David)—1445

Ball, William P. (see MacGregor, M. H.)—1793(A)

Ballam, J. (see Arnold, W. H.)—295; 1804(A)

Ballard, Stanley S. (see McCarthy, Kathryn A.)—969(A)

Baños, Alfredo, Jr. Normal modes characterizing magneto-elastic plane waves—1801(A)

Barbour, J. P. (see Trolan, J. K.)—1646
Barkas, Walter H., Paul H. Barrett, Pierre Cuer, Harry H. Heckman, Frances M. Smith, and Harold K. Ticho. High-velocity particle ranges in emulsion—1797(A)
—— (see Heckman, Harry H.)—1803(A)
—— (see Smith, Frances M.)—1802(A)
Barker, Paul B. Cosmic-ray electrons near sea level and at mountain altitudes—860
Barker, W. A. and A. Mencher. Thermodynamics of irreversible processes and Overhauser nuclear polarization effect—1224(L)
Barnes, C. A. and R. W. Kavanagh. 15-Mev γ radiation from $B^{11}+d$—1796(A)
—— (see Mills, W. R., Jr.)—1794(A)
Barnett, C. F. and P. M. Stier. Electron loss cross section for fast He atoms—1268(A)
Barredo, Joseph G. Interaction of elementary particles—970(A)
Barrett, Paul H. (see Barkas, Walter H.)—1797(A)
Barschall, H. H. and S. E. Darden. Strength function of nuclear energy levels—1242(A)
Bart, W. L. (see Beams, J. W.)—1657
Barton, M. Q. (see Smith, J. H.)—1265(A)
Bashkin, S. (see Carlson, R. R.)—1254(A)
Baskin, Y. and L. Meyer. Lattice constants of graphite at low temperatures—544
Bath, H. M. and M. Cutler. Measurement of bulk and surface recombination by photoconductance—1259(A)
Battey, J. F. and R. M. Baum. Carrier capture probabilities in Ni-doped Ge—1550(A); 1634
Baum, R. M. (see Battey, J. F.)—1550(A); 1634
Baumann, N. P., F. W. Prosser, Jr., and R. W. Krone. Elastic scattering of protons from Na^{23}—1244(A)
Bay, Z., V. P. Henri, and H. Kanner. Statistical theory of delayed-coincidence experiments—1197
Beams, J. W., J. B. Breazeale, and W. L. Bart. Mechanical strength of thin films of metals—1657
Bean, C. P. (see Jacobs, I. S.)—1060
Becker, R. A. (see Gove, Norwood)—1236(A)
Bederson, B. (see Hammer, J.)—1229(A)
Bedo, D. E. and D. H. Tomboulian. Soft x-ray emission spectrum of Ge—1257(A)
Beers, Yardley (see Sterzer, Fred)—1174
Behrends, R. E., R. J. Finkelstein, and A. Sirlin. Radiative corrections to decay processes—1809(A)
Beiser, A. (see Soberman, R. K.)—859
Belinfante, F. J. Attempts at quantization of gravitational field—967(T)
—— Bending of light and falling rotators—1250(A)
Bemski, G. Lifetime of electrons in p-type Si—523
Benczer, N., B. Farrelly, L. Koerts, and C. S. Wu. Investigation of I^{126}—955(A)
Bender, R. S. (see McGruer, J. N.)—235
Benedek, George B., William Paul, and Harvey Brooks. Conductivity, Hall effect, and magnetoresistance in n-type Ge, and their dependence on pressure—1129
Benedict, F. D. and G. Tice. Angular distribution of γ rays in Coulomb excitation—1545(L)
—— (see Breit, G.)—429(L)
Bennett, H. E. (see Rank, D. H.)—993
Bennett, J. M. (see Rank, D. H.)—993
Bent, R. D., T. W. Bonner, J. H. McCrary, and W. A. Ranken. γ-rays from deuteron bombardment of Al^{27} and P^{31}—774
——, **T. W. Bonner, J. H. McCrary, and W. A. Ranken.** γ-rays from reactions $Be^9(\alpha,n\gamma)C^{12}$, $C^{13}(d,p\gamma)C^{14}$, $N^{14}(d,p\gamma)N^{15}$, and $N^{14}(d,n\gamma)O^{15}$—771
Berberet, J. A. and K. C. Clark. Resonance irradiation of Hg vapor in N—506
Beringer, R. Yale heavy ion accelerator—1548(T)
—— (see Quinton, A. R.)—1549(A)
Bernstein, E. M. and H. W. Lewis. First excited state of Mn^{55}—1367
—— **and H. W. Lewis.** Internal conversion electrons from electric excitation of Ta^{181}, Au^{197}, and Pt^{195}—1345
Bersohn, R. (see Das, T. P.)—1792(A)
Biedenharn, L. C. and C. M. Class. Soluble problem in theory of Coulomb excitation—1790(E)
——, **J. L. McHale, and R. M. Thaler.** Quantum calculation of Coulomb excitation—376
—— (see Goldstein, M.)—436(L)
Bielecki, A. J. (see Meister, A. G.)—1267(A)
Biondi, Manfred A. and Lorne M. Chanin. Deviations from Blanc's law of ionic mobilities: Ne^+ in Ne-H mixtures—1230(A)
—— (see Chanin, Lorne M.)—1230(A)
Birge, R. W., J. R. Peterson, D. H. Stork, and M. N. Whitehead. Mass values of K-mesons—430(L)
Birkhoff, R. D. (see Blackstock, A. W.)—1078
Bitter, Francis and John F. Waymouth. Radiation temperature of a plasma—1230(A)
Björnerud, E. K. Ionization of cloud-chamber tracks—972(A)
Blackstock, A. W., R. H. Ritchie, and R. D. Birkhoff. Mean free path for discrete electron energy losses in metallic foils—1078
Blair, J. M. (see Hill, H. A.)—961(A)
Blakewood, C. H. (see Mobley, R. C.)—1242(A)
Blatt, F. J. Effect of point imperfections on electrical properties of Cu. II. Thermoelectric power—666
Blatt, J. M. and S. T. Butler. Superfluidity of ideal Bose-Einstein gas—476
——, **S. T. Butler, and M. R. Schafroth.** Statistical mechanics of rotating buckets—481
—— (see Butler, S. T.)—495
—— (see Lustig, Harry)—777
—— (see Schafroth, M. R.)—1221(L)
Bleakney, Walker. Transient surface temperatures in shock tube—958(T)
Bledsoe, M. D. and V. G. Szebehely. Hydrodynamic impact of curved surfaces—968(A)
Bleuler, E. (see Blue, J. W.)—1324
—— (see Morinaga, H.)—1236(A)
Blevins, Gilbert S., Walter Gordy, and William M. Fairbank. Superconductivity at mm wave frequencies—1215(L)
Blevins, M. E. (see Block, M. M.)—959(A)
—— (see Fairbank, W. M.)—971(A)
Block, M. M., E. M. Harth, and M. E. Blevins. Evidence for β decay of neutral V-particles—959(A)
——, **E. M. Harth, and R. M. Sternheimer.** Energy distribution of K mesons produced in nuclei—324
—— (see Harth, E. M.)—959(A)
Blodgett, K., III (see Gebbie, H. A.)—970(A)
Bloom, S. D., G. N. Glasoe, C. O. Muehlhause, and H. E. Wegner. Inelastic and elastic scattering of 1.7-Mev neutrons—1248(A)
Blosser, H. G., C. D. Goodman, T. H. Handley, and M. L. Randolph. 14-Mev (n,α) cross-section measurement—429(L)
—— **and T. H. Handley.** (p,n) reactions at 12 Mev—1340
Bloxsom, D. E. (see Perry, R. W.)—968(A)
Bludman, Sidney A. Extended isotopic spin invariance and meson-nucleon coupling—372
Blue, J. W. and E. Bleuler. Radioactivity of Sc^{46}—1324
Blunt, R. F., H. P. R. Frederikse, and W. R. Hosler. Electrical and optical properties of intermetallic compounds. IV. Mg_2Sn—663
Boehm, F. (see Baggerly, L. L.)—1364

Bollinger, L. M., R. E. Coté, and J. M. LeBlanc. Characteristics of new Argonne fast neutron chopper—1239(A)
——, **D. A. Dahlberg, R. R. Palmer, and G. E. Thomas.** Slow neutron resonances of Mn, Bi, and Se—126
—— (see LeBlanc, J. M.)—1248(A)
Bömmel, H. E. Ultrasonic attenuation in superconducting and normal-conducting Sn at low temperatures—758(L)
Bondelid, R. O. (see Fagg, L. W.)—1299
Bonner, T. W. (see Bent, R.D.)—771; 774
—— (see Brugger, R. M.)—84
—— (see Marion, J. B.)—46; 91; 847
—— (see Taylor, H. L.)—174
Booth, Rex (see MacGregor, M. H.)—1793(A)
Bornstein, L. A. and L. H. Fisher. Formative time lags of positive point-to-plane corona in N_2 and A—1228(A)
Borst, L. B. Design considerations for research reactors—971(T)
Bostick, Winston H. Hypothesis for origin of magnetic fields and angular rotations of stars and planets—1007
—— Torus model of elementary particles in which stability may be achieved by gravitational forces resulting from concentrated electromagnetic field—1250(A)
Bostrom, Norman A., Emmett L. Hudspeth, and Ira L. Morgan. Neutron detection with BaF_2 scintillator—973(A)
Bowe, Joseph C. Measurement of electron mobilities in gases—1268(A)
Bowen, D. B. Electronic structure of heaviest metals—1802(T)
Bowen, L. O. (see Lowe, I. J.)—1243(A)
Bowers, Raymond. Magnetic susceptibility of Na metal—1141
Bowyer, J. M. and L. Talbot. Drag in rotating cylinder apparatus near conditions of free molecule flow—968(A)
Boyle, W. S. (see Germer, L. H.)—1232(A)
Braams, C. M. (see Buechner, W. W.)—1387
Brabant, John M. (see Wallace, Roger W.)—962(A)
Brachman, Malcolm K. and J. Ross Macdonald. New linear-system integral transform relations—966(A)
Bracken, J. T., E. A. Rollor, and J. A. Mohrbacher. Effects of operating proportional counters in high γ fields—972(A)
Brandt, Werner. Intermolecular force fields in high polymers composed of alternating dipole chains—969(A)
Branson, Herman and L. B. Garner, II. Electron impact studies with trimethylamine—964(A)
Bray, Ralph. Electrical breakdown in InSb at low temperature—1262(A)
—— Minority carrier extraction in Ge—1047
Breazeale, J. B. (see Beams, J. W.)—1657
Breit, G. Possibilities of heavy ion bombardment—1548(T)
——, **M. E. Ebel, and F. D. Benedict.** Angular distribution of γ-rays in Coulomb excitation—429(L)
—— **and J. P. Lazarus.** Effects of finite amplitude in Coulomb excitation—942(L)
Breitenbecher, D. V. Gated phototube for fast pulse operation—978(A)
Brennan, J. G. (see Adkins, R.)—1790(E)
Brice, M. K. (see Cork, J. M.)—188; 955(A); 1237(A)
Bridge, H. S. Charged K mesons—967(T)
Brinkman, J. A. New method for determination of activation energies—1807(A)
Brock, Ernest G. Field emission microscopy of allotropic transformation: α-β titanium—1619
Brockhouse, B. N. and H. P. Myers. New magnetic transition in $MnZnC$—1242(A)
—— **and A. T. Stewart.** Scattering of neutrons by phonons in Al single crystal—756(L)
Broder, J. D. (see Wolff, G. A.)—1144
Brody, T. A. Apparent length of tracks in nuclear emulsions—972(A)
Broer, J. W. (see Chiba, Ren)—1253(A)
—— (see Douglas, R. A.)—1253(A)
Brooks, F. L. (see Silvidi, A. A.)—979(A)
Brooks, Harvey (see Benedek, George B.)—1129
Brophy, James J. Excess noise in plastically deformed Ge—1261(A)
—— **and Norman Rostoker.** Hall effect noise—754(L)
Brosi, A. R. and B. H. Ketelle. Radioactivity of Ce^{137} isomers—169
Brown, H. A. and J. M. Luttinger. Ferromagnetic and antiferromagnetic Curie temperatures—685
Brown, K. L. Z-dependence of bremsstrahlung in case of complete screening—1798(A)
Brown, L. Carlton and Paul M. Parker. Nuclear magnetic dipole and electric quadrupole energy relations—1764
Brown, Sanborn C. (see Persson, Karl-B.)—729
Brown, W. L. Surface potential and surface charge distribution from semiconductor field effect measurements—590
—— (see Penman, S.)—1259(A)
Browne, C. P. Isotopic spin-selection rule violation in $O^{18}(d,\alpha)N^{16}$—1253(A)
Browne, M. E. (see Owen, J.)—965(A)
Broyles, A. A. Stark fields from ions in plasma—1181
Brueckner, K. A. Many-body problem for strongly interacting particles. II. Linked cluster expansion—36
——, **R. J. Eden, and N. C. Francis.** Theory of neutron reactions with nuclei at low energy—891
Brugger, Robert M., T. W. Bonner, and J. B. Marion. Nuclear reactions $Sc^{45}(p,n)Ti^{45}$, $Cu^{65}(p,n)Zn^{65}$—84
—— (see Marion, Jerry B.)—46; 69
—— (see Simpson, O. D.)—1249(A)
Brun, E., W. E. Meyerhof, and J. J. Kraushaar. Excited states of Ge^{73}—1795(A)
Buechner, W. W. Nuclear energy levels observed from inelastic proton scattering experiments—954(T)
——, **C. M. Braams, and A. Sperduto.** Inelastic proton scattering from V—1387
—— (see Paris, C. H.)—1317
—— (see Sperduto, A.)—961(A)
Buerger, M. J. Arrangement of atoms in wollastonite-type crystals—970(A)
Bullis, W. M. and W. E. Krag. Hall effect and magnetoresistance in n-type Ge—1258(A)
Bullock, M. L. (see Holmgren, H. D.)—436(L); 1253(A)
Bunker, M. E. (see Duffield, R. B.)—1236(A)
—— (see Mize, J. P.)—1390
Burch, D. S., G. H. Dunn, R. Geballe, and V. M. Madsen. Failure of Schottky theory for positive column of O_2—1235(A)
Burgess, J. H. and R. E. Norberg. Double-frequency magnetic resonance in free radical—752(L)
Burkhardt, J. L. Nuclear scattering of low-energy photons—192
——, **E. J. Winhold, and T. H. Dupree.** Photoexcitation of isomeric state of In^{115}—199
Burkig, J. W., Glen E. Schrank, and J. Reginald Richardson. p-p scatterings at 19.6 Mev—1805(A)
Burkig, V. C. and K. R. MacKenzie. Relative stopping power of some metallic elements for 20-Mev protons—1805(A)
Burson, S. Bradley (see Martin, David W.)—1236(A)
Burstein, Elias (see Lax, Melvin)—592
Butler, J. W. (see Kunz, W. E.)—1252(A)
Butler, S. T. and J. M. Blatt. Nonequilibrium nature of superfluid state—495
—— (see Blatt, J. M.)—476; 481

Byram, E. T., T. A. Chubb, and H. Friedman. γ-ray absorption measurements of density of upper atmosphere—963(A)

Caldwell, David O. Range-energy relation and masses of new particles—291
—— **and Yash Pal.** Photometric mass determinations in multiplate cloud chamber—1803(A)
Caldwell, R. S. and H. Y. Fan. Infrared properties of Se—1251(A)
Callaway, J. and R. D. Woods. Nucleon distribution in Ca^{40}—956(A)
Cameron, J. R. (see Weinman, J. A.)—1239(A)
Cano-Corona, O. and R. Pepinsky. Present limitations of x-ray analyses of organic natural products—970(A)
Carlson, R. O. Electrical properties of near-degenerate B-doped Si—1075
Carlson, R. R. and S. Bashkin. Excited states of O^{16} from proton bombardment of N^{15}—1254(A)
Carrillo, Nabor. Hundimienta de ciudades (sinking of cities)—962(T)
Carter, David. Phase centers of microwave antennas—966(A)
Case, K. M. Hamiltonian form of integral spin wave equations—1513
—— (see Mendlowitz, H.)—1551
Caspari, M. E. (see Rau, Richard R.)—632
Cassatt, Wayne A., Jr., and W. Wayne Meinke. Decay scheme of In^{107}—1372
Cavanaugh, R. E., D. M. Haskin, and Marcel Schein. Nuclear collisions of 5.7-Bev protons and 3.0-Bev π^--mesons—1263(A)
Cester, R., T. F. Hoang, and A. Kernan. p-p interactions at 3 Bev—940(L)
Cetlin, B. B. (see Galt, J. K.)—748(L)
Chamberlain, Owen, Emilio Segrè, Clyde Wiegand, and Thomas Ypsilantis. Observation of antiprotons—947(L)
—— Velocity-selecting Čerenkov counter—1801(T)
Champion, K. S. W. and A. B. de Saint Maurice. Ion diffusion in uniform magnetic field—1233(A)
Chandrasekhar, S. Astrophysical questions and galactic origin of cosmic rays—1247(T)
Chang, W. Y. (see Gupta, I. C.)—1264(A)
—— (see Snyder, A.)—1264(A)
Chanin, Lorne M. and Manfred A. Biondi. Temperature dependence of ionic mobilities: Ne^+ and Ne_2^+ in Ne—1230(A)
—— (see Biondi, Manfred A.)—1230(A)
Chapman, R. A. (see Marion, J. B.)—1795(A)
Cheng, L. S. Sargent diagram and comparative half-lives for allowed K-capture transitions of nuclides with $Z \leqslant 60$—979(A)
Chester, G. V. λ transition in liquid He—455
—— Statistical mechanics of mixtures of isotopes—446
Chiba, Ren, R. A. Douglas, J. W. Broer, D. F. Herring, and E. A. Silverstein. Electrostatic analysis of nuclear reaction energies. IV—1253(A)
—— (see Douglas, R. A.)—1253(A)
—— (see Herring, D. F.)—1239(A)
Chinowsky, W. and J. Steinberger. Reaction $\pi^- + d \rightarrow 2n + \pi^0$; parity of neutral meson—1476
Chou, A. (see Kerker, M.)—977(T)
Christian, J. W. Stripline or microwave printed circuits—1549(A)
Christian, R. (see Friedman, M. H.)—1494
Christian, Schuyler M. (see Dresselhaus, G.)—1218(L)
Christofilos, N. C. (see Cottingham, J. G.)—1269(A)
Chubb, T. A. (see Byram, E. T.)—963(A)
Chupp, Warren W., Gerson Goldhaber, Sulamith Goldhaber, and Francis H. Webb. Interactions of negative K-particles at rest—959(A)
Church, E. L. and J. Weneser. Electric-monopole transitions in atomic nuclei—943(L); 1241(A)
Clark, K. C. (see Berberet, J. A.)—506
Clarke, Edward N. (see Hopkins, Robert L.)—1786(L)
Clarke, R. L. (see Almqvist, E.)—1265(A)
Class, C. M. (see Biedenharn, L. C.)—1790(E)
Cleland, J. W. and J. H. Crawford, Jr. Fast-neutron bombardment of GaSb—1614
—— (see Stevens, D. K.)—1084
Clement, J. R., J. K. Logan, and J. Gaffney. Liquid He vapor pressure equation—743
Cohen, Bernard L. (p,γ) cross sections—206
Cohen, S. G. and S. Ofer. Spectrum of internal bremsstrahlung from Cr^{51}—856
Cole, F. T. and D. W. Kerst. Small model FFAG betatron. II. Design calculations—1246(A)
—— (see Terwilliger, K. M.)—1246(A)
Coleman, Bernard D. Time dependence of mechanical breakdown phenomena—1257(A)
Coles, Donald. Similarity laws for nonequilibrium turbulent boundary layer—958(T)
Connell, R. A. and J. A. Marcus. Hall effect and magnetoresistance of Bi single crystals at He temperatures—1256(A)
Connors, D. R., W. C. Miller, and B. Waldman. Energy determination of Au^{198} conversion electrons—1237(A)
Conzett, Homer E. Inelastic scattering of protons from Li^7, C^{13}, Mg^{24}, and Si^{28}—1794(A)
Cook, C. F. (see Marion, J. B.)—91; 847
Cook, C. S. (see Tomnovec, F. M.)—1254(A)
Coomes, E. A. (see Haas, G. A.)—640
Cooper, H. (see Schwed, P.)—978(A)
Cooper, Leon N. Nonrenormalizable field theory—362
Corenzwit, E. (see Matthias, B. T.)—626
Cork, Bruce and W. A. Wenzel. Elastic p-p scattering in Bev range—962(A)
Cork, James M., M. K. Brice, D. W. Martin, L. C. Schmid, and R. G. Helmer. Nuclear levels in Tm^{169}, Lu^{176}, and Lu^{177} as derived from radioactive isotopes of Yb—1237(A)
——, **M. K. Brice, L. C. Schmid, and R. G. Helmer.** γ energies in Tc^{97} following K capture in Ru^{97}—955(A)
——, **M. K. Brice, L. C. Schmid, and R. G. Helmer.** Radioactive decay of Ru^{97}—188
—— (see Martin, David W.)—1236(A)
Corson, Dale R. (see McDonald, W. S.)—1799(A)
Coté, R. E. (see Bollinger, L. M.)—1239(A)
—— (see LeBlanc, J. M.)—1248(A)
Cottingham, J. G., N. C. Christofilos, M. Plotkin, E. C. Raka, and R. H. Rhéaume. Electrical analog—electrical system—1269(A)
—— (see Spiro, J.)—1269(A)
Courant, E. D., R. R. Kassner, E. C. Raka, Lloyd Smith, and J. Spiro. Electron analog—performance and interpretation. II.—1269(A)
—— (see Green, G. K.)—1268(A)
—— (see Raka, E. C.)—1269(A)
—— (see Spiro, J.)—1269(A)
Cox, Everett F. Proposed change in scaling laws for explosive phenomena—967(A)
Cranberg, L. and J. S. Levin. Inelastic scattering of neutrons from Fe by time-of-flight—434(L)
Crawford, Frank S., Jr. (see Alvarez, Luis W.)—1264(A)
Crawford, J. H., Jr. (see Cleland, J. W.)—1614
—— (see Stevens, D. K.)—1084
Crawford, R. C. (see Harrison, G. R.)—841

Critchfield, C. L. and Robert Lowen. Model for potential between nucleon and nucleus—956(A)
Crowe, K. M., R. M. Friedman, and D. C. Hagerman. π^+ photoproduction ratio of D to H—1799(A)
—— (see Friedman, R. M.)—1799(A)
—— (see Hagerman, Donald C.)—869
Cuer, Pierre (see Barkas, Walter H.)—1797(A)
Cunningham, W. J. Nonlinear oscillators with constant time delay—1549(A)
Cutler, M. (see Bath, H. M.)—1239(A)

Dabbs, J. W. T. (see Roberts, L. D.)—1100
Dahlberg, D. A. (see Bollinger, L. M.)—126
Dail, H. W., Jr. (see Galt, J. K.)—748(L)
Dalitz, R. H. (see Kalos, M. H.)—1515
D'Altroy, F. and H. Y. Fan. Polarization of impurities in Ge—1260(A)
Danielson, G. C. (see Redin, R. D.)—1252(A)
—— (see Whitsett, C. R.)—1261(A)
Danner, H. R. (see Frazer, B. C.)—745(L)
Darden, S. E., R. B. Perkins, and R. B. Walton. Small-angle scattering of neutrons by intermediate and heavy nuclei—1315
—— (see Barschall, H. H.)—1242(A)
Das, T. P. and R. Bersohn. Quadrupole polarization of charge-clouds in ions—1792(A)
D'Asaro, L. A. Use of field emission microscope for investigating surface conditions on alloy—1258(A)
Davidon, W. C. (see Anderson, H. L.)—279; 339
Davidson, J. M. Experimental thermal conductivities of gases and gaseous mixtures—966(A)
Davis, L., Jr. (see Statz, H.)—1260(A)
Davis, Leverett, Jr. Interplanetary magnetic fields and cosmic rays—958(A); 1440
—— Origin of cosmic rays—1806(T)
Davis, Robert H., Ajay S. Divatia, R. D. Moffat, and D. A. Lind. Coulomb excitation of Re, In, and Hg by protons—1266(A)
—— (see Divatia, Ajay S.)—1266(A)
Day, M. C., Jr., G. W. Eakins, and A. F. Voigt. Disintegration schemes of Te^{127} and Te^{129} ground states—796
De Bitetto, D. J. and L. H. Fisher. First and second Townsend coefficients in H_2 and N_2—1227(A)
Dedrick, K. G. Deuteron-model calculation of high-energy nuclear photoeffect—58
DeMars, G. A. (see Statz, H.)—1260(A)
Dempsey, D. F., W. C. Miller, and B. Waldman. Third-order aberration and focusing with sector-shaped magnetic field—1240(A)
De Oyarzabal, Juan. Pion-pair production—974(A)
De Pangher, J. and W. C. Roesch. Neutron dosimeter with uniform sensitivity from 0.1 to 3.0 Mev—1793(A)
de Saint Maurice, A. B. (see Champion, K. S. W.)—1233(A)
Deser, S. (see Arnowitt, R.)—349
DeWitt, Bryce S. State vector normalization in formal scattering theory—905
Dexter, D. L. Absorption cross section for light in perfect solids—964(A)
——, **C. C. Klick, and G. A. Russell.** Criterion for occurrence of luminescence—603
—— (see Klick, C. C.)—964(A)
Dexter, R. N. and Benjamin Lax. Cyclotron absorption in Bi—1216(L)
Dickey, J. E. (see Huntington, H. B.)—1117
Dieckamp, H. Influence of lattice defects on Young's modulus of Cu—1807(A)
Dieke, G. H. and L. Heroux. Zeeman effects and magnetic properties of Nd salts—965(A)
Dillon, J. F., Jr., S. Geschwind, and V. Jaccarino. Ferrimagnetic resonance in single crystals of Mn ferrite—750(L)
Divatia, Ajay S., Robert H. Davis, R. D. Moffat, and D. A. Lind. Coulomb excitation of In^{115}, I^{127}, Ta^{181}, Th^{232}, and U^{238}—1266(A)
—— (see Davis, Robert H.)—1266(A)
Dobovišek, B. (see Havliček, F. I.)—1355
Doggett, W. O. (see Mead, S. W.)—1794(A)
Donnelly, R. J. Liquid He *II* in rotation—1548(T)
Douglas, R. A., J. W. Broer, and Ren Chiba. $C^{14}+d$ reactions—1253(A)
—— (see Chiba, Ren)—1253(A)
—— (see Herring, D. F.)—1239(A)
Dousmanis, G. C., T. M. Sanders, Jr., and C. H. Townes. Microwave spectra of free radicals OH and OD—1735
Dowling, J. M. Normal coordinate treatment for out-of-plane vibrations of ethylene type molecules—1267(A)
—— (see Meister, A. G.)—1267(A)
Dreicer, H. and W. P. Allis. Inclusion of Coulomb interactions in Boltzmann equations—1234(A)
Drell, S. D. Nuclear radius and nuclear forces—97
Dresselhaus, G. Energy-band structure of solids with ZnS-type lattices—1251(T)
—— Spin-orbit coupling effects in Zn blende structures—580
——, **A. F. Kip, and C. Kittel.** Plasma resonance in crystals: Observations and theory—618
——, **A. F. Kip, and C. Kittel.** Plasma resonance in semiconductor crystals—1262(A)
——, **A. F. Kip, Han-Ying Ku, G. Wagoner, and Schuyler M. Christian.** Cyclotron resonance in Ge-Si alloys—1218(L)
Dropesky, B. J. and A. W. Schardt. Decay of Ne^{24}—954(A)
Drost-Hansen, W. and H. W. Neill. Temperature anomalies in properties of liquid water—1800(A)
Drummond, J. E. and L. Wilcox. Resonant power transfer within plasma in magnetic field—1233(A)
Duffield, R. B., M. E. Bunker, J. P. Mize, and J. W. Starner. Decay of Cs^{138}—1236(A)
Duffus, H. J. Observations of geomagnetic micropulsations—966(A)
DuMond, J. W. W. (see Baggerly, L. L.)—1364
Dunlap, W. Crawford, Jr. Amphoteric impurity action in Ge—1629
Dunn, G. H. (see Burch, D. S.)—1235(A)
Dunning, K. L. (see Fagg, L. W.)—1299
Dupree, T. H. (see Burkhardt, J. L.)—199
Duvall, G. E. Linearized flow theory and shock waves in metals—967(A)
Dyke, W. P. (see Trolan, J. K.)—1646
Dyson, Freeman J. Scattering of mesons by fixed scatterer—344

Eakins, G. W. (see Day, M. C., Jr.)—796
Easterday, H. (see Imhof, William)—1798(A)
Ebel, M. E. (see Breit, G.)—429(L)
Ecker, G. Influence of electron emission on cathode processes of arc—1232(A)
Edelsack, E. A. and W. E. Kreger. Thick target bremsstrahlung spectra for 1.00-, 1.50-, and 2.00-Mev electrons—973(A)
Eden, R. J. (see Brueckner, K. A.)—891
Edwards, Palmer L. Magnetic properties of murdochite, Cu_6PbO_8—1242(A)
Einstein, H. A. Dynamic model for viscous sublayer of turbulent flow along smooth boundary—958(T)

Eisberg, R. M., G. Igo, and H. E. Wegner. Protons from bombardment of several elements with 40-Mev α particles —961(A); 1309
—— (see Igo, G.)—1244(A)
—— (see Palevsky, H.)—1266(A)
Ekstein, Hans and Norman Rostoker. Quantum theory of fluctuations—1023
Elliott, J. F., S. Legvold, and F. H. Spedding. Magnetic properties of Er metal—1595
Ellis, R. E. (see Schecter, Larry)—1805(A)
Ellis, S. G. Electrolytic etching at small-angle grain boundaries in Ge—1140
Elsasser, W. M. Progress in hydromagnetism—957(T)
Endt, P. M. (see Paris, C. H.)—1317
Engelkemeir, D. W. (see Magnusson, L. B.)—1237(A)
English, W. N. (see Stewart, R. W.)—969(A)
Epstein, S. Remarks on strangeness—1809(A)
Erickson, Roger D. Minimum quenching times of low voltage, nonself-quenching Geiger counters—1234(A)
Erkman, J. O. Free surface motion due to obliquely incident shock waves—1801(A)
Escobar, I. (see Harris, F. B.)—255
Estrada, L. Electric quadrupole moment and corrections to magnetic moment of deuteron for velocity-dependent tensor forces—956(A)
Etzel, H. W. Detection of vacancies created by x-rays in NaCl—1643
Evans, J. S. and R. H. Tredgold. Positional correlation study for system of two electrons—1250(A)
Everett, A. E. and M. J. Glaubman. γ-γ directional correlations in Cs^{136}—955(A)
Ewald, A. W. (see Kohnke, E. E.)—1252(A)
Ewing, Maurice. Earthquake surface waves in period range 1–500 seconds—957(T)
—— Earthquake waves as tool for exploring ocean basins—1796(T)

Fabricand, Burton P., B. Allison, and J. Halpern. Photoneutron angular distribution from C—1249(A)
—— (see Yergin, Paul F.)—1249(A); 1269(A)
Fafarman, A. and M. H. Shamos. Mesonic x-rays from capture of cosmic-ray μ mesons in chemical compound—874
Fagg, L. W., E. A. Wolicki, R. O. Bondelid, K. L. Dunning, and S. Snyder. Coulomb excitation of Te and Ag—1299
—— (see Wolicki, E. A.)—1265(A)
Fairbank, William M., E. M. Harth, M. E. Blevins, and G. G. Slaughter. Liquid He bubble chamber—971(A)
—— (see Blevins, Gilbert S.)—1215(L)
Faire, A. C. and George W. Griffing. Low-pressure afterglow studies in N_2—1231(A)
Famularo, K. F. (see Simmons, B. E.)—1265(A)
Fan, H. Y. (see Caldwell, R. S.)—1251(A)
—— (see D'Altroy, F.)—1260(A)
Farrelly, B. (see Benczer, N.)—955(A)
Feher, G., R. C. Fletcher, and E. A. Gere. Exchange effects in spin resonance of impurity atoms in Si—1784(L)
Feld, Bernard T. Effects of angular momentum on τ-decay schemes—1263(A)
——, **A. C. Odian, D. M. Ritson, and A. Wattenberg.** Spin of τ' meson—1539(L)
—— (see Odian, Allen)—1241(A)
—— (see Ritson, D. M.)—1263(A)
Feldman, David (see Ohnuma, Shoroku)—1241(A)
Feldmann, W. L. (see Pearson, G. L.)—1251(A)
Felix, B. R., L. Passell, and H. B. Silsbee. Thermal conductivity of superconducting Pb below 1°K—1808(A)
—— (see Passell, L.)—1808(A)
Ferguson, G. A., C. W. Peters, and F. E. Jablonski. Boron trimethyl counters—1239(A)
Fernandez, Carlos Graef. Theory of gravitation—967(T)
Ferrell, Richard A. Coulomb enhancement of positron annihilation in metals—973(A)
—— **and W. M. Visscher.** Nuclear compressibility and O^+ states of O^{16} and C^{12}—1796(A)
Feynman, R. P. Remarks on problem of superconductivity —1802(T)
Field, L. M. Modern trends in interaction of electron beams with high-frequency fields—1794(T)
Fields, P. R., J. E. Gindler, A. L. Harkness, M. H. Studier, J. R. Huizenga, and A. M. Friedman. Electron capture decay of Am^{244} and spontaneous fission half-life of Pu^{244}—172
Fields, T., E. J. Schillinger, and J. Kenski. Pulse characteristics of CdSe crystals—964(A)
Filosofo, I. Čerenkov counter as high-energy photon spectrometer—1246(A)
Finkelstein, David. Internal structure of spinning particles —924
Finkelstein, R. J. and M. Moe. Scattering by symmetric potential—1775
—— (see Behrends, R. E.)—1809(A)
Fischer, David and John Baldwin. p-p polarization at 170 Mev—1445
Fisher, J. C. Developments in crystal growth—1802(T)
Fisher, L. H. (see Bornstein, L. A.)—1228(A)
—— (see De Bitetto, D. J.)—1227(A)
Fletcher, R. C., W. A. Yager, and F. R. Merritt. Observation of quantum effects in cyclotron resonance—747(L)
—— (see Feher, G.)—1784(L)
Fluharty, R. G. (see Simpson, O. D.)—1249(A)
Foote, H. L., Jr. Slow neutron resonance scattering of U^{238} —1248(A)
Forbush, Scott E. Absence of meteorological effects on world-wide sunspot variation in cosmic-ray ionization—958(A)
Ford, Kenneth W. and Carl Levinson. Independent-particle model of nucleus. II. Weak surface coupling—1
—— (see Levinson, Carl)—13
Fowler, Charles A., Jr., and Edward M. Fryer. Magnetic domains in thin films of Ni-Fe—746(L)
Fowler, R. G. (see Lee, R. J.)—1234(A)
Fowler, W. A. Nuclear reactions and element synthesis in stars—1791(T)
Fowler, William B. (see Maenchen, George)—1802(A)
—— (see Wright, Robert W.)—1802(A)
Fox, John D. and Peter Axel. Photoneutron effect in $Zr^{90}(\gamma,n)Zr^{89}$ and $Zr^{96}(\gamma,n)Zr^{95m}$—1249(A)
Fox, R. E. Negative-ion formation in iodine by electron capture—1229(A)
Francis, N. C. (see Brueckner, K. A.)—891
Frank, R. M. and J. F. Gammel. t-t interaction—973(A)
Frankel, Sherman (see Goldberg, Norman)—1350
Frankl, D. R. Electroluminescence of ZnS single crystals—1105; 1790(E)
Franzen, W., P. Huber, and L. Schellenberg. Recoil-coincidence method for producing monoenergetic d-d neutrons—1239(A)
Frazer, B. C., H. R. Danner, and R. Pepinsky. Single crystal neutron analysis of tetragonal $BaTiO_3$—745(L)
Frederikse, H. P. R. (see Blunt, R. F.)—663
—— (see Hosler, W. R.)—1261(A)
Freedman, M. S. (see Magnusson, L. B.)—1237(A)
Freier, G. D. (see Simmons, B. E.)—1265(A)
Frenkiel, François N. Fluid dynamics problems in geophysical sciences—957(T)
Fretter, W. B. Heavy mesons and hyperons: Progress report—967(T)
Freund, R. E. Thermoluminescence measurements of electroluminescent ZnS:Mn films—760(L)

Friedman, A. M. (see Fields, P. R.)—172
Friedman, H. (see Byram, E. T.)—963(A)
Friedman, Marvin H., T. D. Lee, and R. Christian. Scattering of pions by nucleons in intermediate coupling—1494
—— (see Haller, Kurt)—1501
Friedman, R. M. and K. M. Crowe. Pion pair photoproduction—1799(A)
—— (see Crowe, K. M.)—1799(A)
Friesen, E. W. Cloud-chamber ionization measurement and applications—1247(T)
Frisch, D. H. (see Gomez, R.)—1245(A)
—— (see Janes, G. S.)—1245(A)
—— (see Pugh, G. E.)—1245(A)
Fronsdal, C. Wave equations for arbitrary spin—1810(A)
Frost, L. S. and A. V. Phelps. Production and loss of excited atoms in He positive column—1234(A)
Fry, W. F., J. Schneps, G. A. Snow, and M. S. Swami. Nuclear capture of negative K mesons in emulsion—1448
——, **J. Schneps, G. A. Snow, and M. S. Swami.** Nuclear interaction in flight of Σ hyperon—939(L)
——, **J. Schneps, G. A. Snow, and M. S. Swami.** Observations of negative K mesons and charged hyperons—950(L)
—— (see Schneps, J.)—1263(A)
Fryer, Edward M. (see Fowler, Charles A., Jr.)—746(L)
Fuller, C. S. and H. Reiss. Compound formation between Li and B dissolved in single crystal Si—1806(A)
—— (see Morin, F. J.)—1807(A)

Gaffney, J. (see Clement, J. R.)—743
Gallagher, C. J. Thermal defects in Si—1259(A)
Galonsky, A. and J. P. Judish. Angular distribution of n-p scattering at 17.9 Mev—121
—— (see Johnson, C. H.)—1252(A)
Galt, J. K., W. A. Yager, F. R. Merritt, B. B. Cetlin, and H. W. Dail, Jr. Cyclotron resonance in metals: Bi—748(L)
Gambling, W. A. Glow-to-arc transitions in column of high-pressure glow in H_2—1232(A)
Gammel, J. F. (see Frank, R. M.)—973(A)
Garner, L. B., II (see Branson, Herman)—964(A)
Gartenhaus, Solomon. Two-nucleon potential from cutoff Yukawa theory—900
Geballe, R. (see Burch, D. S.)—1235(A)
Geballe, T. H. (see Hrostowski, H. J.)—1672
Gebbie, H. A. and K. Blodgett, III. Surface trapping in Ge—970(A)
Geer, E. H., E. B. Nelson, and E. A. Wolicki. α-α angular correlations in $B^{11}(p,\alpha\alpha)He^4$—215
—— (see Wolicki, E. A.)—1265(A)
Gelbard, Ely M. Three-body contributions to triton binding energy—1530
Gelinas, R. W. and S. S. Hanna. Search for states in Li^7 and Be^8—1253(A)
—— (see Lavier, E. C.)—1252(A)
Geller, Z. and W. Low. Attenuation of 1-cm microwaves by abnormal dc discharge in He—1240(A)
Gell-Mann, M. Causality and scattering—1795(T)
Geltman, Sydney. Theory of ionization probability near threshold—1231(A)
Gere, E. A. (see Feher, G.)—1784(L)
Gerhart, J. B. (see Sherr, R.)—945(L)
Germer, L. H. and W. S. Boyle. Short arcs—1232(A)
Gerritsen, H. J. (see Meijer, Paul H. E.)—742
Gerson, N. C. Fluid motions in terrestrial atmosphere—957(T)
Geschwind, S. (see Dillon, J. F., Jr.)—750(L)
Gibbons, J. H., R. L. Macklin, and H. W. Schmitt. $V^{48}(p,n)Cr^{48}$ reaction as 5-120-kev neutron source—167
Gibson, W. M. (see Asaro, Frank)—1541(L)
Gilbert, F. C., Charles E. Violet, and R. Stephen White. Negative K-particle interactions in nuclear emulsion. II—1803(A)
—— (see Violet, Charles E.)—1803(A)
—— (see White, R. Stephen)—1803(A)
Gilbert, Richard S. (see Hicks, Harry G.)—1284; 1286
Gilbert, T. L. Lagrangian formulation of gyromagnetic equation of magnetization field—1243(A)
Gilden, M. and L. Goldstein. Cyclotron resonance of electrons in gaseous discharge plasmas—1233(A)
Gindler, J. E. (see Fields, P. R.)—172
Givens, M. Parker, Charles J. Koester, and William L. Goffe. Soft x-ray absorption of Te and vitreous and metallic Se—1112
Glasoe, G. N. (see Bloom, S. D.)—1248(A)
Glass, R. A. (see Asaro, Frank)—1541(L)
Glauber, R. J. Cross sections in deuterium at high energies—242
Glaubman, M. J. (see Everett, A. E.)—955(A)
Glicksman, Maurice. Magnetoresistance and mobility of Ge-Si alloys—1258(A)
—— Magnetoresistance of Ge-Si alloys—1146
—— (see Anderson, H. L.)—268; 279
Goebel, Charles J., Robert Karplus, and Malvin A. Ruderman. Momentum dependence of phase shifts—240
Goering, H. L. (see Harman, T. C.)—1262(A)
Goffe, William L. (see Givens, M. Parker)—1112
Goldberg, Jean Snover, Hartland S. Snyder, and William T. Scott. Mean-value calculations for spatial multiple scattering—1013
Goldberg, Norman and Sherman Frankel. Angular correlation measurements in Te^{121} and Te^{123}—1350
Goldhaber, Gerson. Interaction of K-particles from Bevatron—1806(T)
—— Properties of heavy mesons produced at Bevatron—1262(T)
—— (see Chupp, Warren W.)—959(A)
Goldhaber, Sulamith (see Chupp, Warren W.)—959(A)
Goldsack, S. J. (see Abraham, M.)—1799(A)
Goldstein, L. and J. M. Anderson. Collision cross section of N_2 molecules with slow electrons—1229(A)
—— Origin of λ transition in liquid He—966(A)
—— (see Anderson, J. M.)—1037; 1229(A)
—— (see Gilden, M.)—1233(A)
Goldstein, Louis. Interatomic correlations in liquid He^4—981
Goldstein, M., J. L. McHale, R. M. Thaler, and L. C. Biedenharn. Coulomb excitation directional correlation—436(L)
Goldwasser, E. L. and L. J. Koester, Jr. Photoproduction of π^0 mesons in He—1255(A)
Gomer, R. Experiments in field and ion emission—1794(T)
Gomez, R., G. E. Pugh, D. H. Frisch, and G. S. Janes. γ-ray scattering by complex nuclei—1245(A)
—— (see Janes, G. S.)—1245(A)
—— (see Pugh, G. E.)—1245(A)
Good, Myron L. K-meson counter experiments—1806(T)
—— (see Alvarez, Luis W.)—1264(A)
Goodenough, John B. Theory of role of covalence in perovskite-type manganites $[(La,M(II)]MnO_3$—564
Goodman, B. R. (see Luttinger, J. M.)—673
Goodman, C. D. (see Blosser, H. G.)—429(L)
Goodman, E. (see Haskin, D. M.)—1263(A)
Goodman, L. S. and S. Wexler. Nuclear spin and magnetic moment of 50-day In^{114m}—1245(A)
—— **and S. Wexler.** Nuclear spin and magnetic moment of 54-min In^{116m}—1796(A)
Gordy, Walter (see Blevins, Gilbert S.)—1215(L)

Gossett, C. R., G. C. Phillips, J. P. Schiffer, and P. M. Windham. Magnetic analysis of $Be^9(p,p')Be^{9*}$ and $Be^9(p,pn)Be^8$ reactions—203
Gould, C. L. (see Jacobus, D. D.)—1268(A)
Gould, F. T., T. I. Taylor, and W. W. Havens, Jr. Absorption cross section of Au for slow neutrons measured on single crystal spectrometer—1248(A)
Gove, Norwood, Fred A. Smith, and R. A. Becker. Radiations from Mo^{93}—1236(A)
Grad, Harold. Stochastic aspects of classical dynamics—958(T)
Graves, William E. and Allan C. G. Mitchell. Disintegration of Te^{129}—1236(A)
Green, G. K., E. D. Courant, L. J. Haworth, and H. S. Snyder. Electron analog—1268(A)
Greenberg, D. H. (see Van Lieshout, R.)—223
Greene, Lawrence C. CdS photorectifier—978(A)
Greene, R. E. (see Lamphere, R. W.)—763
Griffing, George W. (see Faire, A. C.)—1231(A)
Grimes, D. M. and J. W. Kuiper. Effect of V_2O_5 on spinel formation—1256(A)
Grisaru, M. (see Arnold, W. H.)—1804(A)
Grisoli, J. J. (see Jacobus, D. D.)—1268(A)
Grodzins, Lee and Henry Motz. Decay of 72-second and 49-day In^{114}—1236(A)
Groetzinger, Gerhart and Jack Aron. Longitudinal photomagnetoelectric effect in Ge—978(A)
—— (see Aron, Jack)—1128
Gross, E. P. Small oscillation theory of interaction of particle and scalar field—1571
Groves, Gordon W. Dynamics of equatorial waves in ocean—957(T)
Gupta, I. C., W. Y. Chang, and A. Snyder. Double-plate cloud chamber study of V^0-particles. I. Classification—1264(A)
—— (see Snyder, A.)—1264(A)
Gupta, U. C. (see Miller, D. W.)—1253(A)
—— (see Rasmussen, V. K.)—851

Haas, G. A. and E. A. Coomes. Schottky effect for SrO films on Mo—640
Haber-Schaim, U. Proton-nucleus collisions at 6 Bev—1263(A)
Hack, M. N. Theory of multiple quantum transitions—975(A)
Haddock, Roy. One hundred Bevatron τ^+'s—1803(A)
Hadley, L. N. (see Apfel, J. H.)—1689
Hagedorn, F. B. Preparation of thin N^{14} targets—1793(A)
Hagerman, Donald C. and K. M. Crowe. Measurement of high-energy end of bremsstrahlung spectrum—869
—— (see Crowe, K. M.)—1799(A)
Hagstrum, Homer D. Formation of metastable A^+, Kr^+, and Xe^+ by electron impact—1231(A)
Haller, Kurt and Marvin H. Friedman. Anomalous magnetic moment of nucleon—1501
Halpern, J. (see Fabricand, B. P.)—1249(A)
—— (see Weinstock, E. V.)—1293
Ham, Frank S. Ionized impurity scattering in semiconductors—1251(A)
Hammel, J. E. and J. F. Kephart. Distribution of number of prompt neutrons from spontaneous fission of Pu^{240}—190
Hammer, J., H. Malamud, and B. Bederson. Low-energy scattering of electrons by atoms—1229(A)
Handley, T. H. (see Blosser, H. G.)—429(L); 1340
—— (see Lyon, W. S.)—1280
Hanna, S. S. (see Gelinas, R. W.)—1253(A)
—— (see Lavier, E. C.)—1252(A)
—— (see Severiens, J. C.)—1254(A)
Hans, H. S. (see Rothman, M. A.)—83
Hanson, A. O. (see Scott, M. B.)—209
Hanson, H. P. X-ray absorption edges and chemical binding—958(T)
Hanson, R. J. (see Moore, D. C.)—972(A)
Harkness, A. L. (see Fields, P. R.)—172
Harman, T. C., S. E. Miller, and H. L. Goering. Preparation and electrical properties of Bi_2Te_3—1262(A)
Harris, F. B. and I. Escobar. East-west asymmetry of positive and negative mesons at geomagnetic equator—255
Harris, G., J. Orear, and S. Taylor. Lifetimes of τ^+ and $K_L{}^0$-mesons—932(L)
Harrison, Don E., Jr. Statistical mechanics of cathode sputtering—1234(A)
Harrison, G. R., R. C. Crawford, and J. I. Hopkins. K-series fluorescence yields of A^{38}, Cu^{66}, and In^{113}—841
Harrison, Melvin A. Townsend's first ionization coefficient in N_2—1800(A)
Harrison, Ralph J. (see Austin, Alfred E.)—1225(L)
Harth, E. M. and M. M. Block. Decay of anomalous charged K-meson—959(A)
—— (see Block, M. M.)—324; 959(A)
—— (see Fairbank, W. M.)—971(A)
Harvey, B. G. (see Asaro, Frank)—137
Harvey, J. A. (see Pilcher, V. E.)—1248(A)
Hasegawa, H. (see Anderson, P. W.)—675
Haskin, D. M., D. B. Williams, E. Goodman, and Marcel Schein. Analysis of capture stars of K^--mesons from Berkeley Bevatron—1263(A)
—— (see Cavanaugh, R. E.)—1263(A)
—— (see Leenov, Daniel)—1263(A)
—— (see Schein, Marcel)—1263(A); 1455
—— (see Williams, D. B.)—1547(L)
Hatch, Albert J. and H. Bartel Williams. Pressure limits of high-frequency secondary electron resonance breakdown mechanism—1228(A)
Hatton, J. Effect of pressure on electrical resistance of metals at liquid He temperatures—681
—— Effect of pressure on superconducting transition temperature of Tl—1784(L)
Havliček, F. I. and B. Dobovišek. Photodisintegration of C^{12} and O^{16}—1355
Haven, Y. (see Van Doorn, C. Z.)—753(L)
Havens, W. W., Jr. (see Gould, F. T.)—1248(A)
Haworth, L. J. (see Green, G. K.)—1268(A)
Haxby, R. O. (see Terwilliger, K. M.)—1246(A)
Haynes, J. R. Recombination radiation from Si—1259(A)
—— **and J. A. Hornbeck.** Trapping of minority carriers in Si. II. n-type Si—606
Heckman, Harry H., Frances M. Smith, and Walter H. Barkas. Masses of positive K-particles. II. Method, analysis, and results—1803(A)
—— (see Barkas, Walter H.)—1797(A)
—— (see Smith, Frances M.)—1802(A)
Hefferan V, J. (see Romero-Juárez, A.)—965(A)
Heft, Robert E. and W. F. Libby. Absolute cross sections for deuterons on Be—799
Helmer, R. G. (see Cork, J. M.)—188; 955(A); 1237(A)
Henderson, R. S. Electron spin coupling in polyatomic molecules—723
Hennig, G. R. (see Montet, G. L.)—1261(A)
Henri, V. P. (see Bay, Z.)—1197
Henry, Warren E. Ferrimagnetic interaction and remanence in $CoCO_3$—1791(A)
Henshaw, D. G. (see Hurst, D. G.)—994
Henyey, L. G. Numerical calculations of stellar evolution—1795(T)
Herb, R. G. (see Weinman, J. A.)—1239(A)
Herbert, R. A. (see Wolff, G. A.)—1144
Herman, Robert, M. C. Wallis, and R. F. Wallis. Frequencies and relative intensities of R_1 and R_2 bands in KCl—1267(A)

Heroux, L. (see Dicke, G. H.)—965(A)
Herring, D. F., R. A. Douglas, E. A. Silverstein, and Ren Chiba. Energy resolution obtainable with 2-Mev H_2^+ beam—1239(A)
—— (see Chiba, Ren)—1253(A)
Heusinkveld, Myron, Mark Jakobson, Lawrence Ruby, Bob H. Smith, and Byron T. Wright. Studies with three-dee three-phase proton cyclotron—1804(A)
Heydenburg, N. P. and G. M. Temmer. Coulomb excitation of rare-earth nuclei with α particles—150
—— (see Temmer, G. M.)—961(A)
Hicks, Harry G. and Richard S. Gilbert. Radiochemical studies of high-energy fission process—1286
——, **Peter C. Stevenson, Richard S. Gilbert, and William H. Hutchin.** Fission product yields of U bombarded with deuterons of various energies (20–190 Mev)—1284
Hildebrand, R. H. (see Nagle, D. E.)—959(A)
Hill, E. L. Relativistic theory of discrete momentum space and discrete space-time—1780
Hill, H. A. and J. M. Blair. Energy levels in F^{19}—961(A)
Hilton, H. H., III (see Mills, W. R., Jr.)—1794(A)
Hines, R. L. Reduction of optical reflectivity of glass by positive ion bombardment—1267(A)
Hintz, Norton M. Elastic scattering of protons at 9.9 Mev—1794(A)
Hjalmar, Elis, Hilding Slätis, and Stanley G. Thompson. Energy spectrum of neutrons from spontaneous fission of Cf^{252}—1542(L)
Hoang, T. F. (see Cester, R.)—940(L)
Hoff, R. W., H. Jaffe, T. O. Passell, F. S. Stephens, E. K. Hulet, and S. G. Thompson. Radioactive decay of isomers of Am^{242}—1403
Hogan, R. S. (see Marburger, R. E.)—978(A)
Hollander, J. M., W. G. Smith, and J. W. Mihelich. Energy levels of Pu^{239} populated by β decay of Np^{239}—1238(A)
Holliday, J. E. and E. J. Sternglass. New method for determining range of low-energy electrons in solids—1238(A)
Holm, Dale M. and H. V. Argo. t-t elastic scattering from 1.6 to 2.0 Mev—1244(A)
Holmes, John R. (see McClung, Fred)—1792(A)
Holmgren, H. D., M. L. Bullock, and W. E. Kunz. Angular distributions of protons from $Be^9(He^3,p)B^{11}$—436(L)
——, **W. E. Kunz, and L. Bullock.** Angular distribution of protons from $Be^9(He^3,p)B^{11}$ reaction—1253(A)
—— (see Kunz, W. E.)—1252(A)
Holstein, T. Mobility of positive ions in gas mixtures—1230(A)
Hopkins, J. I. (see Harrison, G. R.)—841
Hopkins, Robert L. and Edward N. Clarke. Thermal acceptors in vacuum heat-treated Ge—1786(L)
Horie, H. (see Sherr, R.)—945(L)
Hornbeck, J. A. (see Haynes, J. R.)—606
Hornyak, W. F. and R. Sherr. Inelastic scattering of 19-Mev protons by O^{16}—1409
—— (see Sherr, R.)—945(L)
Horowitz, M. (see Silvidi, A. A.)—979(A)
Hosler, W. R. and H. P. R. Frederikse. Electrical properties of Mg_2Sn at low temperatures—1261(A)
—— (see Blunt, R. F.)—663
Houston, W. V. and H. E. Rorschach. Motion of nuclei in liquid He—1003
—— (see Rorschach, H. E., Jr.)—966(A)
Hove, John E. Magnetic susceptibility of neutron-damaged graphite—1806(A)
—— Theory of magnetic susceptibility of graphite—645
—— (see Austerman, Stanley B.)—1214(L)
—— (see Rasor, Ned S.)—1806(A)
Hrostowski, H. J., F. J. Morin, T. H. Geballe, and G. H. Wheatley. Hall effect and conductivity of InSb—1672
—— (see Shulman, R. G.)—1792(A)
Huber, P. (see Franzen, W.)—1239(A)
Hudspeth, Emmett L. Neutron experiments with Van de Graaff generator—954(T)
—— (see Bostrom, Norman A.)—973(A)
—— (see Sattar, Abdul R.)—960(A)
Hughes, D. J. and V. E. Pilcher. Measurement of $\bar{\Gamma}_n^0/D$ ratio by average cross sections—1249(A)
—— (see Palevsky, H.)—1266(A)
Huibregtse, E. J. Electromechanical behavior of single crystals of $BaTiO_3$—977(T)
Huizenga, J. R. (see Fields, P. R.)—172
Hulet, E. K. (see Hoff, R. W.)—1403
Huntington, H. B., J. E. Dickey, and Robb Thomson. Dislocation energies in NaCl—1117
Hurst, D. G. and D. G. Henshaw. Atomic distribution in liquid He by neutron diffraction—994
Hutchin, William H. (see Hicks, Harry G.)—1284

Igo, G. Slow neutron resonances in Re—1338
—— **and H. E. Wegner.** Anomaly in nuclear energy level density measurements—1796(A)
——, **H. E. Wegner, and R. M. Eisberg.** Elastic scattering of 40-Mev α particles from light nuclei—1244(A)
—— (see Eisberg, R. M.)—961(A); 1309
Imhof, William, V. Perez-Mendez, and H. Easterday. π^+ photomeson production from various nuclei at 135°—1798(A)
Ingersoll, L. R. and D. H. Liebenberg. Faraday effect in gases—Experiment and theory—963(A)
Inglis, D. R. Origin of nuclear moments of inertia—1795(T)
Ise, John, Jr., Andre Lagarrigue, and Robert V. Pyle. Inelastic cross sections from 5-Bev π^- Bevatron beam in Pb and Al—1799(A)
Iselin, C. O'D. General circulation of ocean—1796(T)

Jablonski, F. E. (see Ferguson, G. A.)—1239(A)
Jaccarino, V. (see Dillon, J. F., Jr.)—750(L)
Jacobs, I. S. and C. P. Bean. Approach to elongated fine particle magnets—1060
Jacobs, Ira. Perturbation calculation of volume exclusion effect—1257(A)
Jacobsohn, B. A. Current problems in collective nuclear models—1795(T)
Jacobus, D. D., C. L. Gould, J. J. Grisoli, and I. J. Polk. Electron analog—construction—1268(A)
Jaffe, H. (see Hoff, R. W.)—1403
Jakobson, Mark (see Heusinkveld, Myron)—1804(A)
James, Hubert M. (see Lehman, Guy W.)—1698
Janes, G. S., R. Gomez, G. E. Pugh, and D. H. Frisch. γ-ray scattering by H—1245(A)
—— (see Gomez, R.)—1245(A)
—— (see Pugh, G. E.)—1245(A)
Jastram, P. S. (see Wood, G. T.)—1237(A)
Jaumot, F. E., Jr. (see Sawatzky, A.)—1627
Jenkins, F. A. and D. R. Speck. Nuclear moments of Gd from optical hfs—973(A)
Jensen, E. N. (see Nichols, R. T.)—1407
Jesse, William P. and John Sadauskis. Ionization by α particles in mixtures of gases—1755
Jester, Malvern H. L. (see Wallace, Roger W.)—962(A)
Johansson, Sven A. E. Rotational states in Tm^{169}—835
John, Walter. Excitation functions for α-induced reactions on Pb—1265(A)
Johnson, C. H. and A. Galonsky. $T(d,n)He^4$ reaction, 1–5 Mev—1252(A)

Johnson, G. D. (see Ajzenberg, F.)—960(A)
Johnson, V. A. Thermoelectric power in semiconductor showing high-temperature degeneracy—1251(A)
Jones, K. W. (see Williamson, R. M.)—960(A)
Jones, L. W. and K. M. Terwilliger. Small model FFAG betatron. III. Preliminary experimental results—1247(A)
—— (see Terwilliger, K. M.)—1246(A)
Jones, W. M. Half-life of T—124
Jordan, R. D. (see Anderson, T. H.)—964(A)
Joseph, J. Multiple photon production from electron pair annihilation—1241(A)
—— (see Rohrlich, F.)—1241(A)
Judd, David L. Theoretical study of relativistic constant-frequency cyclotrons—1804(A)
Judish, J. P. (see Galonsky, A.)—121

Kaiser, H. F. Microtron injector for electron synchrotrons—1246(A)
Kalos, M. H. and R. H. Dalitz. Pion-nucleon scattering calculations in Tamm-Dancoff theory—1515
Kammer, E. W., E. I. Salkovitz, and A. I. Schindler. Brillouin zone studies. V. Thermoelectric power of dilute Mg alloys—1257(A)
Kammerer, Otto F. (see Levy, Paul W.)—1787(L)
Kanner, H. (see Bay, Z.)—1197
Kaplan, J. I. Spin resonance in metals as altered by Overhauser effect—965(A)
Kaplan, Selig N. (see Millburn, George P.)—1793(A)
Kaplon, M. F. (see Koshiba, M.)—327
Karplus, Robert (see Goebel, Charles J.)—240
Kassner, R. R. (see Courant, E. D.)—1269(A)
—— (see Raka, E. C.)—1269(A)
—— (see Spiro, J.)—1269(A)
Katz, Samuel. Deformation zones produced by explosive shocks in ferrous metals—1800(A)
Kavanagh, R. W. (see Barnes, C. A.)—1796(A)
Keffer, Frederic. Temperature dependence of ferromagnetic anisotropy in cubic crystals—1692
Keller, William E. Pressure-volume isotherms of He^4 below 4.2°K—1790(E)
—— Second virial coefficients of He^3-He^4 mixtures between 2 and 4°K—1021
Kelly, Elmer (see Pyle, Robert V.)—1804(A)
Kenney, R. W. (see Anderson, J. D.)—1798(A)
Kenski, J. (see Fields, T.)—964(A)
Kenty, Carl. Continuum of Xe Hg′ molecule—1231(A)
Kephart, J. F. (see Hammel, J. E.)—190
Kerker, M. and A. Chou. Refractive index of colloidal solutions—977(T)
Kernan, A. (see Cester, R.)—940(L)
Kerr, Donald E. and Eldred F. Tubbs. Transient behavior following breakdown and its relation to afterglow processes—1231(A)
Kerst, D. W. (see Cole, F. T.)—1246(A)
—— (see Scott, M. B.)—209
—— (see Terwilliger, K. M.)—1246(A)
Ketelle, B. H. (see Brosi, A. R.)—169
Keyes, Robert W. Temperature dependence of elastoresistance in *n*-type Ge—1104
—— **and R. J. Sladek.** Reduction of charge carrier concentration in InSb at 4.2°K by strong magnetic field—1262(A)
Kikuchi, Chihiro. Doublet structure in paramagnetic absorption spectra of Mn^{++} in calcite—1243(A)
—— (see Matarrese, Lawrence M.)—1243(A)
Kinderman, Edwin M. (see Lefevre, Harlan W.)—1374
King, R. W. Hole-particle relations and *j-j* coupling—1240(A)
Kington, J. D. (see Bair, J. K.)—21

Kip, A. F. (see Dresselhaus, G.)—618; 1218(L); 1262(A)
—— (see Owen, J.)—965(A)
Kirkwood, J. G. (see Mazo, R. M.)—1787(L)
Kisslinger, L. S. *L-S* interaction in nuclei—1240(A)
Kittel, Charles. Cyclotron resonance in semiconductor crystals—958(T)
—— (see Dresselhaus, G.)—618; 1262(A)
Klein, Z. (see Moellering, W. M.)—441(L)
Kleitman, David and T. A. Longo. Deuteron irradiation of Ge at 90°K—1261(A)
—— (see Longo, Thomas A.)—1260(A)
Klema, Ernest D. γ-γ angular correlation in Ba^{134}—66
—— (see Osborn, R. K.)—822
Klick, C. C., G. A. Russell, and D. L. Dexter. Criterion for occurrence of luminescence—964(A)
—— (see Dexter, D. L.)—603
Knight, J. D. and E. W. Baker. Radiochemical study of Tl^{198}, Tl^{199}, and Tl^{199m}—1334
Koehler, W. C. (see Wollan, E. O.)—545
Koerts, L. A. Ch. (see Benczer, N.)—955(A)
—— (see Van Lieshout, R.)—223
Koester, Charles J. (see Givens, M. Parker)—1112
Koester, L. J., Jr. (see Goldwasser, E. L.)—1255(A)
Kohler, F. and O. K. Rice. Critical phenomena in triethylamine-water system—965(A)
Kohnke, E. E. and A. W. Ewald. Hall effect in gray Sn filaments—1251(A)
Korff, S. A. (see Soberman, R. K.)—859; 959(A)
Koshiba, M. and M. F. Kaplon. High-energy electromagnetic phenomena in cosmic radiation—327
—— **and Marcel Schein.** Time variation of primary heavy nuclei flux in cosmic radiation—1247(A)
—— (see Williams, D. B.)—1547(L)
Kottwitz, David. Magnetic superexchange interaction—1242(A)
Krag, W. E. (see Bullis, W. M.)—1258(A)
Kraushaar, J. J. (see Brun, E.)—1795(A)
Kreger, W. E., L. D. McIsaac, J. L. Mackin, and J. R. Lai. Radioactive decay of W^{181} and W^{185}—955(A)
—— (see Edelsack, E. A.)—973(A)
Krone, R. W. (see Baumann, N. P.)—1244(A)
Kruse, U. E. (see Anderson, H. L.)—279; 339
Ku, Han-Ying (see Dresselhaus, G.)—1218(L)
Kuiper, J. W. (see Grimes, D. M.)—1256(A)
Kulp, J. L. Present status of radio-carbon dating—962(T)
Kunz, W. E., J. W. Butler, and H. D. Holmgren. γ rays from He^3 bombardment of deuterium—1252(A)
—— (see Holmgren, H. D.)—436(L); 1253(A)
Kurbatov, J. D. Relative stability of even mass-number isobars—954(T)
Kurs, A. F. (see Montet, G. L.)—1261(A)
Kusch, P. Redetermination of hyperfine splittings of H and D in ground state—1188

Lagarrigue, Andre (see Ise, John, Jr.)—1799(A)
Lai, J. R. (see Kreger, W. E.)—955(A)
Lambe, John. CdS with Ag activator—1586
Lamphere, R. W. and R. E. Greene. Neutron-induced fission cross sections of U^{234} and U^{236}—763
Landé, Alfred. Quantum theory from nonquantal principles—979(A)
Landon, H. H. Radiation widths in slow neutron resonances—1414
Lane, A. M. and L. Verlet. Polarization in theory of giant resonances of neutron scattering—956(A)
LaRocca, E. W. Phase transformations in microstructure of explosively loaded Fe and steel—1800(A)
Laslett, L. J. (see Raka, E. C.)—1269(A)
Lavier, E. C., S. S. Hanna, and R. W. Gelinas. α spectrum from $Li^7(p,\gamma)Be^{8*}(\alpha)He^4$—1252(A)

Lawrence, E. O. Recent experiments with Bevatron—962 (T)
Lawson, R. D. Electric multipole moments in *j-j* coupling —845
—— Low-energy neutron scattering and bound state problem —957(A)
Lax, Benjamin and J. G. Mavroides. Statistics and galvanomagnetic effects in Ge and Si with warped energy surfaces—1650
—— (see Dexter, R. N.)—1216(L)
Lax, Melvin. Generalized theory of mobility—1808(A)
—— **and Elias Burstein.** Broadening of impurity levels in Si —592
Lazarus, John P. and S. Sack. Agreement of classical and quantum Coulomb excitation integrals—370
—— (see Breit, G.)—942(L)
LeBlanc, J. M., L. M. Bollinger, and R. E. Coté. Neutron transmission measurements on Br and Se—1248(A)
—— (see Bollinger, L. M.)—1239(A)
Lederman, L. M. (see Rinehart, M. C.)—883
Lee, R. J. and R. G. Fowler. Electrical characteristics of low-pressure spark discharges—1234(A)
Lee, T. D. and J. Orear. Speculations on heavy mesons—932(L)
—— (see Friedman, M. H.)—1494
Leenov, Daniel, D. M. Haskin, and Marcel Schein. Hyperfragments in light elements produced by Berkeley Bevatron—1263(A)
—— (see Schein, Marcel)—1455
Lefevre, Harlan W., Edwin M. Kinderman, and Harold H. Van Tuyl. New γ rays in the Np^{239} decay—1374
Legvold, S. (see Elliott, J. F.)—1595
Lehman, Guy W. Energy band calculations in f.c.c. Th—1791(A)
—— **and Hubert M. James.** Interaction of impurities and mobile carriers in semiconductors—1698
Leighton, R. B. (see Sorrels, J. D.)—1457; 1484
—— (see Trilling, G. H.)—1468
Levin, J. S. (see Cranberg, L.)—434(L)
Levinson, Carl and Kenneth W. Ford. Independent-particle model of nucleus. III. Ca isotopes—13
—— (see Ford, Kenneth W.)—1
Levy, Paul W. and Otto F. Kammerer. Radiation-induced amorphism in diamond—1787(L)
Lewis, H. W. Search for Hall effect in superconductor. II. Theory—641
Lewis, H. W. (see Bernstein, E. M.)—1345; 1367
Li, Yin-Yuan. Magnetic moment arrangements and magnetocrystalline deformations in antiferromagnetic compounds—627
Libby, W. F. (see Heft, Robert E.)—799
Lichtenberg, D. B. Pion production in p-p collisions—303
Liebenberg, D. H. (see Ingersoll, L. R.)—963(A)
Lin, Chun C. and Masataka Mizushima. Theory of hfs of NO molecule. II. Errata and some additional discussion—1726
Lind, D. A. (see Davis, Robert H.)—1266(A)
—— (see Divatia, Ajay S.)—1266(A)
Lindenbaum, Seymour J. and Luke C. L. Yuan. Total cross section of H for 150-750-Mev positive and negative pions—306
—— (see Pevsner, Aihud)—1419
Lindqvist, Torsten and Chien-Shiung Wu. Inner bremsstrahlung from A^{37}—145
Lipworth, Edgar (see Novick, Robert)—1153
Loebner, E. E. Bistable solid state opto-electronic devices —1239(A)
Loferski, Joseph (see Rappaport, Paul)—1261(A)
Logan, J. K. (see Clement, J. R.)—743
Logan, R. A. Precipitation of Cu in Ge—615
Longo, Thomas A. and David Kleitman. Neutron-irradiated Si—1260(A)
—— (see Kleitman, D.)—1261(A)
Lönsjö, O. (see Taylor, H. L.)—174
Low, Francis E. Effective-range theory of meson-nucleon scattering—1250(T)
—— (see Moellering, W. M.)—441(L)
Low, W. (see Geller, Z.)—1240(A)
Lowe, I. J., L. O. Bowen, and R. E. Norberg. Nuclear magnetic relaxation times in polyethylene—1243(A)
Lowen, Robert (see Critchfield, C. L.)—956(A)
Loyd, C. M. (see Ward, J. K.)—963(A)
Lozano, Juan Manuel. Poles of S-matrix for cloudy crystal ball model—956(A)
Luborsky, F. E. (see Paine, T. O.)—1055
Lustig, Harry and J. M. Blatt. Phase-shift analysis of single-channel reactions—777
Luttinger, J. M. and B. R. Goodman. Classical theory of cyclotron resonance for holes in Ge—673
—— (see Brown, H. A.)—685
Lyon, W. S. and T. H. Handley. Radioactive Ca^{47}—1280
—— **and R. R. Rickard.** γ-ray branching in Sr^{89}—112

Macdonald, J. Ross (see Brachman, Malcolm K.)—966(A)
MacDonald, William M. Isotopic spin impurity in light nuclei—51
MacGregor, M. H., William P. Ball, and Rex Booth. Nonelastic cross sections at 14 Mev—1793(A)
Macke, Wilhelm. Wave mechanical treatment of Fermi gas —992
MacKenzie, K. R. (see Burkig, V. C.)—1805(A)
—— (see Sonett, C. P.)—734
Mackin, J. L. (see Kreger, W. E.)—955(A)
Mackinnon, L. Relative absorption of 10 Mc/sec longitudinal sound waves in superconducting polycrystalline Sn rod—655
Macklin, R. L. (see Gibbons, J. H.)—167
Madsen, V. M. (see Burch, D. S.)—1235(A)
Maenchen, George, William B. Fowler, Wilson M. Powell, George Saphir, and Robert W. Wright. Production of unstable particles in 4.5-Bev π^--p collisions—1802(A)
—— (see Wright, Robert W.)—1802(A)
Magleby, E. H. (see Smith, J. R.)—1266(A)
Magnusson, L. B., D. W. Engelkemeir, M. S. Freedman, F. T. Porter, and F. Wagner, Jr. α decay of Np^{237}—1237 (A)
Malamud, H. (see Hammer, J.)—1229(A)
Maldonado, C. D. and R. C. Retherford. Semirandom sparking in short air gap—1228(A)
Malpica, José Mireles. Semiabsolute electrostatic voltmeter—967(A)
—— Semiabsolute measurements of voltage and current—975 (A)
Mandeville, C. E. (see Rothman, M. A.)—83
Marburger, R. E., D. C. Reynolds, L. L. Antes, and R. S. Hogan. Quantum yield of CdS photovoltaic cell—978 (A)
Marcus, J. A. (see Connell, R. A.)—1256(A)
Margulies, R. S. Positive pion scattering by H at 260, 300, and 400 Mev—1255(A)
Marion, Jerry B., T. W. Bonner, and C. F. Cook. (d,n) reactions on B and C—847
——, **T. W. Bonner, and C. F. Cook.** Reactions $T^3(p,n)He^3$, $Li^7(p,n)Be^7$, $Be^9(p,n)B^9$, and $F^{19}(p,n)Ne^{19}$—91
—— **and Robert M. Brugger.** Neutron-induced reactions in F—69
——, **R. M. Brugger, and T. W. Bonner.** (d,n) reactions in O^{18} and N^{14}—46

—— **and R. A. Chapman.** Low-lying level structure of Zn^{66} nucleus—1795(A)
—— (see Brugger, R. M.)—84
Mark, Hans and George T. Paulissen. Electric excitation of certain rare-earth nuclei by protons—813
—— (see Rubin, A.)—961(A)
Marmier, P. (see Baggerly, L. L.)—1364
Marshak, R. (see Okubo, S.)—1809(A)
—— (see Regge, T.)—1810(A)
Marshall, J. F. (see Pomerantz, M. A.)—964(A)
Martin, David W., S. Bradley Burson, and James M. Cork. Decay of Ca^{49}—1236(A)
—— (see Cork, J. M.)—1237(A)
Martin, E. E. (see Trolan, J. K.)—1646
Martin, W. (see Arnold, W. H., Jr.)—1545(L)
Marton, L. Perdida de energia por electrones en cuerpos solidos—958(T)
Martz, D. E. and R. S. Witte. Transverse field effects in PbS—1808(A)
Matarrese, Lawrence M. and Chihiro Kikuchi. Anisotropic paramagnetic absorption spectrum of manganous ion in cubic ZnS—1243(A)
Matthias, B. T. and E. Corenzwit. Superconductivity of Zr alloys—626
Maudlin, L. Z. (see Weissler, G. L.)—1800(A)
Maurer, R. D. Light scattering by optical glasses—977(T)
Mavroides, J. G. (see Lax, Benjamin)—1650
Mayer, Joseph E. Electron correlation—1579
Mayfield, Earle B., Harvey L. Morrison, and William A. Allen. Projectile penetration into sand—1800(A)
Mays, J. M. (see Shulman, R. G.)—692
Mazari, M., F. Alba, and V. Serment. Neutron total cross section measurements between 13.0 and 16.2 Mev—972(A)
—— (see Ajzenberg, F.)—960(A)
Mazo, R. M. and J. G. Kirkwood. Atomic distribution in liquid He^4—1787(L)
McCall, D. W. (see Shulman, R. G.)—692
McCarthy, Kathryn A. and Stanley S. Ballard. Variation with temperature of thermal conductivity of seven alkali halides—969(A)
McClelland, J. D. Field dependence of Hall potential and magnetoresistance of irradiated graphite—1807(A)
McClung, Fred and John R. Holmes. Isotope shift in spectra of Hg^{198}-Hg^{202}—1792(A)
McClure, B. T. Formative breakdown delays in noble gases at small overvoltages—1228(A)
McClure, John J. (see Urban, John S.)—1797(A)
McCombie, C. W. Fluctuations on damped transmission line —444
McCrary, J. H. (see Bent, R. D.)—771; 774
McDonald, C. A. (see Anderson, J. D.)—1798(A)
McDonald, Frank B. (see Webber, William R.)—1460
McDonald, W. S., Vincent Peterson, and Dale R. Corson. Photoproduction of neutral pions from protons at forward pion angles—1799(A)
McEllistrem, M. T. Analysis of C^{12}+d reactions—1253(A)
McGrew, C. (see Arnold, W. H.)—1804(A)
McGruer, J. N., E. K. Warburton, and R. S. Bender. (d,p) reactions from C^{12} and C^{13}—235
McHale, J. L. (see Biedenharn, L. C.)—376
—— (see Goldstein, M.)—436(L)
McIsaac, L. D. (see Kreger, W. E.)—955(A)
McLachlan, Dan, Jr. Neglected mathematics in solution of vibration problems—975(A)
McLeod, R. R. Coulomb excitation of In^{115m} by α particles —1265(A)
Mead, S. W., M. D. Petroff, and W. O. Doggett. Half-life of Sn^{119}—1794(A)
Medicus, Gustav. Pronounced deviations from Maxwellian velocity distribution of electrons in hollow hot cathode diodes with Ne filling—1232(A)
Medina, Alejandro. Divergences in field theory—967(T)
Meechan, C. J. Effect of low-temperature electron irradiation on electrical resistivity of Cu—1807(A)
Meijer, Paul H. E. and H. J. Gerritsen. Magnitude of splitting of lowest level in chromium alum—742
Meinke, W. Wayne (see Cassatt, Wayne A., Jr.)—1372
Meister, A. G., J. M. Dowling, A. N. Takata, and A. J. Bielecki. Potential constants for $CHDClBr$, CH_2F_2, CD_2F_2, and $CHDF_2$ molecules—1267(A)
Melchor, J. L. (see Ayres, W. P.)—1791(A)
Melkanoff, Michel A., John Nodvik, and David S. Saxon. Analysis of elastic scattering of 31.5-Mev protons—1805 (A)
Mencher, A. (see Barker, W. A.)—1224(L)
Mendelsohn, L. I. (see Paine, T. O.)—1055
Mendlowitz, H. and K. M. Case. Double scattering of electrons with magnetic interaction. II. Depolarization—1551
Merritt, F. R. (see Fletcher, R. C.)—747(L)
—— (see Galt, J. K.)—748(L)
Metzger, F. R. (see Swann, C. P.)—1329
Meyer, L. (see Baskin, Y.)—544
Meyerhof, W. E. (see Brun, E.)—1795(A)
Meyer-Schützmeister, L. and V. L. Telegdi. Inelastic scattering of photons from Au^{197}—961(A)
Mihelich, J. W. (see Hollander, J. M.)—1238(A)
Millburn, George P., Burton J. Moyer, Yuin-Kwei Tai, and Selig N. Kaplan. Neutron yields from 32-Mev protons on thick targets—1793(A)
Miller, D. W., V. K. Rasmussen, M. B. Sampson, and U. C. Gupta. Reactions $Be^9(d,d')$ and $Be^9(\alpha,\alpha')$—1253(A)
—— (see Rasmussen, V. K.)—851
Miller, M. M. and T. Ahrens. Possibility of interpreting β decay spectra in terms of nuclear forces—974(A)
Miller, S. E. (see Harman, T. C.)—1262(A)
Miller, W. C. (see Connors, D. R.)—1237(A)
—— (see Dempsey, D. F.)—1240(A)
Miller, D. W. (see Rasmussen, V. K.)—181
Miller, W. C. (see Spiegel, V., Jr.)—1244(A)
—— (see Waldman, B.)—1244(A)
Mills, C. B. High-intensity ion sources—1233(A)
Mills, W. R., Jr., H. H. Hilton, III, and C. A. Barnes. Internal conversion coefficients of low excited states of F^{19}—1794(A)
Mitchell, Allan C. G. (see Graves, William E.)—1236(A)
Mize, J. P., M. E. Bunker, and J. W. Starner. Nuclear levels of Lu^{175}—1390
—— (see Duffield, R. B.)—1236(A)
Mizushima, Masataka (see Lin, Chun C.)—1726
Mobley, R. C., C. H. Blakewood, and D. C. Ralph. Low voltage magnet and regulated power supply—1242(A)
Moe, Mildred M. and David S. Saxon. Variational methods in scattering problems—1809(A)
—— (see Finkelstein, R. J.)—1775
Moellering, W. M., A. C. Zemach, A. Klein, and F. E. Low. Spatial extension of proton magnetic moment from hfs of H—441(L)
Moffat, R. D. (see Davis, Robert H.)—1266(A)
—— (see Divatia, Ajay S.)—1266(A)
Mohrbacher, J. A. (see Bracken, J. T.)—972(A)
Mondragón, A. Scattering length and effective range for velocity-dependent tensor forces—956(A)
Montet, G. L., A. F. Kurs, and G. R. Hennig. Tracer studies on radiation-damaged graphite—1261(A)
Montroll, Elliott W. and Renfrey B. Potts. Effect of defects on lattice vibrations—525

—— **and R. B. Potts.** Effect of impurities on lattice vibrations—969(A)
Moore, D. C. and R. J. Hanson. Čerenkov counter for high-energy cosmic rays—972(A)
Moore, G. E. Dissociation of solid compounds by electron impact—1794(T)
Mooser, E. Magnetic susceptibility of impurity-trapped electrons and holes in semiconductors—1589
Moravcsik, Michael J. Coulomb scattering of electrons at very small angles—1009
Morgan, Ira L. (see Bostrom, Norman A.)—973(A)
—— (see Sattar, Abdul R.)—960(A)
Morin, F. J., Howard Reiss, and C. S. Fuller. Ion pairing involving Li in Ge and Si—1807(A)
—— (see Hrostowski, H. J.)—1672
Morinaga, H. New radioactive isotope Sc^{42}—431(L)
—— **and E. Bleuler.** Sc^{50}—1236(A)
Morrison, Harvey L. (see Mayfield, Earle B.)—1800(A)
Moshinsky, Marcos. Collective motions and nuclear reactions—967(T)
Mosqueira R., Salvador. Teaching of physics in Mexico—954(T)
Motz, Henry (see Grodzins, Lee)—1236(A)
Motz, J. W. Bremsstrahlung differential cross-section measurements for 0.5- and 1.0-Mev electrons—1560
Moyer, Burton J. (see Millburn, George P.)—1793(A)
—— (see Squire, Robert K.)—1798(A)
Muehlhause, C. O. and S. Oleksa. β^- energy distribution from thermal fission of U^{235}—1266(A)
—— (see Bloom, S. D.)—1248(A)
Munick, Raymond J. Electrical conduction in Plexiglas—1256(A)
Murakawa, Kiyoshi. Nuclear moments of Mo^{95}, Mo^{97}, Zr^{91}, I^{127}, Sb^{121}, and Sb^{123}—1369
Murray, J. J. Observations on negative particles of protonic-mass stopping in Čerenkov counter—1801(T)
Murray, R. B. Magnetic and thermal properties of $MnCl_2$ at liquid He temperatures. II. Specific heat—1071
—— **and L. D. Roberts.** Magnetic and thermal properties of $MnCl_2$ at liquid He temperatures. I. Magnetic susceptibility—1067
—— (see Roberts, L. D.)—650; 1100
Muschlitz, E. E. (see Bailey, T. L.)—1231(A)
Musulin, Boris (see Wertz, John E.)—1810(A)
Myers, H. P. (see Brockhouse, B. N.)—1242(A)

Nagle, D. E. Pion-proton scattering observed with liquid-H_2 bubble-chamber—1255(T)
—— **and R. H. Hildebrand.** Observations on pion tracks in liquid H_2 bubble chamber—959(A)
Nambu, Yoichiro. Structure of Green's functions in quantum field theory—394
Naumann, R. A. (see Tomlinson, E. P.)—955(A)
Neher, H. V. Change with time of low-energy part of cosmic-ray spectrum—959(A)
Neill, H. W. (see Drost-Hansen, W.)—1800(A)
Nelson, E. B. (see Geer, E. H.)—215
Nesbet, R. K. Localized orbitals in nuclear structure—228
Neufeld, J. (see Snyder, W. S.)—969(A)
Newcomb, W. A. Magnetohydrodynamic waves in ionized plasma—968(A)
Newman, Roger. Visible light from a Si p-n junction—700
Newson, H. W. Li(p,n) reaction near threshold—960(A)
Newton, Roger G. Connection between S-matrix and tensor force—412
—— Relation of a potential to S-matrix—1250(T)
Ney, E. P. Low-energy end of primary cosmic-ray spectrum—971(T)
—— Recent experiments on primary cosmic rays—1806(T)
Nichols, R. T. and E. N. Jensen. Decay scheme of Sc^{47}—1407
Nier, A. O. (see Quisenberry, K. S.)—1245(A)
—— (see Scolman, T. T.)—1245(A)
Noble, L. M. and R. M. Steffen. Directional correlation with gaseous In^{111} sources—955(A)
Nodvik, John (see Melkanoff, Michel A.)—1805(A)
Norberg, R. E. (see Burgess, J. H.)—752(L)
—— (see Lowe, I. J.)—1243
Nottingham, W. B. Application of space-charge theory to determination of electron emitter properties—964(A)
Novick, Robert, Edgar Lipworth, and Paul F. Yergin. Fine structure of singly ionized He—1153

Odian, Allen C., Bernard Feld, William Rankin, Peter Stein, Albert Wattenberg, and Roy Weinstein. High-energy photoneutron-proton ejection from nuclei—1241(A)
—— (see Feld, B. T.)—1539(L)
—— (see Ritson, D. M.)—1263(A)
Oehme, Reinhard. Dispersion relations for pion-nucleon scattering. I. Spin-flip amplitude—1503
Ofer, S. (see Cohen, S. G.)—856
Ohkawa, Tihiro. FFAG electron cyclotron—1247(A)
Ohnuma, Shoroku and David Feldman. Phase shift analysis of nucleon-nucleon scattering at 150 Mev—1241(A)
Okaya, Y. (see Saito, Y.)—970(A)
Okubo, S. and R. Marshak. Difference in lifetimes of θ^0 and θ' mesons—1809(A)
—— (see Regge, T.)—1810(A)
Oleksa, S. (see Muehlhause, C. O.)—1266(A)
Ore, A. (see Skoglund, A.)—1549(A)
Orear, Jay. Energy dependence of phase shifts in pion-proton scattering—288
—— (see Harris, G.)—932(L)
—— (see Lee, T. D.)—932(L)
Osborn, R. K. and E. D. Klema. Empirical correlation of nuclear magnetic moments—822
Osborne, W. Z. (see Skeen, C. H.)—1797(A)
Oskam, H. J. High-frequency gas discharge breakdown in Ne-A mixtures—1228(A)
Owen, G. E. (see Stewart, A. B.)—1235(A)
Owen, J., M. E. Browne, and A. F. Kip. Electron spin resonance in Cu-Mn and Ag-Mn alloys—965(A)
Oxley, C. L. and V. L. Telegdi. Scattering of 30–90 Mev γ-rays by protons—962(A)
—— **and V. L. Telegdi.** Scattering of 30–95 Mev photons by protons—435(L)

Pack, J. L. and A. V. Phelps. Drift velocity of electrons in He and H_2 at low fields—1229(A)
Paine, T. O., L. I. Mendelsohn, and F. E. Luborsky. Effect of shape anisotropy on coercive force of elongated single-magnetic-domain Fe particles—1055
Pais, A. and O. Piccioni. Decay and absorption of θ^0—1487
Pal, Yash (see Caldwell, David O.)—1803(A)
Palevsky, H., R. L. Zimmerman, R. M. Eisberg, and D. J. Hughes. Measurement of energy variation of neutron multiplication, η, for U^{233}, U^{235}, and Cu^{239} in thermal region—1266(A)
Palfrey, T. R., Jr. (see Tatro, C. A.)—1265(A)
Palmer, R. R. (see Bollinger, L. M.)—126
Paris, C. H., W. W. Buechner, and P. M. Endt. Energy levels of S^{33}, S^{35}, Cl^{36}, Cl^{38}, and Ba^{139}—1317
Parker, Paul M. (see Brown, L. Carlton)—1764
Parmenter, R. H. Energy levels of crystal modified by alloying or by pressure—573
Passell, L., B. R. Felix, and H. B. Silsbee. Thermal conductivity of Al at low temperatures—1808(A)
—— (see Felix, B. R.)—1808(A)

Passell, T. O. (see Hoff, R. W.)—1403
Paul, E. B. (see Almqvist, E.)—1265(A)
Paul, William (see Benedek, George B.)—1129
Paulissen, George T. (see Mark, Hans)—813
Pearson, G. L. Silicon solar battery—958(T)
——, **W. T. Read, Jr., and W. L. Feldmann.** Mechanical properties of Si, Ge, and ZnO whiskers—1251(A)
Peaslee, A. T., Jr. Production of pairs in capture of slow neutrons by protons—974(A)
Peaslee, D. C. Higher-spin particle formalism—1250(T)
Peed, William F. (see Rogosa, George L.)—1763
Pellam, J. R. Normal fluid excitation in liquid He II—1802(T)
Penfold, A. S. and B. M. Spicer. Detailed study of $O^{16}(\gamma,n)O^{15}$ reaction—1377
—— (see Spicer, B. M.)—1375
Penman, S. and W. L. Brown. Field effect in Si—1259(A)
Penning, J. R. and F. H. Schmidt. Decay of Ne^{23}—954(A)
Pepinsky, Ray. Crystal engineering: New concept in crystallography—971(A)
—— Neutron crystallography—971(T)
—— (see Cano-Corona, O.)—970(A)
—— (see Frazer, B. C.)—745(L)
—— (see Saito, Y.)—970(A)
—— (see Vand, V.)—970(A)
Percus, J. K. Inadmissible auxiliary conditions in quantized linear systems—1208
Perez-Mendez, V. (see Imhof, William)—1798(A)
Perkins, R. B. (see Darden, S. E.)—1315
Perlman, I. (see Asaro, Frank)—137; 1541(L)
—— (see Stephens, F. S., Jr.)—1543(L)
Perlman, M. L. and Joan P. Welker. Disintegration scheme of Rb^{83}—81
—— (see Welker, Joan P.)—74
Perry, R. W. and D. E. Bloxsom. Use of electric arc heating in ultra-high temperature aerodynamics—968(A)
Persson, Karl-B. and Sanborn C. Brown. Electron loss in hydrogen afterglow—729
Peter, M. (see Strandberg, M. W. P.)—963(A)
Peters, C. W. (see Ferguson, G. A.)—1239(A)
Peterson, Edward C. (see Alexeff, Igor)—1239(A)
Peterson, James R. Mass values of identified K-mesons—1803(A)
—— (see Birge, R. W.)—430(L)
Peterson, Vincent (see McDonald, W. S.)—1799(A)
Petroff, M. D. (see Mead, S. W.)—1794(A)
Pevsner, Aihud. Photoplate studies on K-meson family—967(T)
—— **and James Rainwater.** Phase shift optical model calculations for elastic scattering of pions on Al—1431
——, **James Rainwater, Ross E. Williams, and Seymour J. Lindenbaum.** Elastic scattering of positive and negative pions on Al—1419
Phelps, A. V. Lifetime of imprisoned resonance radiation in Ne—1230(A)
—— (see Frost, L. S.)—1234(A)
—— (see Pack, J. L.)—1229(A)
Phillips, G. C., J. L. Russell, and C. W. Reich. Scattering of α particles from He and 3-Mev state in Be^8—960(A)
—— (see Gossett, C. R.)—203
Phillips, Norman E. Thermal conductivity of In-Tl alloys in normal and superconducting states—1719
Piccioni, O. (see Pais, A.)—1487
Pierce, W. M. A certain blindness in physicists—979(A)
Pilcher, V. E., J. A. Harvey, and K. K. Seth. Neutron total cross section of $_{92}U^{235}$ in ev region—1248(A)
—— (see Hughes, D. J.)—1249(A)
Pines, David and Charles P. Slichter. Relaxation times in magnetic resonance—1014
Piotrowski, Edward A. and Joseph S. Ziomek. Normal coordinate treatments and thermodynamic properties of $PFCl_2$ and $POFCl_2$—1267(A)
Piper, W. W. and J. S. Prener. Hartree-Fock wave functions for Mn^{++}—1250(A)
Pixley, R. E., M. Bader, and Ward Whaling. Energy loss of protons in metals—1805(A)
Pleasonton, Frances (see Snell, Arthur H.)—1396
Plotkin, M. (see Cottingham, J. G.)—1269(A)
Polk, I. J. (see Jacobus, D. D.)—1268(A)
Pollard, E. C. Physics of cellular processes—1548(T)
Pomerantz, M. A., J. F. Marshall, and R. A. Shatas. Post-bombardment conductivity of MgO crystals—964(A)
Porter, C. E. Cross sections and complex potential—935(L)
Porter, F. T. (see Magnusson, L. B.)—1237(A)
Portis, A. M. Rapid passage effects in electron spin resonance—1219(L)
Potts, Renfrey B. (see Montroll, Elliott W.)—525; 969(A)
Powell, Wilson M. π-p, p-p, and n-p collisions at Bevatron energies—1791(T)
—— (see Maenchen, George)—1802(A)
—— (see Wright, Robert W.)—1802(A)
Prener, J. S. (see Piper, W. W.)—1250(A)
Prieto, C., Fernando E. Field of Bhabha equation—974(A)
Primak, William. Kinetics of processes distributed in activation energy—1677
Prosser, F. W., Jr. (see Baumann, N. P.)—1244(A)
Pruett, Charles H. and Roger G. Wilkinson. Electron capture decay of Os^{185} and excited states of Re^{185}—1237(A)
Pugh, G. E., R. Gomez, D. H. Frisch, and G. S. Janes. Nuclear γ-ray scattering techniques—1245(A)
—— (see Gomez, R.)—1245(A)
—— (see Janes, G. S.)—1245(A)
Pyle, Robert V., Elmer L. Kelly, J. Reginald Richardson, and Robert L. Thornton. Electron models of relativistic constant-frequency cyclotrons—1804(A)
—— (see Ise, John, Jr.)—1799(A)

Quinton, A. R. and R. Beringer. Determination of surface resistivity of metal surfaces by Q measurement—1549(A)
Quisenberry, K. S., T. T. Scolman, and A. O. Nier. Atomic masses of H^1, D^2, C^{12}, and S^{32}—1245(A)
—— (see Scolman, T. T.)—1245(A)

Rainwater, James (see Pevsner, Aihud)—1419; 1431
Raka, E. C., E. D. Courant, R. R. Kassner, L. J. Laslett, H. S. Snyder, and J. Spiro. Electron analog—performance and interpretation. I—1269(A)
—— (see Cottingham, J. G.)—1269(A)
—— (see Courant, E. D.)—1269(A)
Ralph, D. C. (see Mobley, R. C.)—1242(A)
Ramsey, Norman F. Resonance transitions induced by perturbations at two or more different frequencies—1191
Randolph, M. L. (see Blosser, H. G.)—429(L)
Rank, D. H., H. E. Bennett, and J. M. Bennett. Improved value of velocity of light derived from band spectrum method—993
Ranken, W. A. (see Bent, R. D.)—771; 774
Rankin, William (see Odian, Allen)—1241(A)
Rappaport, Paul and Joseph J. Loferski. Thresholds for electron-bombardment-induced lattice displacements in Si and Ge—1261(A)
Rarita, William. p-p scattering at 1 Bev—1241(A)
Rasmussen, J. O. (see Strominger, D.)—844
Rasmussen, V. K., D. W. Miller, and M. B. Sampson. Scattering of 22-Mev α particles by C^{12}—181
——, **D. W. Miller, M. B. Sampson, and U. C. Gupta.** Reactions $Be^9(\alpha,\alpha')$, $Be^9(\alpha,d)$, and $Be^9(d,d')$—851
—— (see Miller, D. W.)—1253(A)

Rasor, Ned S. and John E. Hove. Thermal conductivity of neutron-damaged graphite—1806(A)
Rau, Richard R. and M. E. Caspari. Faraday effect in Ge at room temperature—632
Ravenhall, D. G. Inelastic electron scattering by C—1797(A)
Read, W. T., Jr. (see Pearson, G. L.)—1251(A)
Reagan, Daryl. Photonuclear yields of N^{17}—113
Redfield, David. Recombination processes in Te—1094
Redin, R. D. and G. C. Danielson. Measurement of magnetic field gradients by Hall effect—1252(A)
Regge, T., S. Okubo, and R. Marshak. Remarks on antiproton—1810(A)
Reich, C. W. (see Phillips, G. C.)—960(A)
Reier, Melvin and Morris H. Shamos. Neutron-capture gamma-ray spectra of V, Co, Ti, Fe, Cr, Au, Mn, and I —1302
Reif, F. Nuclear magnetic resonance studies of imperfect ionic crystals—1597
Reiss, Howard. Ionization of H in Ge and Si—1806(A)
—— (see Fuller, C. S.)—1806(A)
—— (see Morin, F. J.)—1807(A)
Rekers, R. G. and D. S. Villars. Flame zone spectroscopy of solid propellants. II—963(A)
Renero, Ignacio. Scattering by velocity-dependent potential —956(A)
Retherford, R. C. (see Maldonado, C. D.)—1228(A)
Revelle, R. Heat flow through ocean bottom—1796(T)
Reynolds, Charles A. Kinetic model of He II—1548(A)
Reynolds, D. C. (see Marburger, R. E.)—977(A)
Reynolds, George T. (see Arnold, W. H.)—295
Reynolds, H. L. and A. Zucker. Excitation function for reaction $Be^9(N^{14},\alpha n)F^{18}$—226
Rhéaume, R. H. (see Cottingham, J. G.)—1269(A)
Rhein, W. J. Efficiency of ZnS—plastic counters for fast neutrons—972(A)
Ribe, F. L. Pickup reactions $F^{19}(n,d)O^{18}$—1254(A)
Rice, O. K. (see Kohler, F.)—965(A)
Richards, Paul I. Multiple isotropic scattering—517
Richardson, J. Reginald (see Burkig, J. W.)—1805(A)
—— (see Pyle, Robert V.)—1804(A)
Rickard, R. R. (see Lyon, W. S.)—112
Rinehart, M. C., K. C. Rogers, and L. M. Lederman. Diffusion chamber study of very slow mesons. III. Scattering of negative pions in H—883
Ritchie, R. H. (see Blackstock, A. W.)—1078
Ritson, D. M., A. Odian, B. T. Feld, and A. Wattenberg. Spin of τ^+-meson—1263(A)
—— (see Feld, B. T.)—1539(L)
Robbins, A. B. $Li^7(\alpha,n)B^{10}$ reaction—1549(A)
Roberts, B. W. Neutron diffraction study of VD_x—1257(A)
Roberts, L. D. and R. B. Murray. Magnetic and thermal properties of UI_3 at liquid He temperatures—650
——, **R. B. Murray, and J. W. T. Dabbs.** Influence of crystalline electric fields on antiferromagnetic transitions—1100
—— (see Murray, R. B.)—1067
Roberts, S. Interpretation of optical properties of metal surfaces—1667
Robinson, Hugh G. Quadrupole spectrum of $BiCl_3$—1731
Robson, J. M. Angular correlation in β decay of neutron—933(L)
Roesch, W. C. (see De Pangher, J.)—1793(A)
Rogers, K. C. (see Rinehart, M. C.)—883
Rogosa, George L. and William F. Peed. Tc K x-ray spectrum—1763
Rohrlich, Fritz. Recent developments in theory of atomic spectra—1258(T)
—— **and J. Joseph.** Contribution of electron to pair production in atomic H—1241(A)
Rollor, E. A. (see Bracken, J. T.)—972(A)
Romero-Juárez, A. and J. Hefferan V. Systematic application of physical and mathematical methods to exploitation of Mexican oil fields—965(A)
Roos, Charles E. Auger effect in Fe, Ni, Cu, and Zn—1267(A)
Roothaan, C. C. Impact of electronic digital computers on molecular quantum-mechanical calculations—1258(T)
Rorschach, H. E., Jr., and W. V. Houston. Nuclear paramagnetism of liquid He^3—966(A)
—— (see Houston, W. V.)—1003
Rosenbaum, B. M. (see Welber, B.)—978(A)
Ross, Marc. Theory of pion photoproduction—1250(T)
Rostoker, Norman (see Brophy, James J.)—754(L)
—— (see Ekstein, Hans)—1023
Rotenberg, M. Nuclear Hartree-Fock calculations—439(L)
Roth, Wilfred. Vibratory gyro mass flowmeter—1549(A)
Rothman, M. A., H. S. Hans, and C. E. Mandeville. γ rays excited by inelastic scattering of neutrons in various elements—83
Rothstein, Jerome. Significance of nuclear spin echo experiments for foundation of statistical mechanics—1791(A)
Rouse, C. A. Cloud-chamber observations of μ-meson-induced electron showers—1797(A)
Royden, Herbert N. and Byron T. Wright. Small-angle p-p scattering at 20 Mev—1805(A)
Rubin, A., F. Ajzenberg, and Hans Mark. Energy levels of Si^{28}—961(A)
—— (see Ajzenberg, F.)—960(A)
Ruby, Lawrence (see Heusinkveld, Myron)—1804(A)
Ruderman, Malvin A. (see Goebel, Charles J.)—240
Russell, G. A. (see Dexter, D. L.)—603
—— (see Klick, C. C.)—964(A)
Russell, J. L. (see Phillips, G. C.)—960(A)

Sachs, A. M., H. Winick, and B. A. Wooten. Scattering of 38-Mev positive pions in H—1255(A)
Sack, S. (see Lazarus, John P.)—370
Sadauskis, John (see Jesse, William P.)—1755
Saenz, A. W. Quantum-statistical derivation of transport equation for mixtures of dilute gases with molecules of arbitrary spins—975(A)
Sailor, V. L. Neutron resonances in U^{233} and U^{235}—1249(A)
Saito, Y., Y. Okaya, and R. Pepinsky. Direct x-ray determination of absolute configurations of optically active molecules—970(A)
Salkovitz, E. I. (see Kammer, E. W.)—1257(A)
Sampson, M. B. (see Miller, D. W.)—1253(A)
—— (see Rasmussen, V. K.)—181; 851
Samson, J. A. R. (see Vollrath, R. E.)—1793(A)
Sanders, T. M., Jr. (see Dousmanis, G. C.)—1735
Saphir, George (see Maenchen, George)—1802(A)
—— (see Wright, Robert W.)—1802(A)
Sattar, Abdul R., Ira L. Morgan, and Emmett L. Hudspeth. Excitation curve for $Be^9(n,\alpha)He^6$—960(A)
Sawatzky, A. and F. E. Jaumot, Jr. Diffusion of Zn in single crystals of Ag—1627
Saxon, David S. Optical model of the nucleus—1795(T)
—— Tensor scattering matrix for electromagnetic field—1771
—— (see Melkanoff, Michel A.)—1805(A)
—— (see Moe, Mildred M.)—1809(A)
Scalettar, Richard. Schrödinger-like equation for measurement process—1808(A)
Scarf, Frederick L. Spectrum and nonrelativistic limit of Bethe-Salpeter equation—912
Schafroth, M. R. Connection between superfluidity and superconductivity—502
—— Superconductivity of charged ideal Bose gas—463
—— **and J. M. Blatt.** Phenomenological equations for superconductors—1221(L)

—— (see Blatt, J. M.)—481
Schardt, A. W. (see Dropesky, B. J.)—954(A)
Schawlow, A. L. and C. H. Townes. Effect on x-ray fine structure of deviations from a Coulomb field near nucleus —1273
Schecter, Larry and R. E. Ellis. Elastic scattering of 48-Mev α particles—1805(A)
Schein, Marcel and D. M. Haskin. Production of hyperons and K-mesons in high energy π^- beam of Berkeley Bevatron—1263(A)
——, **D. M. Haskin, and Daniel Leenov.** Unstable $_1H^4$ fragment from capture of a Σ^- hyperon—1455
—— (see Cavanaugh, R. E.)—1263(A)
—— (see Haskin, D. M.)—1263(A)
—— (see Koshiba, M.)—1247(A)
—— (see Leenov, Daniel)—1263(A)
—— (see Williams, D. B.)—1547(L)
Schellenberg, L. (see Franzen, W.)—1239(A)
Schiffer, J. P. (see Gossett, C. R.)—203
Schillinger, E. J. (see Fields, T.)—964(A)
Schindler, A. I. (see Kammer, E. W.)—1257(A)
Schmid, L. C. (see Cork, J. M.)—188; 955(A); 1237(A)
—— (see Cork, J. M.)—955(A)
—— (see Cork, J. M.)—1237(A)
Schmidt, Fred H. (see Penning, J. R.)—954(A)
—— (see Yavin, Avivi I.)—171
Schmitt, H. W. (see Gibbons, J. H.)—167
Schneps, J., M. S. Swami, and W. F. Fry. Disintegration of hyperfragments—1263(A)
—— (see Fry, W. F.)—939(L); 950(L); 1448
Schoepfle, G. K. (see Silvidi, A. S.)—979(A)
Schrank, Glen E. (see Burkig, J. W.)—1805(A)
Schubauer, G. B. New light on boundary layer transition problem—958(T)
Schultz, Cramer and Ross D. F. Thompson. Polarization effects in electron-photon interactions—1809(A)
Schwartz, H. M. Theory of atomic perturbation in α decay —135
Schwed, P., H. Cooper, and R. W. Webeler. Thermoelectric power of AuCu in nonequilibrium states—978(A)
Schweinler, H. C. (see Stevens, D. K.)—1094
Scolman, T. T., K. S. Quisenberry and A. O. Nier. Preliminary mass doublet measurements with Minnesota 16-in. mass spectrometer—1245(A)
—— (see Quisenberry, K. S.)—1245(A)
Scott, M. B., A. O. Hanson, and D. W. Kerst. Electro- and photo-disintegration cross sections of Cu^{63}—209
Scott, Mary Jean and Ralph E. Segel. Polarization in p-α elastic scattering—1244(A)
Scott, William T. (see Goldberg, Jean Snover)—1013
Seeman, Nathan, Maurice M. Shapiro, and Bertram Stiller. Nonmesonic decay of a He hyperfragment—1480
—— (see Stiller, B.)—959(A)
Segel, Ralph E. (see Scott, Mary Jean)—1244(A)
Segrè, Emilio. Properties of antiproton—1801(T)
—— (see Chamberlain, Owen)—947(L)
Seliger, H. H. Transmission of positrons and electrons—1029
Sengupta, S. Nuclear moments in jj-coupling—939(L)
Serber, R. Theoretical background of antiproton—1801(T)
Serment, V. (see Mazari, M.)—972(A)
Seth, K. K. (see Pilcher, V. E.)—1248(A)
Severiens, J. C. and S. S. Hanna. Lifetimes of first excited states of Al^{28} and B^{10}—1254(A)
Shamos, Morris H. (see Fafarman, A.)—874
—— (see Reier, Melvin)—1302
Shapiro, Maurice M. (see Seeman, Nathan)—1480
—— (see Stiller, B.)—959(A)
Shatas, R. A. (see Pomerantz, M. A.)—964(A)
Shephard, W. D. and W. D. Walker. Production of heavy unstable particles in $\pi^- p$ collisions at 1.0 Bev—1264(A)
—— (see Walker, W. D.)—1264(A)
Sherman, H. Properties of halogen-quenched Geiger counters —972(A)
Sherr, R., J. B. Gerhart, H. Horie, and W. F. Hornyak. Decay rates of C^{14}, N^{16*}, and O^{19}—945(L)
—— (see Hornyak, W. F.)—1409
Shockley, W. Recent developments in transistor physics—1802(T)
Shulman, R. G. Valence bond calculations of acceptor energies in Si and Ge—1260(A)
——, **J. M. Mays, and D. W. McCall.** Nuclear magnetic resonance in semiconductors. I. Exchange broadening in InSb and CaSb—692
——, **B. J. Wyluda, and H. J. Hrostowski.** Quadrupole broadening of NMR lines by reversible axial stress—1792(A)
—— (see Wyluda, B. J.)—1258(A)
Sidhu, S. S. Neutron diffraction studies of metal-H systems —971(T)
Sidles, P. H. Thermal diffusivity of U from room temperature to 1000°C—1256(A)
Siegel, K. M. and A. L. Maffett. Slow motions—968(A)
Siegel, Robert T. Polarization of 350-Mev neutrons elastically scattered from nuclei—437(L)
Silsbee, H. B. (see Felix, B. R.)—1808(A)
—— (see Passell, L.)—1808(A)
Silverstein, E. A. (see Chiba, Ren)—1253(A)
—— (see Herring, D. F.)—1239(A)
Silvidi, A. S., G. K. Schoepfle, K. L. Warren, F. L. Brooks, and M. Horowitz. Instrument for measurement of information stored in photographic film—979(A)
Simmons, B. E., K. F. Famularo, and G. D. Freier. Coulomb excitation of Sm—1265(A)
Simon, Albert. Diffusion of like particles across magnetic field—1557
Simpson, F. B. (see Simpson, O. D.)—1249(A)
Simpson, J. A. Primary radiation and origin of its changes with time—1247(T)
—— Studies of extra-terrestrial phenomena during International Geophysical Year—971(T)
Simpson, O. D., R. G. Fluharty, F. B. Simpson, and R. M. Brugger. Neutron resonance parameters and total cross sections in U^{235}—1249(A)
Sirlin, A. (see Behrends, R. E.)—1809(A)
Sivertsen, J. and C. Wert. Young's modulus of Au-Ni alloys—1256(A)
Skeen, C. H. and W. Z. Osborne. Strange cosmic-ray event —1797(A)
Skoglund, A. and A. Ore. Radiation-induced dielectric changes in phosphorescent material—1549(A)
Sladek, R. J. (see Keyes, R. W.)—1262(A)
Slater, J. C. Recent progress in energy-band theory—958(T)
Slätis, Hilding (see Hjalmar, Elis)—1542(L)
Slaughter, G. G. (see Fairbank, W. M.)—971(A)
Slepian, Joseph. Angular momentum and energy of ions in magneto-ionic isotope separator—1238(A)
—— Isotopic separation by magneto-ionic expansion—1233(A)
Slichter, Charles P. (see Pines, David)—1014
Smith, Bob H. (see Heusinkveld, Myron)—1804(A)
Smith, Frances M., Harry H. Heckman, and Walter H. Barkas. Masses of positive K-particles. I. Identification of K-particles and analysis of secondaries—1802(A)
—— (see Barkas, Walter H.)—1797(A)
—— (see Heckman, Harry H.)—1803(A)
Smith, Fred A. (see Gove, Norwood)—1236(A)

Smith, George F. Velocity analysis of thermionic emission from single-crystal W—1115
Smith, J. H. and M. Q. Barton. Photodisintegration of Li and He near 200 Mev—1265(A)
Smith, J. R. and E. H. Magleby. Energy dependence of η for U^{235} in region 0.04–1.0 ev—1266(A)
Smith, Lloyd (see Courant, E. D.)—1269(A)
Smith, R. W. Edge electroluminescence from ZnS single crystals—760(L)
Smith, W. G. (see Hollander, J. M.)—1238(A)
Snell, Arthur H. and Frances Pleasonton. Spectrometry of neutrino recoils of A^{37}—1396
Snow, G. A. (see Fry, W. F.)—939(L); 950(L); 1448
Snyder, A., W. Y. Chang, and I. C. Gupta. Double-plate cloud chamber study of V^0-particles. II. Mean decay times of θ^0- and Λ^0-particles—1264(A)
—— (see Gupta, I. C.)—1264(A)
Snyder, Hartland S. (see Goldberg, Jean Snover)—1013
—— (see Green, G. K.)—1268(A)
—— (see Raka, E. C.)—1269(A)
Snyder, S. (see Fagg, L. W.)—1299
Snyder, W. S. and J. Neufeld. Computation of vacancies created by heavy corpuscular radiation—969(A)
Soberman, R. K., A. Beiser, and S. A. Korff. Variation of position of cosmic-ray neutron intensity maximum with geomagnetic latitude—859
—— **and S. A. Korff.** High-altitude cosmic-ray neutron intensity variations—959(A)
Sonder, E. Effect of Sb impurity on self-diffusion of Ag—1662
Sonett, C. P. and K. R. MacKenzie. Relative stopping power of various metals for 200-Mev protons—734
Sorrels, J. D., R. B. Leighton, and C. D. Anderson. Associated production of Ξ^- with two θ^0 particles—1457
——, **G. H. Trilling, and R. B. Leighton.** Λ^0-fragment decay in cloud chamber—1484
Speck, D. R. (see Jenkins, F. A.)—973(A)
Spedding, F. H. (see Elliott, J. F.)—1595
Sperduto, A. and W. W. Buechner. (p,p') and (p,α) reactions of K—961(A)
—— (see Buechner, W. W.)—1387
Spicer, B. M. (γ,p) reaction in A^{40}—791
—— **and A. S. Penfold.** $C^{12}(\gamma,n)$ curve near threshold—1375
—— (see Penfold, A. S.)—1377
Spiegel, V., Jr., B. Waldman, and W. C. Miller. Absolute cross sections for Coulomb scattering of 1.00-, 1.75-, and 2.50-Mev electrons—1244(A)
—— (see Waldman, B.)—1244(A)
Spiro, J., J. G. Cottingham, E. D. Courant, and R. R. Kassner. Electron analog—initial setup—1269(A)
—— (see Courant, E. D.)—1269(A)
—— (see Raka, E. C.)—1269(A)
Squire, Charles F. Apparatus for new magnetism laboratory—966(A)
—— Magnetic properties of superconductors—971(T)
Squire, Robert K. and Burton J. Moyer. Neutral pion production in p-p collisions—1798(A)
Stanley, R. W. Standards of length and wavelength—977(T)
Starner, J. W. (see Duffield, R. B.)—1236(A)
—— (see Mize, J. P.)—1390
Statz, H., G. A. deMars, L. Davis, Jr., and A. Adams, Jr. Surface states on Si—1260(A)
Steffen, R. M. Measurement of magnetic moments of excited nuclear states—1258(T)
—— (see Noble, L. M.)—955(A)
Stehle, P. Particle transport, electric currents, and pressure balance in a magnetically immobilized plasma—443
Stein, Peter (see Odian, Allen)—1241(A)
Steinberger, J. and Harry B. Wolfe. Electrons from muon capture—1490
—— (see Chinowsky, W.)—1476
Stephens, Frank S., Jr., Frank Asaro, and I. Perlman. Radiations from 1− states in even-even nuclei—1543(L)
—— (see Asaro, Frank)—137; 1541(L)
—— (see Hoff, R. W.)—1403
Stern, Frank and Robert M. Talley. Impurity band in semiconductors with small effective mass—1638
Sternglass, E. J. and M. M. Wachtel. Transmission secondary electron multiplication for high resolution counting and imaging—1238(A)
—— (see Holliday, J. E.)—1238(A)
Sternheimer, R. M. Polarization of protons elastically scattered from nuclei—886
—— (see Block, M. M.)—324
Sterzer, Fred and Yardley Beers. Pure quadrupole spectra of CH_3I and CF_3I vapors—1174
Stevens, D. K., J. W. Cleland, J. H. Crawford, Jr., and H. C. Schweinler. Magnetic susceptibility of Ge—1084
Stevenson, M. Lynn (see Alvarez, Luis W.)—1264(A)
Stevenson, Peter C. (see Hicks, Harry G.)—1284
Stewart, A. B. and G. E. Owen. Oscillating glow discharge plasma—1235(A)
Stewart, A. T. (see Brockhouse, B. N.)—756(L)
Stewart, R. W. and W. N. English. Fluctuation of sound transmitted in ocean—969(A)
Stier, P. M. (see Barnett, C. F.)—1268(A)
Stiller, Bertram, N. Seeman, and M. M. Shapiro. Nonmesonic decay of He hyperfragment—959(A)
—— (see Seeman, Nathan)—1480
Stine, Howard A. and Warren Winovich. Application of light-scattering theory to measurement of density fluctuations in turbulent fluids—968(A)
St. John, Robert (see Zei, Dino)—1232(A)
Stork, D. H. Properties of positive K-mesons—1806(T)
—— (see Birge, R. W.)—430(L)
Strandberg, M. W. P. and M. Peter. Precision of microwave spectrographs—963(A)
Streib, J. F. Elastic scattering of electrons by Li^6 and Li^7—1797(A)
Strominger, D. and J. O. Rasmussen. 4.1×10^{-4} second metastable state in Pa^{231}—844
Studier, M. H. (see Fields, P. R.)—172
Stump, R. Angular correlation of annihilation radiation in superconducting Pb—1256(A)
Sugawara, Tadashi. Nuclear spin-lattice relaxation in solid H_2—759(L)
Suhl, H. (see Anderson, P. W.)—1788(L)
Summers-Gill, R. G. Differential cross sections for scattering of charged particles by Be—1795(A)
Sun, C. R. and Byron T. Wright. Double-channel magnetic β-ray spectrometer for short-lived activities—1793(A)
Swami, M. S. (see Fry, W. F.)—939(L); 950(L); 1448
—— (see Schneps, J.)—1263(A)
Swann, C. P. and F. R. Metzger. Production of Y^{88m}, Ba^{137m}, and Hg^{199m} by inelastic neutron scattering—1329
Swenson, C. A. Properties of In and Tl at low temperatures—1607
Swiatecki, W. J. Systematics of fission asymmetry—936(L)
—— Systematics of spontaneous fission half-lives—937(L)
Symon, Keith R. General theory of orbits in FFAG accelerators—1247(A)
Szebehely, V. G. (see Bledsoe, M. D.)—968(A)

Tai, Yuin-Kwei (see Millburn, George P.)—1793(A)
Takata, A. N. (see Meister, A. G.)—1267(A)
Takeda, Gyo. Strong pion-pion interaction model applied to pion-nucleon scattering in 1-Bev region—440(L)

Talbot, L. (see Bowyer, J. M.)—968(A)
Talley, Robert M. (see Stern, Frank)—1638
Tannenwald, P. E. Ferromagnetic resonance in Mn ferrite single crystals—1713
Tatro, C. A. and T. R. Palfrey, Jr. High-energy photoproton emission at 175°—1265(A)
Tauber, G. E. and T. Y. Wu. Self-consistent treatment of nuclear independent-particle model—1240(A)
—— (see Wu, Ta-You)—1767
Tauer, K. J. and R. J. Weiss. Magnetic second order transitions—1223(L)
Taylor, H. L., O. Lönsjö, and T. W. Bonner. Nonelastic scattering cross sections for fast neutrons—174
Taylor, Julius H. Pressure dependence of resistivity, Hall coefficient, and energy gap for InAs—1593
Taylor, S. (see Harris, G.)—932(L)
Taylor, T. I. (see Gould, F. T.)—1248(A)
Telegdi, V. L. (see Meyer-Schützmeister, L.)—961(A)
—— (see Oxley, C. L.)—435(L); 962(A)
Teller, E. Velocity dependence of nuclear potential—1795(T)
Temmer, G. M. and N. P. Heydenburg. Coulomb excitation of Cu, Zn, As, Se, and Ru—961(A)
—— (see Heydenburg, N. P.)—150
Teng, L. C. Billion-volt injection into high-energy accelerators—1247(T)
Terwilliger, K. M., L. W. Jones, F. T. Cole, D. W. Kerst, and R. O. Haxby. Small model FFAG betatron. I. General description—1246(A)
—— (see Jones, L. W.)—1247(A)
Thaler, R. M. (see Biedenharn, L. C.)—376
—— (see Goldstein, M.)—436(L)
Thomas, G. E. (see Bollinger, L. M.)—126
Thomas, R. G. Collision matrix for (n,d) and (p,d) reactions—25
Thompson, Ross D. F. (see Schultz, Cramer)—1809(A)
Thompson, Stanley G. (see Hjalmar, Elis)—1542(L)
—— (see Hoff, R. W.)—1403
Thomson, Robb (see Huntington, H. B.)—1117
Thorndike, A. M. Nucleon-nucleon interactions—1791(T)
Thornton, Robert L. (see Pyle, Robert V.)—1804(A)
Thornton, W. A. Electroluminescence in ZnS—1268(A)
Tice, G. (see Benedict, F. D.)—1545(L)
Ticho, Harold K. (see Barkas, Walter H.)—1797(A)
Tinkham, M. Magnetic resonance demonstration of charge transfer in Fe group fluorides—1792(A)
Tomboulian, D. H. Experimental study of electromagnetic spectrum emitted by high-energy electrons accelerated in synchrotron—977(T)
—— (see Bedo, D. E.)—1257(A)
Tomlinson, E. P. and R. A. Naumann. Decay of Pt^{193}—955(A)
Tomnovec, F. M. and C. S. Cook. 5.3-Mev energy level in Mg^{24} following decay of Na^{24}—1254(A)
Toppel, B. J., D. H. Wilkinson, and D. E. Alburger. Inelastic scattering of protons from F^{19}—1254(A)
—— (see Alburger, D. E.)—1357
Townes, C. H. (see Autler, S. H.)—703
—— (see Dousmanis, G. C.)—1735
—— (see Schawlow, A. L.)—1273
Tredgold, R. H. (see Ayres, R. U.)—1257(A)
—— (see Evans, J. S.)—1250(A)
Treiman, S. B. and H. W. Wyld, Jr. Angular correlation effects in V_1 particle decay—879
Trilling, G. H. Recent studies of V particle production—967(T)
—— **and R. B. Leighton.** Cloud-chamber investigation of charged V particles—1468
—— (see Sorrels, J. D.)—1484
Trolan, J. K., J. P. Barbour, E. E. Martin, and W. P. Dyke. Electron emission from lattice step on clean W—1646
Tseng, T. P. Vapor pressure of solution of He^3 in liquid He^4—977(T)
Tubbs, Eldred F. (see Kerr, Donald E.)—1231(A)
Tweet, A. G. Precipitation of Cu in plastically deformed Ge—1260(A)
Tyler, W. W. and H. H. Woodbury. Scattering of carriers from doubly charged impurity sites in Ge—1259(A)
—— (See Woodbury, H. H.)—659; 1259(A)

Urban, John S. and John J. McClure. Analysis of nuclear emulsion tracks by scattering measurements—1797(A)
Utiyama, Ryoyu. A theory of new particles—248

Vallarta, Manuel Sandoval. Origin of knee of latitude effect of cosmic rays—971(T)
Vand, V. and R. Pepinsky. Developments in statistical approach to x-ray crystal analysis—970(A)
Van Doorn, C. Z. and Y. Haven. Dichroism of F and M absorption bands in KCl—753(L)
Van Dyke, Karl S. Vibrations of quartz plate—1550(A)
Van Lieshout, R., D. H. Greenberg, L. A. Ch. Koerts, and C. S. Wu. Decay of Cr^{48}—223
Van Tuyl, Harold H. (see Lefevre, Harlan W.)—1374
VanZandt, T. E. Derivation from Boltzmann's equation of similarity laws for ionized gases—1235(A)
Vartanian, P. H. (see Ayres, W. P.)—1791(A)
Vegors, Stanley H., Jr., and Peter Axel. γ-ray induced isomers with half-lives between 10^{-6} and 10^{-1} sec—1238(A)
Verlet, L. (see Lane, A. M.)—956(A)
Villars, D. S. (see Rekers, R. G.)—963(A)
Violet, Charles E., F. C. Gilbert, and R. Stephen White. Negative K-particle interactions in nuclear emulsion. I—1803(A)
—— (see Gilbert, F. C.)—1803(A)
—— (see White, R. Stephen)—1803(A)
Visscher, W. M. (see Ferrell, R. A.)—1796(A)
Vivo, Juana L. (see Wertz, John E.)—1792(A); 1810(A)
Vogt, Erich. Nucleon-nucleus interaction with polarization—957(A)
Voigt, A. F. (see Day, M. C., Jr.)—796
Vollrath, R. E. and J. A. R. Samson. Obtaining high temperatures for nuclear fusion—1793(A)
Volman, David H. Excited states of oxygen from energy transfer and light absorption—963(A)
von Engel, A. Past and present ideas about cold arcs—1232(T)

Wachtel, M. M. (see Sternglass, E. J.)—1238(A)
Wadey, W. G. Laboratory vacuum fittings and standardization of vacuum fittings—1549(A)
Wagner, F., Jr. (see Magnusson, L. B.)—1237(A)
Wagoner, G. (see Dresselhaus, G.)—1218(L)
Waldman, B., V. Spiegel, Jr., and W. C. Miller. Plural scattering of fast electrons—1244(A)
—— (see Connors, D. R.)—1237(A)
—— (see Dempsey, D. F.)—1240(A)
—— (see Spiegel, V., Jr.)—1244(A)
Walker, W. C. and G. L. Weissler. Light absorption and photoionization in NO and N_2O—1231(A)
Walker, W. D. and W. D. Shephard. π^--p collisions at 1.0 Bev—1264(A)
—— (see Shephard, W. D.)—1264(A)
Wallace, P. R. Annihilation of positrons in condensed materials—738

Wallace, Roger W., Malvern H. L. Jester, and John M. Brabant. Total-absorption spectrometer measurements of γ rays emitted from targets bombarded with 6.2-Bev protons—962(A)
Wallenmeyer, W. A. Meson production in n-p collisions by Cosmotron-produced neutrons with energies up to 1.5 Bev—1255(A)
Wallis, M. C. (see Herman, Robert)—1267(A)
Wallis, R. F. (see Herman, Robert)—1267(A)
Walsh, J. M. Dynamic compressions for some twenty-five solids and liquids at explosively attainable pressures—954(T)
Walton, R. B. (see Darden, S. E.)—1315
Wannier, Gregory H. Possibility of a Zener effect—1227(L)
—— Threshold law for multiple ionization—1180
Warburton, E. K. (see McGruer, J. N.)—235
Ward, J. K. and C. M. Loyd. Intensity of vibronic bands in 3000–5000 A absorption system of ClO_2—963(A)
Warren, K. L. (see Silvidi, A. A.)—979(A)
Wattenberg, Albert (see Feld, B. T.)—1539(L)
—— (see Odian, Allen)—1241(A)
—— (see Ritson, D. M.)—1263(A)
Waymouth, John F. (see Bitter, Francis)—1230(A)
Webb, Francis H. (see Chupp, Warren W.)—959(A)
Webber, William R. and Frank B. McDonald. Intensities of low-Z components of primary cosmic radiation at λ=41° using Čerenkov detector—1460
Webeler, R. W. (see Schwed, P.)—978(A)
Wegner, H. E. (see Bloom, S. D.)—1248(A)
—— (see Eisberg, R. M.)—961(A); 1309
—— (see Igo, G.)—1244(A); 1796(A)
Weinman, J. A., J. R. Cameron, and R. G. Herb. Negative H ion source—1239(A)
Weinstein, Roy (see Allen, Odian)—1241(A)
Weinstock, E. V. and J. Halpern. Bremsstrahlung spectrum from internal target of 22-Mev betatron—1293
Weiss, R. J. (see Tauer, K. J.)—1223(L)
Weissler, G. L. and L. Z. Maudlin. Absorption of vacuum ultraviolet radiation by thin plastic films—1800(A)
—— (see Walker, W. C.)—1231(A)
Welber, B. and B. M. Rosenbaum. State of order of Cd-poor $MgCd_3$—978(A)
Welker, Joan P. and M. L. Perlman. K-capture-positron ratios for first forbidden transitions of Rb^{86} and relative probability of L- to K-electron capture—74
—— (see Perlman, M. L.)—81
Weneser, J. (see Church, E. L.)—943(L); 1241(A)
Wenzel, W. A. (see Cork, Bruce)—962(A)
Wert, C. (see Sivertsen, J.)—1256(A)
Wertz, John E. and Juana L. Vivo. Electron spin resonance of defect centers in Mg oxide—1792(A)
——, **Juana L. Vivo, and Boris Musulin.** Electron spin resonance of impurities in Mg oxide—1810(A)
Westendorp, W. F. Recent cathode-ray developmental work—977(T)
Wexler, S. (see Goodman, L. S.)—1245(A); 1796(A)
Whaling, Ward (see Pixley, R. E.)—1805(A)
Wheatley, G. H. (see Hrostowski, H. J.)—1672
Wheelon, Albert D. Single-meson production in nucleon-nuclei collisions—974(A)
White, R. Stephen, F. C. Gilbert, and Charles E. Violet. Negative K-particle interactions in nuclear emulsion. III—1803(A)
—— (see Gilbert, F. C.)—1803(A)
—— (see Violet, Charles E.)—1803(A)
Whitehead, M. N. (see Birge, R. W.)—430(L)
Whitsett, C. R. and G. C. Danielson. Electrical properties of semiconductors Mg_2Si and Mg_2Ge—1261(A)
Wiegand, Clyde. Mass determination of antiproton—1801(T)
—— (see Chamberlain, Owen)—947(L)
Wiewall, Miguel, Jr. Observations of ionospheric drifts over Puerto Rico—968(A)
Wight, H. M. Ultrasonic investigation of vibrational energy transitions in N_2O induced by molecular collisions with H_2O and D_2O—977(T)
Wilcox, L. (see Drummond, J. E.)—1233(A)
Wilkinson, D. H. Reactions $C^{12}(d,n)N^{13}$ ground state and $C^{12}(d,t)C^{11}$ up to E_d=20 Mev—32
—— (see Toppel, B. J.)—1254(A)
Wilkinson, Roger G. (see Pruett, Charles H.)—1237(A)
Willard, H. B. (see Bair, J. K.)—21
Williams, D. B., D. M. Haskin, M. Koshiba, and Marcel Schein. Capture of K^--meson with emission of high-energy electron as only visible prong—1547(L)
—— (see Haskin, D. M.)—1263(A)
Williams, H. Bartel (see Hatch, Albert J.)—1228(A)
Williams, Ross E. (see Pevsner, Aihud)—1419
Williamson, R. M. and K. W. Jones. $Li^7(p,p'\gamma)$ and $Li^7(p,\gamma)$ reactions—960(A)
Wilson, R. R. Initial performance of Cornell strong-focusing synchrotron—962(T)
Winans, J. G. (see Zei, Dino)—1232(A)
Windham, P. M. (see Gossett, C. R.)—203
Winhold, E. J. (see Burkhardt, J. L.)—199
Winick, H. (see Sachs, A. M.)—1255(A)
Winovich, Warren (see Stine, Howard A.)—968(A)
Winter, Rolf G. Double K capture and single K capture with positron emission—142
Witte, R. S. (see Martz, D. E.)—1808(A)
Wolfe, Harry B. (see Steinberger, J.)—1490
Wolff, G. A., R. A. Herbert, and J. D. Broder. Electroluminescence of GaP—1144
Wolicki, E. A., L. W. Fagg, and E. H. Geer. Coulomb excitation of energy levels in Br and Re—1265(A)
—— (see Fagg, L. W.)—1299
—— (see Geer, E. H.)—215
Wollan, E. O. and W. C. Koehler. Neutron diffraction study of magnetic properties of series of perovskite type compounds $[(1-x)La, xCa]MnO_3$—545
Wood, G. T. and P. S. Jastram. Directional and polarization-direction correlations in Pb^{208} γ-γ cascades—1237(A)
Woodbury, H. H. Electronic effects of Ge containing double acceptor impurities—1794(T)
—— **and W. W. Tyler.** Properties of Ge doped with Mn—659
—— **and W. W. Tyler.** Properties of Zn-doped Ge—1259(A)
—— (see Tyler, W. W.)—1259(A)
Woods, R. D. (see Callaway, J.)—956(A)
Wooten, B. A. (see Sachs, A. M.)—1255(A)
Wright, Byron T. (see Heusinkveld, Myron)—1804(A)
—— (see Royden, Herbert N.)—1805(A)
—— (see Sun, C. R.)—1793(A)
Wright, G. T. Fluorescence excitation spectrum of anthracene—587
—— Scintillation response of anthracene crystals to short-range electrons—588
Wright, Robert W., George Saphir, Wilson M. Powell, George Maenchen, and William B. Fowler. p-p interactions at 5.3 Bev—1802(A)
—— (see Maenchen, George)—1802(A)
Wu, Chien Shiung (see Benczer, N.)—955(A)
—— (see Lindqvist, Torsten)—145
—— (see Van Lieshout, R.)—223
Wu, Ta-You. Electron affinity of B, C, N, and O atoms—1195

—— **and G. E. Tauber.** "Contact interaction" in relativistic energy of two-electron atoms—1767
—— (see Tauber, G. E.)—1240(A)
Wyld, H. W. (see Arnold, W. H., Jr.)—1545(L); 1804(A)
—— (see Treiman, S. B.)—879
Wyluda, B. J. and R. G. Shulman. Cu in Ge; Recombination center and trapping center—1258(A)
—— (see Shulman, R. G.)—1792(A)

Yager, W. A. (see Fletcher, R. C.)—747(L)
—— (see Galt, J. K.)—748(L)
Yamagata, Taketora and Megumu Yoshimine. Monte Carlo calculation on Čerenkov counters—1246(A)
Yavin, Avivi I. and Fred H. Schmidt. Precision energy measurements of γ rays following decay of Bi^{207}—171
Yennie, D. R. Interactions of electrons and nucleons—1795(T)
Yergin, Paul F. and Burton P. Fabricand. $Mg(\gamma,n)$ cross section—1249(A)
—— **and Burton P. Fabricand.** $Sr^{84, 87, 88}$, Y^{89}, $Zr^{90}(\gamma,n)$ cross sections—1269(A)
—— (see Novick, Robert)—1153
Yilmaz, Huseyin. Wave functions and transition probabilities for light atoms—1148
Yodh, G. B. Pion production by inelastic scattering of electrons in H—1791(T)
Yoshimine, Megumu (see Yamagata, Taketora)—1246(A)
Yoshinaga, Hiroshi. Reflectivity of several crystals in far infrared region between 20 and 200 microns—753(L)
Ypsilantis, Thomas (see Chamberlain, Owen)—947(L)
Yuan, Luke C. L. (see Lindenbaum, S. J.)—306

Zachariasen, F. Photoproduction of π-meson pairs in H—1809(A)
Zandy, Hassan F. M_{IV} and M_V absorption lines and edges of $_{64}$Gd, $_{66}$Dy and $_{70}$Yb—1549(A)
Zei, Dino, Robert St. John, and J. G. Winans. Properties of arc cathode spots in magnetic fields—1232(A)
Zemach, A. C. (see Moellering, W. M.)—441
Zimmerman, R. L. (see Palevsky, H.)—1266(A)
Ziomek, Joseph S. (see Piotrowski, Edward A.)—1267(A)
Zollweg, Robert J. X-ray lattice constant of BaO—671
Zucker, A. (see Reynolds, H. L.)—226

Analytic Subject Index to Volume 100

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (L) are to Letters to the Editor; references with (E) are to Errata. Items are listed under the following categories:

Acoustics
Astrophysics
Atomic and Molecular Beams
Atomic Mass and Abundance
Atomic Structure and Spectra
Biophysics
Chemical Effects and Properties
Constants, Standards, Units
Cosmic Radiation
Crystalline State
Dielectrics and Dielectric Properties
Diffraction
Diffusion
Elasticity and Plasticity
Electrical Conductivity and Resistance
Electrical Discharges
Electrical Properties
Electromagnetic Theory and Electrodynamics
Electrons and Positrons
Elementary Particle Interactions
Errata
Field Theory
Films, Properties
Fluid Dynamics
Gamma Rays
Gases
Geophysics
Helium, Liquid
Imperfections in Solids
Ionization
Ions
Ions and Electrons, Mobility
Liquids
Luminescence
Magnetic Properties
Magnetic Resonance
Mathematical Methods
Mechanics
Mesons and Hyperons
Methods and Instruments
Microwaves
Miscellaneous
Molecular Aggregates
Molecular Structure and Spectra
Neutrino
Noise
Nuclear Fission
Nuclear Moments and Spin
Nuclear Photoeffects
Nuclear Reactions, General
Nuclear Reactions Induced by α Particles and He^3
Nuclear Reactions Induced by Deuterons and Tritons
Nuclear Reactions Induced by Mesons
Nuclear Reactions Induced by Neutrons
Nuclear Reactions Induced by Protons
Nuclear Spectra
Nuclear Structure Theory
Optical Properties
Proceedings of the American Physical Society
Quantum Electrodynamics
Quantum Mechanics
Radiation
Radioactivity
Range and Energy Loss of Particles
Relativity and Gravitation
Scattering, General
Scattering of α Particles
Scattering of Deuterons and Tritons
Scattering of Electrons and Positrons
Scattering of Mesons
Scattering of Neutrons
Scattering of Protons
Semiconductors
Spectra, General
Statistical Mechanics and Thermodynamics
Superconductivity
Thermal Properties
X-Rays

Absorption of Radiation (see **Radiation**)

Acoustics

Fluctuation of sound transmitted in ocean, R. W. Stewart and W. N. English—969(A)

Relative absorption of 10-Mc/sec longitudinal sound waves in a superconducting polycrystalline Sn rod, L. Mackinnon—655

Ultrasonic attenuation in superconducting and normal-conducting Sn at low temperature, H. E. Bömmel—758(L)

Adsorption (see **Gases**)

Aerodynamics (see **Fluid Dynamics**)

Afterglow (see **Electrical Discharges**)

Alloys (see **Crystalline State**)

Annihilation (see **Electrons and Positrons**)

Antiferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)

Antiferromagnetism (see **Magnetic Properties**)

Antiprotons (see **Elementary Particle Interactions**)

Arcs (see **Electrical Discharges**)

Astrophysics

Hypothesis for origin of magnetic fields and angular rotations of stars and planets, Winston H. Bostick—1007

Interplanetary magnetic fields and cosmic rays, Leverett Davis, Jr.—958(A); 1440

Atmosphere (see **Geophysics**)

Atomic and Molecular Beams

Electron loss cross section for fast He atoms, C. F. Barnett and P. M. Stier—1268(A)

Low-energy scattering of electrons by atoms, J. Hammer, H. Malamud, and B. Bederson—1229(A)

Nuclear spin and magnetic moment of 50-day In^{114m}, L. S. Goodman and S. Wexler—1245(A)

Nuclear spin and magnetic moment of 54-min In^{116m}, L. S. Goodman and S. Wexler—1796(A)

Redetermination of hyperfine splittings of H and D in ground state, P. Kusch—1188

Resonance transitions induced by perturbations at two or more different frequencies, Norman F. Ramsey—1191

Theory of multiple-quantum transitions, M. N. Hack—975(A)

Atomic Mass and Abundance

Atomic masses of H^1, D^2, C^{13}, and S^{33}, K. S. Quisenberry, T. T. Scolman, and A. O. Nier—1245(A)

Mass doublet measurements with Minnesota 16-in. mass spectrometer, T. T. Scolman, K. S. Quisenberry, and A. O. Nier—1245(A)

Atomic Structure and Spectra

Effect on x-ray fine structure of deviations from a Coulomb field near the nucleus, A. L. Schawlow and C. H. Townes—1273

Electron affinity of B, C, N, and O atoms, Ta-You Wu—1195

Fine structure of singly ionized He, Robert Novick, Edgar Lipworth, and Paul F. Yergin—1153

Hartree-Fock wave functions for Mn^{+4}, W. W. Piper and J. S. Prener—1250(A)

Isotope shift in spectra of Hg^{196}-Hg^{200}, Fred McClung and John R. Holmes—1792(A)

Lifetime of imprisoned resonance radiation in Ne, A. V. Phelps—1230(A)

Mesonic x-rays from capture of cosmic-ray μ mesons in chemical compound, A. Fafarman and M. H. Shamos—874

Nuclear moments of Gd from optical hfs, F. A. Jenkins and D. R. Speck—973(A)

Nuclear moments of Mo^{95}, Mo^{97}, Zr^{91}, I^{127}, Sb^{121}, and Sb^{123}, Kiyoshi Murakawa—1369

Redetermination of hyperfine splittings of H and D in ground state, P. Kusch—1188
Resonance irradiation of Hg vapor in nitrogen, J. A. Berberet and K. C. Clark—506
Spatial extension of proton magnetic moment from hfs of hydrogen, W. M. Moellering, A. C. Zemach, A. Klein, and F. E. Low—441(L)
Tc K x-ray spectrum, George L. Rogosa and William F. Peed—1763
Theory of atomic perturbation in α decay, H. M. Schwartz—135
Wave functions and transition probabilities for light atoms, Huseyin Yilmaz—1148
Auger Effect (see **Atomic Structure and Spectra; X-Rays**)
Aurora (see **Astrophysics; Geophysics**)

Barkhausen Effect (see **Magnetic Properties**)
Biophysics
Present limitations of x-ray analyses of organic natural products, O. Cano-Corona and R. Pepinsky—970(A)
Boson Theory (see **Field Theory**)
Bremsstrahlung (see **Radiation**)
Broadening of Spectral Lines (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Spectra, General**)

Capture Cross Sections (see **Electrons and Positrons; Nuclear Reactions; Radiation**)
Čerenkov Effect (see **Radiation**)
Chemical Effects and Properties
Chemical Reactions (see **Chemical Effects and Properties**)
Chemiluminescence (see **Luminescence**)
Cold Emission (see **Electrical Properties**)
Colloids (see **Chemical Effects and Properties; Molecular Aggregates**)
Compton Effect (see **Radiation**)
Conductivity, Electrical (see **Electrical Conductivity and Resistance**)
Conductivity, Thermal (see **Thermal Properties**)
Constants, Standards, Units
Improved value of velocity of light derived from band spectrum method, D. H. Rank, H. E. Bennett, and J. M. Bennett—993
Cosmic Radiation (see also **Mesons and Hyperons**)
Absence of meteorological effects on world-wide sunspot variation in cosmic-ray ionization, Scott E. Forbush—958(A)
Čerenkov counter for high-energy cosmic rays, D. C. Moore and R. J. Hanson—972(A)
Change with time of low-energy part of cosmic-ray spectrum, H. V. Neher—959(A)
Cloud-chamber investigation of charged V particles, G. H. Trilling and R. B. Leighton—1468
Cloud-chamber observations of μ-meson-induced electron showers, C. A. Rouse—1797(A)
Cosmic-ray electrons near sea level and at mountain altitudes, Paul B. Barker—860
East-west asymmetry of positive and negative mesons at geomagnetic equator, F. B. Harris and I. Escobar—255
High-altitude cosmic-ray neutron intensity variations, R. K. Soberman and S. A. Korff—959(A)
High-energy electromagnetic phenomena in cosmic radiation, M. Koshiba and M. F. Kaplon—327
Intensities of low-Z components of primary cosmic radiation at $\lambda=41°$ using Čerenkov detector, William R. Webber and Frank B. McDonald—1460
Interplanetary magnetic fields and cosmic rays, Leverett Davis, Jr.—958(A); 1440
Strange cosmic-ray event, C. H. Skeen and W. Z. Osborne—1797(A)
Time variation of primary heavy nuclei flux in cosmic radiation, M. Koshiba and Marcel Schein—1247(A)
Variation of position of cosmic-ray neutron intensity maximum with geomagnetic latitude, R. K. Soberman, A. Beiser, and S. A. Korff—859
Cosmology (see **Astrophysics; Relativity and Gravitation**)
Coulomb Excitation (see **Nuclear Reactions; Nuclear Spectra**)
Critical Potentials (see **Atomic Structure and Spectra; Molecular Structure and Spectra**)
Cross Section (see **Electrons and Positrons; Nuclear Reactions; Radiation; Scattering**)
Crystal Counters (see **Methods and Instruments**)
Crystalline State (see also **Electrical Properties; Imperfections in Solids; Magnetic Properties; Semiconductors; etc.**)
Absorption cross section for light in perfect solids, D. L. Dexter—964(A)
Annihilation of positrons in condensed materials, P. R. Wallace—738
Arrangement of atoms in wollastonite-type crystals, M. J. Buerger—970(A)
Brillouin zone studies. V. Thermoelectric power of dilute Mg alloys, E. W. Kammer, E. I. Salkovitz, and A. I. Schindler—1257(A)
Coulomb enhancement of positron annihilation in metals, Richard A. Ferrell—973(A)
Crystal engineering: New concept in crystallography, R. Pepinsky—971(A)
Crystal structure of solid rare gases, R. U. Ayres and R. H. Tredgold—1257(A)
Cyclotron absorption in Bi, R. N. Dexter and Benjamin Lax—1216(L)
Detection of vacancies created by x-rays in NaCl, H. W. Etzel—1643
Developments in statistical approach to x-ray crystal analysis, V. Vand and R. Pepinsky—970(A)
Dichroism of F and M absorption bands in KCl, C. Z. van Doorn and Y. Haven—753(L)
Direct x-ray determination of absolute configurations of optically active molecules, Y. Saito, Y. Okaya, and R. Pepinsky—970(A)
Dislocation energies in NaCl, H. B. Huntington, J. E. Dickey, and Robb Thomson—1117
Effect of defects on lattice vibrations, Elliott W. Montroll and Renfrey B. Potts—525
Effect of impurities on lattice vibrations, Elliott W. Montroll and R. B. Potts—969(A)
Electron correlation, Joseph E. Mayer—1579
Energy band calculations in f.c.c. Th, G. W. Lehman—1791(A)
Energy levels of crystal modified by alloying or by pressure, R. H. Parmenter—573
Exciton absorption in cuprous oxide, J. H. Apfel and L. N. Hadley—1689
Field emission microscopy of allotropic transformation: α-β titanium, Ernest G. Brock—1619
Frequencies and relative intensities of R_1 and R_2 bands in KCl, Robert Herman, M. C. Wallis, and R. F. Wallis—1267(A)
Interpretation of optical properties of metal surfaces, S. Roberts—1667
Interpretation of stored energy of irradiated graphite in terms of elastic energy associated with microscopic strain, Alfred E. Austin and Ralph J. Harrison—1225(L)

Crystalline State (Continued)
Irradiation of graphite at liquid He temperatures, Stanley B. Austerman and John E. Hove—1214(L)
Kinetics of processes distributed in activation energy, William Primak—1677
Lattice constants of graphite at low temperatures, Y. Baskin and L. Meyer—544
Neutron diffraction study of magnetic properties of series of perovskite-type compounds $[(1-x)\mathrm{La}, x\mathrm{Ca}]\mathrm{MnO_3}$, E. O. Wollan and W. C. Koehler—545
Neutron diffraction study of VD_x, B. W. Roberts—1257(A)
New method for determination of activation energies, J. A. Brinkman—1807(A)
Nuclear magnetic resonance studies of imperfect ionic crystals, F. Reif—1597
Phase transformations in microstructure of explosively loaded Fe and steel, E. W. LaRocca—1800(A)
Possibility of Zener effect, Gregory H. Wannier—1227(L)
Precipitation of Cu in Ge, R. A. Logan—615
Present limitations of x-ray analyses of organic natural products, O. Cano-Corona and R. Pepinsky—970(A)
Radiation-induced amorphism in diamond, Paul W. Levy and Otto F. Kammerer—1787(L)
Scattering of neutrons by phonons in Al single crystal, B. N. Brockhouse and A. T. Stewart—756(L)
Small-oscillation theory of interaction of particle and scalar field, E. P. Gross—1571
Spin-orbit coupling effects in Zn blende structures, G. Dresselhaus—580
State of order of Cd-poor $MgCd_x$, B. Welber and B. M. Rosenbaum—978(A)
Stored-energy release in graphite irradiated at low temperatures, S. B. Austerman—1807(A)
Theory of role of covalence in perovskite-type manganites $[\mathrm{La}, M(\mathrm{II})]\mathrm{MnO_3}$, John B. Goodenough—564
Tracer studies on radiation-damaged graphite, G. L. Montet, A. F. Kurs, and G. R. Hennig—1261(A)
Use of field emission microscope for investigating surface conditions on an alloy, L. A. D'Asaro—1258(A)
X-ray lattice constant of BaO, Robert J. Zollweg—671
Young's modulus of Au-Ni alloys, J. Sivertsen and C. Wert—1256(A)

Diamagnetism (see **Magnetic Properties**)
Dielectrics and Dielectric Properties
Radiation-induced dielectric changes in phosphorescent material, A. Skoglund and A. Ore—1549(A)
Single crystal neutron analysis of tetragonal $BaTiO_3$, B. C. Frazer, H. R. Danner, and R. Pepinsky—745(L)
Vibrations of quartz plate, Karl S. Van Dyke—1550(A)
Diffraction (see also **Scattering**)
Arrangement of atoms in wollastonite-type crystals, M. J. Buerger—970(A)
Atomic distribution in liquid He by neutron diffraction, D. G. Hurst and D. G. Henshaw—994
Crystal engineering: New concept in crystallography, R. Pepinsky—971(A)
Developments in statistical approach to x-ray crystal analysis, V. Vand and R. Pepinsky—970(A)
Direct x-ray determination of absolute configurations of optically active molecules, Y. Saito, Y. Okaya, and R. Pepinsky—970(A)
Interatomic correlations in liquid He^4, Louis Goldstein—981
Neutron diffraction study of magnetic properties of series of perovskite-type compounds $[(1-x)\mathrm{La}, x\mathrm{Ca}]\mathrm{MnO_3}$, E. O. Wollan and W. C. Koehler—545
Neutron diffraction study of VD_x, B. W. Roberts—1257(A)
Present limitations of x-ray analyses of organic natural products, O. Cano-Corona and R. Pepinsky—970(A)
Single-crystal neutron analysis of tetragonal $BaTiO_3$, B. C. Frazer, H. R. Danner, and R. Pepinsky—745(L)
Diffusion
Diffusion of like particles across magnetic field, Albert Simon—1557
Diffusion of Zn in single crystals of Ag, A. Sawatzky and F. E. Jaumot, Jr.—1627
Effect of Sb impurity on self-diffusion of Ag, E. Sonder—1662
Ion diffusion in a uniform magnetic field, K. S. W. Champion and A. B. de Saint Maurice—1233(A)
Thermal diffusivity of U from room temperature to 1000°C, P. H. Sidles—1256(A)
Discharge of Electricity in Gases (see **Electrical Discharges**)
Disintegration and Excitation of Nucleus (see **Nuclear Reactions**)
Dynamics (see **Mechanics**)

Elasticity and Plasticity
Influence of lattice defects on Young's modulus of Cu, H. Dieckamp—1807(A)
Interpretation of stored energy of irradiated graphite in terms of elastic energy associated with microscopic strain, Alfred E. Austin and Ralph J. Harrison—1225(L)
Mechanical properties of Si, Ge, and ZnO whiskers, G. L. Pearson, W. T. Read, Jr., and W. L. Feldmann—1251(A)
Mechanical strength of thin films of metals, J. W. Beams, J. B. Breazeale, and W. L. Bart—1657
Properties of In and Tl at low temperatures, C. A. Swenson—1607
Time dependence of mechanical breakdown phenomena, Bernard D. Coleman—1257(A)
Young's modulus of Au-Ni alloys, J. Sivertsen and C. Wert—1256(A)
Electrical Breakdown (see **Dielectrics and Dielectric Properties; Electrical Discharges**)
Electrical Conductivity and Resistance (see also **Semiconductors; Superconductors**)
Determination of surface resistivity of metal surfaces by Z measurement, A. R. Quinton and R. Beringer—1549(A)
Effect of low-temperature electron irradiation on electrical resistivity of Cu, C. J. Meechan—1807(A)
Effect of pressure on electrical resistance of metals at liquid He temperatures, J. Hatton—681
Electrical and optical properties of intermetallic compounds. IV. Mg_2Sn, R. F. Blunt, H. P. R. Frederikse, and W. R. Hosler—663
Electrical conduction in Plexiglas, Raymond J. Munick—1256(A)
Electrical properties of Mg_2Sn at low temperatures, W. R. Hosler and H. P. R. Frederikse—1261(A)
Field dependence of Hall potential and magnetoresistance of irradiated graphite, J. D. McClelland—1807(A)
Generalized theory of mobility, Melvin Lax—1808(A)
Hall effect and conductivity of InSb, H. J. Hrostowski, F. J. Morin, T. H. Geballe, and G. H. Wheatley—1672
Hall effect and magnetoresistance of Bi single crystals at He temperatures, R. A. Connell and J. A. Marcus—1256(A)
Hall effect in gray Sn filaments, E. E. Kohnke and A. W. Ewald—1251(A)
Hall effect noise, James J. Brophy and Norman Rostoker—754(L)

Measurement of magnetic field gradients by Hall effect, R. D. Redin and G. C. Danielson—1257(A)
Post-bombardment conductivity of MgO crystals, M. A. Pomerantz, J. F. Marshall, and R. A. Shatas—964(A)
Pressure dependence of resistivity, Hall coefficient, and energy gap for InAs, Julius H. Taylor—1593
Properties of In and Tl at low temperatures, C. A. Swenson—1607
Recombination processes in Te, David Redfield—1094
Reduction of charge carrier concentration in InSb at 4.2°K by strong magnetic field, R. W. Keyes and R. J. Sladek—1262(A)
Search for Hall effect in superconductor. II. Theory, H. W. Lewis—641
Transverse field effects in PbS, D. E. Martz and R. S. Witte—1808(A)

Electrical Discharges
Attenuation of 1-cm microwaves by abnormal dc discharge in He, Z. Geller and W. Low—1240(A)
Collision cross section of N_2 molecules with slow electrons, L. Goldstein and J. M. Anderson—1229(A)
Cyclotron resonance of electrons in gaseous discharge plasmas, M. Gilden and L. Goldstein—1233(A)
Derivation from Boltzmann's equation of similarity laws for ionized gases, T. E. VanZandt—1235(A)
Diffusion of like particles across magnetic field, Albert Simon—1557
Drift velocity of electrons in He and H_2 at low fields, J. L. Pack and A. V. Phelps—1229(A)
Electrical characteristics of low-pressure spark discharges, R. J. Lee and R. G. Fowler—1234(A)
Electron loss in hydrogen afterglow, Karl-B. Persson and Sanborn C. Brown—729
Electron mobilities in gases, Joseph C. Bowe—1268(A)
Failure of Schottky theory for positive column of O_2, D. S. Burch, G. H. Dunn, R. Geballe, and V. M. Madsen—1235(A)
First and second Townsend coefficients in H_2 and N_2, D. J. De Bitetto and L. H. Fisher—1227(A)
Formative breakdown delays in noble gases at small overvoltages, B. T. McClure—1228(A)
Formative time lags of positive point-to-plane corona in N_2 and A, L. A. Bornstein and L. H. Fisher—1228(A)
Glow-to-arc transitions in column of high-pressure glow in H_2, W. A. Gambling—1232(A)
High-frequency gas discharge breakdown in Ne-A mixtures, H. J. Oskam—1228(A)
Inclusion of Coulomb interactions in Boltzmann equations, H. Dreicer and W. P. Allis—1234(A)
Influence of electron emission on cathode processes of arc, G. Ecker—1232(A)
Ion diffusion in uniform magnetic field, K. S. W. Champion and A. B. de Saint Maurice—1233(A)
Lifetime of imprisoned resonance radiation in Ne, A. V. Phelps—1230(A)
Low-pressure afterglow studies in N_2, A. C. Faire and George W. Griffing—1231(A)
Magnetohydrodynamic waves in ionized plasma, W. A. Newcomb—968(A)
Microwave studies of slow-electron collision processes in He plasmas, J. M. Anderson and L. Goldstein—1229(A)
Minimum quenching times of low-voltage, nonself-quenching Geiger counters, Roger D. Erickson—1234(A)
Negative-ion formation in iodine by electron capture, R. E. Fox—1229(A)
Oscillating glow discharge plasma, A. B. Stewart and G. E. Owen—1235(A)
Particle transport, electric currents, and pressure balance in a magnetically immobilized plasma, P. Stehle—443
Pressure limits of high-frequency secondary electron resonance breakdown mechanism, Albert J. Hatch and H. Bartel Williams—1228(A)
Production and loss of excited atoms in He positive column, L. S. Frost and A. V. Phelps—1234(A)
Pronounced deviations from Maxwellian velocity distribution of electrons in hollow hot cathode diodes with Ne filling, Gustav Medicus—1232(A)
Properties of arc cathode spots in magnetic fields, Dino Zei, Robert St. John, and J. G. Winans—1232(A)
Radiation temperature of plasma, Francis Bitter and John F. Waymouth—1230(A)
Resonance irradiation of Hg vapor in nitrogen, J. A. Berberet and K. C. Clark—506
Resonant power transfer within plasma in magnetic field, J. E. Drummond and L. Wilcox—1233(A)
Semiempirical calculation of Townsend α, Peter L. Auer—1228(A)
Semirandom sparking in short air gap, C. D. Maldonado and R. C. Retherford—1228(A)
Short arcs, L. H. Germer and W. S. Boyle—1232(A)
Townsend's first ionization coefficient in N_2, Melvin A. Harrison—1800(A)
Transient behavior following breakdown and its relation to afterglow processes, Donald E. Kerr and Eldred F. Tubbs—1231(A)
Uv continuum of XeHg' molecule, Carl Kenty—1231(A)

Electrical Properties (see also **Dielectrics and Dielectric Properties; Electrical Conductivity and Resistance; Semiconductors; Superconductors**)
Application of space-charge theory to determination of electron emitter properties, W. B. Nottingham—964(A)
Brillouin zone studies. V. Thermoelectric power of dilute Mg alloys, E. W. Kammer, E. I. Salkovitz, and A. I. Schindler—1257(A)
CdS photorectifier, Lawrence C. Greene—978(A)
Effect of point imperfections on electrical properties of Cu. II. Thermoelectric power, F. J. Blatt—666
Electrical breakdown in InSb at low temperature, Ralph Bray—1262(A)
Electron emission from lattice step on clean tungsten, J. K. Trolan, J. P. Barbour, E. E. Martin, and W. P. Dyke—1646
Field effect in Si, S. Penman and W. L. Brown—1259(A)
Field emission microscopy of allotropic transformation: α-β titanium, Ernest G. Brock—1619
Interaction of elementary particles, Joseph G. Barredo—970(A)
Longitudinal photomagnetoelectric effect in Ge, Gerhart Groetzinger and Jack Aron—978(A); Jack Aron and Gerhart Groetzinger—1128
Preparation and electrical properties of Bi_2Te_3, T. C. Harman, S. E. Miller, and H. L. Goering—1262(A)
Pressure limits of high-frequency secondary electron resonance breakdown mechanism, Albert J. Hatch and H. Bartel Williams—1228(A)
Quantum yield of CdS photovoltaic cell, R. E. Marburger, D. C. Reynolds, L. L. Antes, and R. S. Hogan—978(A)
Schottky effect for SrO films on Mo, G. A. Haas and E. A. Coomes—640
Statistical mechanics of cathode sputtering, Don E. Harrison, Jr.—1234(A)
Thermoelectric power in semiconductor showing high-temperature degeneracy, V. A. Johnson—1251(A)
Thermoelectric power of AuCu in nonequilibrium states, P. Schwed, H. Cooper, and R. W. Webeler—978(A)
Use of field emission microscope for investigating surface conditions on alloy, L. A. D'Asaro—1258(A)
Velocity analysis of thermionic emission from single-crystal tungsten, George F. Smith—1115

Electrodynamics (see **Electromagnetic Theory and Electrodynamics**)
Electrolysis (see **Chemical Effects and Properties**)
Electromagnetic Theory and Electrodynamics
Alternative interpretation of magnetic forces between moving charges, John Backus—1808(A)
Determination of magnetic field strength H and its vector potential A in terms of magnetic field strength H_0 on plane surface, with application to spiral ridged FFAG accelerator, Edward S. Akeley—972(A)
Fluctuations on damped transmission line, C. W. McCombie—444
Interaction of electromagnetic waves of $r^{\frac{1}{2}}$ in isothermal plasmas: Collision cross section of He atoms and ions for electrons, J. M. Anderson and L. Goldstein—1037
Tensor scattering matrix for electromagnetic field, David S. Saxon—1771
Theory of orbits in FFAG accelerators, Keith R. Symon —1247(A)
Third-order aberration and focusing with sector-shaped magnetic field, D. F. Dempsey, W. C. Miller, and B. Waldman—1240(A)
Electron Diffraction (see **Diffraction; Scattering of Electrons and Positrons**)
Electron Optics (see **Electromagnetic Theory and Electrodynamics**)
Electronic Tubes (see **Methods and Instruments**)
Electrons and Positrons (see also **Electromagnetic Theory and Electrodynamics; Elementary Particle Interactions; Scattering of Electrons and Positrons**)
Angular correlation of annihilation radiation in superconducting Pb, R. Stump—1256(A)
Annihilation of positrons in condensed materials, P. R. Wallace—738
Contribution of electron to pair production in atomic hydrogen, F. Rohrlich and J. Joseph—1241(A)
Coulomb enhancement of positron annihilation in metals, Richard A. Ferrell—973(A)
Multiple photon production from electron pair annihilation, J. Joseph—1241(A)
Electrons, Mobility (see **Ions and Electrons, Mobility**)
Electrons, Scattering of (see **Scattering of Electrons and Positrons**)
Electrons, Secondary (see **Electrical Properties**)
Electrons, Thermionic (see **Electrical Properties**)
Electro-Optical Effects (see **Optical Properties**)
Electrostriction (see **Dielectrics and Dielectric Properties**)
Elementary Particle Interactions
Analysis of capture stars of K^--mesons from Berkeley Bevatron, D. M. Haskin, D. B. Williams, E. Goodman, and Marcel Schein—1263(A)
Angular distribution of Λ^0 and θ^0 decays, Robert K. Adair —1540(L)
Angular distribution of n-p scattering at 17.9 Mev, A. Galonsky and J. P. Judish—121
Anomalous magnetic moment of nucleon, Kurt Haller and Marvin H. Friedman—1501
Causality in pion-proton scattering, H. L. Anderson, W. C. Davidon, and U. E. Kruse—339
Diffusion chamber study of very slow mesons. III. Scattering of negative pions in hydrogen, M. C. Rinehart, K. C. Rogers, and L. M. Lederman—883
Dispersion relations for pion-nucleon scattering. I. Spin-flip amplitude, Reinhard Oehme—1503
Elastic p-p scattering in Bev range, Bruce Cork and W. A. Wenzel—962(A)
Electric quadrupole moment and corrections to magnetic moment of deuteron for velocity-dependent tensor forces, L. Estrada—956(A)
Electrons from muon capture, J. Steinberger and Harry B. Wolfe—1490
Energy dependence of phase shifts in pion-proton scattering, Jay Orear—288
Extended isotopic spin invariance and meson-nucleon coupling, Sidney A. Bludman—372
γ-ray scattering by hydrogen, G. S. Janes, R. Gomez, G. E. Pugh, and D. H. Frisch—1245(A)
High-energy pion-proton cross sections, Baxter H. Armstrong—1798(A)
Hyperfragments in light elements produced by Berkeley Bevatron, Daniel Leenov, D. M. Haskin, and Marcel Schein—1263(A)
Internal structure of spinning particles, David Finkelstein —924
Isobar role in two-nucleon processes; deuteron photoeffect, N. Austern—1522
Meson production in n-p collisions by Cosmotron-produced neutrons with energies up to 1.5 Bev, W. A. Wallenmeyer—1255(A)
Neutral pion production in p-p collisions, Robert K. Squire and Burton J. Moyer—1798(A)
Observation of antiprotons, Owen Chamberlain, Emilio Segrè, Clyde Wiegand, and Thomas Ypsilantis—947(L)
Phase-shift analysis of nucleon-nucleon scattering at 150 Mev, Shoroku Ohnuma and David Feldman—1241(A)
Photoproduction of neutral pions from protons at forward pion angles, W. S. McDonald—1799(A)
Photoproduction of π-meson pairs in hydrogen, F. Zachariasen—1809(A)
π^+ photoproduction ratio of deuterium to hydrogen, K. M. Crowe, R. M. Friedman, and D. C. Hagerman—1799(A)
Pion-nucleon scattering calculations in Tamm-Dancoff theory, M. H. Kalos and R. H. Dalitz—1515
Pion pair photoproduction, R. M. Friedman and K. M. Crowe—1799(A)
Pion production in p-p collisions, D. B. Lichtenberg—303
π^--p collisions at 1.0 Bev, W. D. Walker and W. D. Shephard—1264(A)
Positive pion scattering by H at 260, 300, and 400 Mev, R. S. Margulies—1255(A)
p-p interactions at 3 Bev, R. Cester, T. F. Hoang, and A. Kernan—940(L)
p-p interactions at 5.3 Bev, Robert W. Wright, George Saphir, Wilson M. Powell, George Maenchen, and William B. Fowler—1802(A)
p-p polarization at 170 Mev, David Fischer and John Baldwin—1445
p-p scattering at 1 Bev, William Rarita—1241(A)
p-p scatterings at 19.6 Mev, J. W. Burkig, Glen E. Schrank, and J. Reginald Richardson—1805(A)
Production of heavy unstable particles in π^--p collisions at 1.0 Bev, W. D. Shephard and W. D. Walker—1264(A)
Production of hyperons and K-mesons in high-energy π^- beam of Berkeley Bevatron, Marcel Schein and D. M. Haskin—1263(A)
Production of pairs in capture of slow neutrons by protons, A. T. Peaslee, Jr.—974(A)
Production of unstable particles in 4.5-Bev π^--p collisions, George Maenchen, William B. Fowler, Wilson M. Powell, George Saphir, and Robert W. Wright—1802 (A)
Reaction $\pi^-+d\rightarrow 2n+\pi^0$; parity of neutral meson, W. Chinowsky and J. Steinberger—1476
Remarks on antiproton, T. Regge, S. Okubo, and R. Marshak—1810(A)
Scattering length and effective range for velocity-dependent tensor forces, A. Mondragón—956(A)
Scattering of pions by H at 165 Mev, H. L. Anderson and M. Glicksman—268

Scattering of pions by nucleons in intermediate coupling, M. H. Friedman, T. D. Lee, and R. Christian—1494
Scattering of positive pions by H at 189 Mev, H. L. Anderson, W. C. Davidon, M. Glicksman, and U. E. Kruse—279
Scattering of 30–95 Mev γ rays by protons, C. L. Oxley and V. L. Telegdi—962(A)
Scattering of 30–95 Mev photons by protons, C. L. Oxley and V. L. Telegdi—435(L)
Scattering of 38-Mev positive pions in hydrogen, A. M. Sachs, H. Winick, and B. A. Wooten—1255(A)
Small-angle p-p scattering at 20 Mev, Herbert N. Royden and Byron T. Wright—1805(A)
Strong pion-pion interaction model applied to pion-nucleon scattering in 1-Bev region, Gyo Takeda—440(L)
Torus model of elementary particles in which stability may be achieved by gravitational forces resulting from concentrated electromagnetic field, Winston H. Bostick—1250(A)
Total cross section of H for 150–750-Mev positive and negative pions, S. J. Lindenbaum and Luke C. L. Yuan—306
Two-nucleon potential from cutoff Yukawa theory, Solomon Gartenhaus—900
Unstable $_1H^4$ fragment from capture of Σ^- hyperon, Marcel Schein, D. M. Haskin, and Daniel Leenov—1455
Elements (see **Atomic Mass and Abundance**)
Energy Loss of Particles (see **Range and Energy Loss**)
Energy States of Atoms (see **Atomic Structure and Spectra**)
Energy States of Molecules (see **Molecular Structure and Spectra**)
Energy States of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Equations of State (see **Chemical Effects and Properties**)
Errata
Electroluminescence of ZnS single crystals, D. R. Frankl—1790(E)
Intermediate coupling in odd-odd nuclei, R. Adkins and J. G. Brennan—1790(E)
Pressure-volume isotherms of He^4 below 4.2°K, William E. Keller—1790(E)
Soluble problem in theory of Coulomb excitation, L. C. Biedenharn and C. M. Class—1790(E)
Errors of Measurement (see **Methods and Instruments**)
Evaporation (see **Liquids**)
Excitation of Atoms (see **Atomic Structure and Spectra**)
Excitation of Molecules (see **Molecular Structure and Spectra**)
Excitation of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Explosion Phenomena (see **Fluid Dynamics**)

Faraday Effect (see **Optical Properties**)
Ferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)
Ferromagnetism (see **Magnetic Properties**)
Field Emission (see **Electrical Properties**)
Field Theory (see also **Quantum Electrodynamics**)
Anomalous magnetic moment of nucleon, Kurt Haller and Marvin H. Friedman—1501
Connection between S-matrix and tensor force, Roger G. Newton—412
Dispersion relations for pion-nucleon scattering. I. Spin-flip amplitude, Reinhard Oehme—1503
Extended isotopic spin invariance and meson-nucleon coupling, Sidney A. Bludman—372
Field of Bhabha equation, Fernando E. Prieto C.—974(A)
Hamiltonian form of integral spin wave equations, K. M. Case—1513
Isobar role in two-nucleon processes: Deuteron photoeffect, N. Austern—1522
Momentum dependence of phase shifts, Charles J. Goebel, Robert Karplus, and Malvin A. Ruderman—240
Nonrenormalizable field theory, Leon N. Cooper—362
Pion-nucleon scattering calculations in Tamm-Dancoff theory, M. H. Kalos and R. H. Dalitz—1515
Radiative corrections to decay processes, R. E. Behrends, R. J. Finkelstein, and A. Sirlin—1809(A)
Renormalization of derivative coupling theories, R. Arnowitt and S. Deser—349
Scattering of pions by nucleons in intermediate coupling, M. H. Friedman, T. D. Lee, and R. Christian—1494
Spectrum and nonrelativistic limit of Bethe-Salpeter equation, Frederick L. Scarf—912
State vector normalization in formal scattering theory, Bryce S. DeWitt—905
Structure of Green's functions in quantum field theory, Yoichiro Nambu—394
Two-nucleon potential from cutoff Yukawa theory, Solomon Gartenhaus—900
Wave equations for arbitrary spin, C. Fronsdal—1810(A)
Films, Properties
Absorption of vacuum uv radiation by thin plastic films, G. L. Weissler and L. Z. Maudlin—1800(A)
Mechanical strength of thin films of metals, J. W. Beams, J. B. Breazeale, and W. L. Bart—1657
Schottky effect for SrO films on Mo, G. A. Haas and E. A. Coomes—640
Fine Structure (see **Atomic Structure and Spectra**)
Fission of Nucleus (see **Nuclear Fission**)
Fluctuation Phenomena (see **Noise**)
Fluid Dynamics
Application of light-scattering theory to measurement of density fluctuations in turbulent fluids, Howard A. Stine and Warren Winovich—968(A)
Dependence of discrete acoustic frequencies emitted by jet on vortex-ring coalescence at Reynolds numbers up to 7000, A. B. C. Anderson—1800(A)
Drag in rotating cylinder apparatus near conditions of free molecule flow, J. M. Bowyer and L. Talbot—968(A)
Free surface motion due to obliquely incident shock waves, J. O. Erkman—1801(A)
Hydrodynamic impact of curved surfaces, M. D. Bledsoe and V. G. Szebehely—968(A)
Linearized flow theory and shock waves in metals, G. E. Duvall—967(A)
Magnetohydrodynamic waves in ionized plasma, W. A. Newcomb—968(A)
Normal modes characterizing magneto-elastic plane wave, Alfredo Baños, Jr.—1801(A)
Proposed change in scaling laws for explosive phenomena, Everett F. Cox—967(A)
Slow motions, K. M. Siegel and A. L. Maffett—968(A)
Use of electric arc heating in ultra-high temperature aerodynamics, R. W. Perry and D. E. Bloxsom—968(A)
Fluorescence (see **Luminescence**)
Friction (see **Mechanics**)

Galvanomagnetic Effect (see **Magnetic Properties**)
Gamma Rays (see also **Nuclear Reactions; Nuclear Spectra; Radiation Range and Energy Loss**)
γ-ray scattering by complex nuclei, R. Gomez, G. E. Pugh, D. H. Frisch, and G. S. Janes—1245(A)
γ-ray scattering by hydrogen, G. S. Janes, R. Gomez, G. E. Pugh, and D. H. Frisch—1245(A)
Nuclear γ-ray scattering techniques, G. E. Pugh, R. Gomez, D. H. Frisch, and G. S. Janes—1245(A)
Polarization effects in electron-photon interactions, Cramer Schultz and Ross D. Thompson—1809(A)

Gamma Rays (Continued)
Scattering of 30-90 Mev γ rays by protons, C. L. Oxley and V. L. Telegdi—962(A)
Scattering of 30-95 Mev photons by protons, C. L. Oxley and V. L. Telegdi—435(L)
Gases
Derivation from Boltzmann's equation of similarity laws for ionized gases, T. E. VanZandt—1235(A)
Electron mobilities in gases, Joseph C. Bowe—1268(A)
Inclusion of Coulomb interactions in Boltzmann equations, H. Dreicer and W. P. Allis—1234(A)
Quantum-statistical derivation of transport equation for mixtures of dilute gases with molecules of arbitrary spins, A. W. Saenz—975(A)
Geophysics
Absence of meteorological effects on world-wide sunspot variation in cosmic-ray ionization, Scott E. Forbush—958(A)
Fluctuation of sound transmitted in ocean, R. W. Stewart and W. N. English—969(A)
γ-ray absorption measurements of density of upper atmosphere, E. T. Byram, T. A. Chubb, and H. Friedman—963(A)
Geomagnetic micropulsations, H. J. Duffus—966(A)
Ionospheric drifts over Puerto Rico, Miguel Wiewall, Jr.—968(A)
Systematic application of physical and mathematical methods to exploitation of Mexican oil fields, A. Romero-Juárez and J. Hefferan V—965(A)
Glasses (see **Molecular Aggregates**)
Gravitation (see **Relativity and Gravitation**)
Gyromagnetization (see **Magnetic Properties**)

Hall Effect (see **Electrical Conductivity and Resistance; Semiconductors**)
Heat Capacity (see **Thermal Properties**)
Heat Conduction (see **Thermal Properties**)
Heat of Dissociation and Formation (see **Molecular Structure and Spectra**)
Heat of Fusion (see **Thermal Properties**)
Heat of Vaporization (see **Thermal Properties**)
Helium, Liquid
Atomic distribution in liquid He by neutron diffraction, D. G. Hurst and D. G. Henshaw—994
Atomic distribution in liquid He^3, R. M. Mazo and J. G. Kirkwood—1787(L)
Interatomic correlations in liquid He^4, Louis Goldstein—981
Kinetic model of He II, Charles A. Reynolds—1548(A)
λ transition in liquid He, G. V. Chester—455
Liquid He bubble chamber, W. M. Fairbank, E. M. Harth, M. E. Blevins, and G. G. Slaughter—971(A)
Liquid He vapor pressure equation, J. R. Clement, J. K. Logan, and J. Gaffney—743
Motion of nuclei in liquid He, W. V. Houston and H. E. Rorschach—1003
Nuclear paramagnetism of liquid He^3, H. E. Rorschach, Jr., and W. V. Houston—966(A)
Origin of λ transition in liquid He, Louis Goldstein—966(A)
Pressure-volume isotherms of He^4 below 4.2°K, William E. Keller—1790(E)
Second virial coefficients of He^3-He^4 mixtures between 2 and 4°K, William E. Keller—1021
Statistical mechanics of mixtures of isotopes, G. V. Chester—446
High-Voltage Tubes in Machines (see **Methods and Instruments**)
Hydrodynamics (see **Fluid Dynamics**)

Hyperfine Structure (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Nuclear Moments and Spin**)
Hyperons (see **Mesons and Hyperons**)

Imperfections in Solids (see also **Crystalline State; Electrical Conductivity and Resistance; Luminescence; Semiconductors**)
Computation of vacancies created by heavy corpuscular radiation, W. S. Snyder and J. Neufeld—969(A)
Deformation zones produced by explosive shocks in ferrous metals, Samuel Katz—1800(A)
Detection of vacancies created by x-rays in NaCl, H. W. Etzel—1643
Deuteron irradiation of Ge at 90°K, D. Kleitman and T. A. Longo—1261(A)
Dichroism of F and M absorption bands in KCl, C. Z. van Doorn and Y. Haven—753(L)
Dislocation energies in NaCl, H. B. Huntington, J. E. Dickey, and Robb Thomson—1117
Effect of defects on lattice vibrations, Elliott W. Montroll and Renfrey B. Potts—525
Effect of impurities on lattice vibrations, Elliott W. Montroll and R. B. Potts—969(A)
Effect of low-temperature electron irradiation on electrical resistivity of Cu, C. J. Meechan—1807(A)
Effect of point imperfections on electrical properties of Cu. II. Thermoelectric power, F. J. Blatt—666
Effect of Sb impurity on self-diffusion of Ag, E. Sonder—1662
Electrolytic etching at small-angle grain boundaries in Ge, S. G. Ellis—1140
Electron spin resonance of defect centers in MgO, John E. Wertz and Juana L. Vivo—1792(A)
Electron spin resonance of impurities in MgO, John E. Wertz, Juana L. Vivo, and Boris Musulin—1810(A)
Energy levels of crystal modified by alloying or by pressure, R. H. Parmenter—573
Excess noise in plastically deformed Ge, James J. Brophy—1261(A)
Fast-neutron bombardment of GaSb, J. W. Cleland and J. H. Crawford, Jr.—1614
Field dependence of Hall potential and magnetoresistance of irradiated graphite, J. D. McClelland—1807(A)
Frequencies and relative intensities of R_1 and R_2 bands in KCl, Robert Herman, H. C. Wallis, and R. F. Wallis—1267(A)
Influence of lattice defects on Young's modulus of Cu, H. Dieckamp—1807(A)
Interpretation of stored energy of irradiated graphite in terms of elastic energy associated with microscopic strain, Alfred E. Austin and Ralph J. Harrison—1225(L)
Irradiation effects in some organic compounds, T. H. Anderson, R. D. Jordan, and R. S. Alger—964(A)
Irradiation of graphite at liquid He temperatures, Stanley B. Austerman and John E. Hove—1214(L)
Kinetics of processes distributed in activation energy, William Primak—1677
Lattice constants of graphite at low temperatures, Y. Baskin and L. Meyer—544
Magnetic susceptibility of neutron-damaged graphite, John E. Hove—1806(A)
Neutron-irradiated Si, Thomas A. Longo and David Kleitman—1260(A)
New method for determination of activation energies, J. A. Brinkman—1807(A)
Nuclear magnetic resonance studies of imperfect ionic crystals, F. Reif—1597

Post-bombardment conductivity of MgO crystals, M. A. Pomerantz, J. F. Marshall, and R. A. Shatas—964(A)
Precipitation of Cu in Ge, R. A. Logan—615
Precipitation of Cu in plastically deformed Ge, A. G. Tweet—1260(A)
Radiation-induced amorphism in diamond, Paul W. Levy and Otto F. Kammerer—1787—(L)
Radiation-induced dielectric changes in phosphorescent material, A. Skoglund and A. Ore—1549(A)
Reduction of optical reflectivity of glass by positive ion bombardment, R. L. Hines—1267(A)
Stored energy release in graphite irradiated at low temperatures, S. B. Austerman—1807(A)
Thermal acceptors in vacuum heat-treated Ge, Robert L. Hopkins and Edward N. Clarke—1786(L)
Thermal conductivity of neutron-damaged graphite, Ned S. Rasor and John E. Hove—1806(A)
Thermal defects in Si, C. J. Gallagher—1259(A)
Thresholds for electron-bombardment-induced lattice displacements in Si and Ge, Paul Rappaport and Joseph J. Loferski—1261(A)
Tracer studies on radiation-damaged graphite, G. L. Montet, A. F. Kurs, and G. R. Hennig—1261(A)

Inelastic Scattering (see **Nuclear Reactions; Scattering**)
Instruments (see **Methods and Instruments**)
Internal Conversion (see **Nuclear Spectra**)
Ionization (see also **Electrical Discharges; Range and Energy Loss of Particles**)
Ionization by α particles in mixtures of gases, William P. Jesse and John Sadauskis—1755
Ionization of cloud-chamber tracks, E. K. Björnerud—972(A)
Ionization of H in Ge and Si, Howard Reiss—1806(A)
Light absorption and photoionization in NO and N_2O, W. C. Walker and G. L. Weissler—1231(A)
Theory of ionization probability near threshold, Sydney Geltman—1231(A)
Threshold law for multiple ionization, G. H. Wannier—1180

Ionization Potentials of Atoms (see **Atomic Structure and Spectra**)
Ionization Potentials of Molecules (see **Molecular Structure and Spectra**)
Ionosphere (see **Geophysics**)
Ions (see also **Electrical Discharges**)
Angular momentum and energy of ions in magneto-ionic isotope separator, Joseph Slepian—1238(A)
Energy resolution obtainable with 2-Mev H_2^+ beam, D. F. Herring, R. A. Douglas, E. A. Silverstein, and Ren Chiba—1239(A)
Formation of metastable A^+, Kr^+, and Xe^+ by electron impact, Homer D. Hagstrum—1231(A)
High-intensity ion sources, C. B. Mills—1233(A)
Ion diffusion in uniform magnetic field, K. S. W. Champion and A. B. de Saint Maurice—1233(A)
Negative H ion source, J. A. Weinman, J. R. Cameron, and R. G. Herb—1239(A)
Negative-ion formation in iodine by electron capture, R. E. Fox—1229(A)
Resonance irradiation of Hg vapor in nitrogen, J. A. Berberet and K. C. Clark—506
Scattering of low-energy H^- ions in He, T. L. Bailey and E. E. Muschlitz—1231(A)
Stark fields from ions in plasma, A. A. Broyles—1181
Statistical mechanics of cathode sputtering, Don E. Harrison, Jr.—1234(A)

Ions and Electrons, Mobility (see also **Semiconductors**)
Deviations from Blanc's law of ionic mobilities: Ne^+ in Ne-H mixtures, Manfred A. Biondi and Lorne M. Chanin—1230(A)
Electron mobilities in gases, Joseph C. Bowe—1268(A)
Generalized theory of mobility, Melvin Lax—1808(A)
Mobility of positive ions in gas mixtures, T. Holstein—1230(A)
Temperature dependence of ionic mobilities: Ne^+ and Ne_2^+ in Ne, Lorne M. Chanin and Manfred A. Biondi—1230(A)

Isobars (see **Atomic Mass and Abundance**)
Isomers, Molecular (see **Molecular Structure and Spectra**)
Isomers, Nuclear (see **Nuclear Spectra**)
Isotopes (see **Atomic Mass and Abundance; Radioactivity**)

Kerr Effect (see **Optical Properties**)
Kinetic Theory of Gases (see **Gases**)

Liquid Helium (see **Helium, Liquid**)
Liquids
Temperature anomalies in properties of liquid water, W. Drost-Hansen and H. W. Neill—1800(A)

Luminescence
CdS with Ag activator, John Lambe—1586
Criterion for occurrence of luminescence, C. C. Klick, G. A. Russell, and D. L. Dexter—964(A); D. L. Dexter, C. C. Klick, and G. A. Russell—603
Edge electroluminescence from ZnS single crystals, R. W. Smith—760(L)
Electroluminescence in ZnS, W. A. Thornton—1268(A)
Electroluminescence of GaP, G. A. Wolff, R. A. Herbert, and J. D. Broder—1144
Electroluminescence of ZnS single crystals, D. R. Frankl—1105; 1790(E)
Fluorescence excitation spectrum of anthracene, G. T. Wright—587
Radiation-induced dielectric changes in phosphorescent material, A. Skoglund and A. Ore—1549(A)
Scintillation response of anthracene crystals to short-range electrons, G. T. Wright—588
Thermoluminescence measurements of electroluminescent ZnS:Mn films, R. E. Freund—760(L)

Magnetic Fields (see **Electromagnetic Theory and Electrodynamics**)
Magnetic Properties
Approach to elongated fine particle magnets, I. S. Jacobs and C. P. Bean—1060
Considerations on double exchange, P. W. Anderson and H. Hasegawa—675
Deformation zones produced by explosive shocks in ferrous metals, Samuel Katz—1800(A)
Effect of shape anisotropy on coercive force of elongated single-magnetic-domain Fe particles, T. O. Paine, L. I. Mendelsohn, and F. E. Luborsky—1055
Effect of V_2O_5 on spinel formation, D. M. Grimes and J. W. Kuiper—1256(A)
Ferrimagnetic interaction and remanence in $CoCO_3$, Warren E. Henry—1791(A)
Ferrimagnetic resonance in single crystals of Mn ferrite, J. F. Dillon, Jr., S. Geschwind, and V. Jaccarino—750(L)
Ferromagnetic and antiferromagnetic Curie temperatures, H. A. Brown and J. M. Luttinger—685
Ferromagnetic resonance in Mn ferrite single crystals, P. E. Tannenwald—1713
Frequency doubling in ferrites, W. P. Ayres, P. H. Vartanian, and J. L. Melchor—1791(A)
Influence of crystalline electric fields on antiferromagnetic transitions, L. D. Roberts, R. B. Murray, and J. W. T. Dabbs—1100

Magnetic Properties (Continued)
Instability in motion of ferromagnets at high microwave power levels, P. W. Anderson and H. Suhl—1788(L)
Lagrangian formulation of gyromagnetic equation of magnetization fields, T. L. Gilbert—1243(A)
Magnetic and thermal properties of $MnCl_2$ at liquid He temperatures. I. Magnetic susceptibility, R. B. Murray and L. D. Roberts—1067; II. Specific heat, R. B. Murray—1071
Magnetic and thermal properties of UI_3 at liquid He temperatures, L. D. Roberts and R. B. Murray—650
Magnetic domains in thin films of Ni-Fe, Charles A. Fowler, Jr., and Edward M. Fryer—746(L)
Magnetic moment arrangements and magnetocrystalline deformations in antiferromagnetic compounds, Yin-Yuan Li—627
Magnetic properties of Er metal, J. F. Elliott, S. Legvold, and F. H. Spedding—1595
Magnetic properties of murdochite, Cu_6PbO_8, Palmer L. Edwards—1242(A)
Magnetic second order transitions, K. J. Tauer and R. J. Weiss—1223(L)
Magnetic superexchange interaction, David Kottwitz—1242(A)
Magnetic susceptibility of Ge, D. K. Stevens, J. W. Cleland, J. H. Crawford, Jr., and H. C. Schweinler—1084
Magnetic susceptibility of impurity-trapped electrons and holes in semiconductors, E. Mooser—1589
Magnetic susceptibility of Na metal, Raymond Bowers—1141
Magnetic susceptibility of neutron-damaged graphite, John E. Hove—1806(A)
Magnitude of splitting of lowest level in chromium alum, Paul H. E. Meijer and H. J. Gerritsen—742
Microwave resonance relations in anisotropic single crystal ferrites, J. O. Artman—1243(A)
Neutron diffraction study of magnetic properties of series of perovskite type compounds $[(1-x)La, xCa]MnO_3$, E. O. Wollan and W. C. Koehler—545
New magnetic transition in Mn_3ZnC, B. N. Brockhouse and H. P. Myers—1242(A)
Nuclear paramagnetism of liquid He^3, H. E. Rorschach, Jr., and W. V. Houston—966(A)
Phase transformations in microstructure of explosively loaded Fe and steel, E. W. LaRocca—1800(A)
Temperature dependence of ferromagnetic anisotropy in cubic crystals, Frederic Keffer—1692
Theory of magnetic susceptibility of graphite, John E. Hove—645
Theory of role of covalence in perovskite-type manganites $[La, M(II)]MnO_3$, John B. Goodenough—564
Zeeman effects and magnetic properties of Nd salts, G. H. Dieke and L. Heroux—965(A)
Magnetic Resonance (see also **Nuclear Moments and Spin**)
Anisotropic paramagnetic absorption spectrum of manganous ion in cubic ZnS, Lawrence M. Matarrese and Chihiro Kikuchi—1243(A)
Classical theory of cyclotron resonance for holes in Ge, J. M. Luttinger and B. R. Goodman—673
Cyclotron absorption in Bi, R. N. Dexter and Benjamin Lax—1216(L)
Cyclotron resonance in Ge-Si alloys, G. Dresselhaus, A. F. Kip, Han-Ying Ku, G. Wagoner, and Schuyler M. Christian—1218(L)
Cyclotron resonance in metals: Bi, J. K. Galt, W. A. Yager, F. R. Merritt, B. B. Cetlin, and H. W. Dail, Jr.—748(L)
Cyclotron resonance of electrons in gaseous discharge plasmas, M. Gilden and L. Goldstein—1233(A)
Double-frequency magnetic resonance in free radical, J. H. Burgess and R. E. Norberg—752(L)
Doublet structure in paramagnetic absorption spectra of Mn^{++} in calcite, Chihiro Kikuchi—1243(A)
Electromagnetic theory of cyclotron resonance in metals, P. W. Anderson—749(L)
Electron spin resonance in Cu-Mn and Ag-Mn alloys, J. Owen, M. E. Browne, and A. F. Kip—965(A)
Electron spin resonance of defect centers in MgO, John E. Wertz and Juana L. Vivo—1792(A)
Electron spin resonance of impurities in MgO, John E. Wertz, Juana L. Vivo, and Boris Musulin—1810(A)
Exchange effects in spin resonance of impurity atoms in Si, G. Feher, R. C. Fletcher, and E. A. Gere—1784(L)
Ferrimagnetic resonance in single crystals of Mn ferrite, J. F. Dillon, Jr., S. Geschwind, and V. Jaccarino—750(L)
Ferromagnetic resonance in Mn ferrite single crystals, P. E. Tannenwald—1713
Frequency doubling in ferrites, W. P. Ayres, P. H. Vartanian, and J. L. Melchor—1791(A)
Instability in motion of ferromagnets at high microwave power levels, P. W. Anderson and H. Suhl—1788(L)
Magnetic resonance demonstration of charge transfer in Fe group fluorides, M. Tinkham—1792(A)
Magnitude of splitting of lowest level in chromium alum, Paul H. E. Meijer and H. J. Gerritsen—742
Microwave resonance relations in anisotropic single crystal ferrites, J. O. Artman—1243(A)
Nuclear magnetic dipole and electric quadrupole energy relations, L. Carlton Brown and Paul M. Parker—1764
Nuclear magnetic relaxation times in polyethylene, I. J. Lowe, L. O. Bowen, and R. E. Norberg—1243(A)
Nuclear magnetic resonance in semiconductors. I. Exchange broadening in InSb and GaSb, R. G. Shulman, J. M. Mays, and D. W. McCall—692
Nuclear magnetic resonance studies of imperfect ionic crystals, F. Reif—1597
Nuclear spin and magnetic moment of 50-day In^{114m}, L. S. Goodman and S. Wexler—1245(A)
Nuclear spin and magnetic moment of 54-min In^{116m}, L. S. Goodman and S. Wexler—1796(A)
Nuclear spin-lattice relaxation in solid H_2, Tadashi Sugawara—759(L)
Observation of quantum effects in cyclotron resonance, R. C. Fletcher, W. A. Yager, and F. R. Merritt—747(L)
Plasma resonance in crystals: Observations and theory, G. Dresselhaus, A. F. Kip, and C. Kittel—618
Plasma resonance in semiconductor crystals, G. Dresselhaus, A. F. Kip, and C. Kittel—1262(A)
Pure quadrupole spectra of CH_3I and CF_3I vapors, Fred Sterzer and Yardley Beers—1174
Quadrupole broadening of NMR lines by reversible axial stress, R. G. Shulman, B. J. Wyluda, and H. J. Hrostowski—1792(A)
Quadrupole spectrum of $BiCl_3$, Hugh G. Robinson—1731
Rapid-passage effects in electron spin resonance, A. M. Portis—1219(L)
Relaxation times in magnetic resonance, David Pines and Charles P. Slichter—1014
Resonance transitions induced by perturbations at two or more different frequencies, Norman F. Ramsey—1191
Resonant power transfer within plasma in magnetic field, J. E. Drummond and L. Wilcox—1233(A)
Significance of nuclear spin echo experiments for foundation of statistical mechanics, Jerome Rothstein—1791(A)
Spin resonance in metals as altered by Overhauser effect, J. I. Kaplan—965(A)

Theory of hfs of NO molecule. II. Errata and some additional discussion, Chun C. Lin and Masataka Mizushima —1726
Theory of multiple-quantum transitions, M. N. Hack—975 (A)
Thermodynamics of irreversible processes and Overhauser nuclear polarization effect, W. A. Barker and A. Mencher—1224(L)
Magneto-Optical Effects (see **Optical Properties**)
Magnetoresistance (see **Electrical Conductivity and Resistance; Semiconductors**)
Magnetostriction (see **Magnetic Properties**)
Mass Defects (see **Atomic Mass and Abundance**)
Mass Spectroscopy (see **Atomic Mass and Abundance; Methods and Instruments**)
Mathematical Methods
Neglected mathematics in solution of vibration problems, Dan McLachlan, Jr.—975(A)
New linear-system integral transform relations, Malcolm K. Brachman and J. Ross Macdonald—966(A)
Quantum theory of fluctuations, Hans Ekstein and Norman Rostoker—1023
Statistical theory of delayed-coincidence experiments, Z. Bay, V. P. Henri, and H. Kanner—1197
Measurements (see **Methods and Instruments**)
Mechanics
Neglected mathematics in solution of vibration problems, Dan McLachlan, Jr.—975(A)
Projectile penetration into sand, Earle B. Mayfield, Harvey L. Morrison, and William A. Allen—1800(A)
Mechanics, Quantum—Atomic Structure and Spectra (see **Atomic Structure and Spectra**)
Mechanics, Quantum—General (see **Quantum Mechanics**)
Mechanics, Quantum—Molecular Structure and Spectra (see **Molecular Structure and Spectra**)
Mechanics, Quantum—Nuclear (see **Nuclear Structure Theory**)
Mechanics, Quantum—of Solid Bodies (see **Crystalline State**)
Mechanics, Statistical (see **Statistical Mechanics and Thermodynamics**)
Meson Field Theory (see **Field Theory**)
Mesons and Hyperons (see also **Cosmic Radiation; Elementary Particle Interactions; Nuclear Reactions Induced by Mesons and Hyperons; Scattering of Mesons and Hyperons**)
A theory of new particles, Ryoyu Utiyama—248
Analysis of capture stars of K^--mesons from Berkeley Bevatron, D. M. Haskin, D. B. Williams, E. Goodman, and Marcel Schein—1263(A)
Angular correlation effects in V-particle decay, S. B. Treiman and H. W. Wyld, Jr.—879
Angular distribution of Λ^0 and θ^0 decays, Robert K. Adair —1540(L)
Anomalous neutral V-particles, W. H. Arnold, Jr., W. Martin, and H. W. Wyld—1545(L)
Anomalous V^0-particles, H. W. Arnold, J. Ballam, M. Grisaru, C. McGrew, and W. H. Wyld—1804(A)
Associated production of Ξ with two θ^0 particles, J. D. Sorrels, R. B. Leighton, and C. D. Anderson—1457
Capture of K^--meson with emission of high-energy electron as only visible prong, D. B. Williams, D. M. Haskin, M. Koshiba, and Marcel Schein—1547(L)
Cloud-chamber investigation of charged V particles, G. H. Trilling and R. B. Leighton—1468
Cloud-chamber observations of μ-meson-induced electron showers, C. A. Rouse—1797(A)
Cloud-chamber observations on charged V particles, W. H. Arnold, J. Ballam, and George T. Reynolds—295
Decay and absorption of θ^0, A. Pais and O. Piccioni—1487
Decay of anomalous charged K-meson, E. M. Harth and M. M. Block—959(A)
Difference in lifetimes of θ^0 and θ^+ mesons, S. Okubo and R. Marshak—1809(A)
Disintegration of hyperfragments, J. Schneps, M. S. Swami, and W. F. Fry—1263(A)
Double-plate cloud-chamber study of V^0-particles. I. Classification, I. C. Gupta, W. Y. Chang, and A. Snyder—1264 (A); II. Mean decay times of θ^0- and Λ^0-particles, A. Snyder, W. Y. Chang, and I. C. Gupta—1264(A)
East-west asymmetry of positive and negative mesons at geomagnetic equator, F. B. Harris and I. Escobar—255
Effects of angular momentum on τ-decay schemes, Bernard T. Feld—1263(A)
Energy distribution of K mesons produced in nuclei, M. M. Block, E. M. Harth, and R. M. Sternheimer—324
Evidence for β decay of neutral V-particles, M. M. Block, E. M. Harth, and M. E. Blevins—959(A)
Hyperfragments in light elements produced by Berkeley bevatron, Daniel Leenov, D. M. Haskin, and Marcel Schein—1263(A)
Interactions of negative K-particles at rest, Warren W. Chupp, Gerson Goldhaber, Sulamith Goldhaber, and Francis H. Webb—959(A)
K-meson lifetimes, Luis W. Alvarez, Frank S. Crawford, Jr., Myron L. Good, and M. Lynn Stevenson—1264(A)
Λ^0-fragment decay in cloud chamber, J. D. Sorrels, G. H. Trilling, and R. B. Leighton—1484
Lifetimes of τ^+ and K_1^+-mesons, G. Harris, J. Orear, and S. Taylor—932(L)
Mass values of identified K-mesons, James R. Peterson—1803(A)
Mass values of K-mesons, R. W. Birge, J. R. Peterson, D. H. Stork, and M. N. Whitehead—430(L)
Masses of positive K-particles. I. Identification of K-particles and analysis of secondaries, Frances M. Smith, Harry H. Heckman, and Walter H. Barkas—1802(A); II. Method, analysis, and results, Harry H. Heckman, Frances M. Smith, and Walter H. Barkas—1803(A)
Meson production in n-p collisions by Cosmotron-produced neutrons with energies up to 1.5 Bev, W. A. Wallenmeyer—1255(A)
Mesonic x-rays from capture of cosmic-ray μ mesons in chemical compound, A. Fafarman and M. H. Shamos—874
Negative K-particle interactions in nuclear emulsion. I, Charles E. Violet, F. C. Gilbert, and R. Stephen White —1803(A); II, F. C. Gilbert, Charles E. Violet, and R. Stephen White—1803(A); III, R. Stephen White, F. C. Gilbert, and Charles E. Violet—1803(A)
Neutral pion production in p-p collisions, Robert K. Squire and Burton J. Moyer—1798(A)
Nonmesonic decay of He hyperfragment, B. Stiller, N. Seeman, and M. M. Shapiro—959(A); Nathan Seeman, Maurice M. Shapiro, and Bertram Stiller—1480
Nuclear capture of negative K mesons in emulsion, W. F. Fry, J. Schneps, G. A. Snow, and M. S. Swami—1448
Nuclear interaction in flight of Σ hyperon, W. F. Fry, J. Schneps, G. A. Snow, and M. S. Swami—939(L)
Observations of negative K mesons and charged hyperons, W. F. Fry, J. Schneps, G. A. Snow, and M. S. Swami —950(L)
Observations on pion tracks in liquid H_2 bubble chamber, D. E. Nagle and R. H. Hildebrand—959(A)
One hundred Bevatron τ''s, Roy Haddock—1803(A)
Photometric mass determinations in multiplate cloud chamber, David O. Caldwell and Yash Pal—1803(A)
Photoproduction of neutral pions from protons at forward pion angles, W. S. McDonald, Vincent Peterson, and Dale R. Corson—1799(A)

Mesons and Hyperons (Continued)
Photoproduction of π-meson pairs in hydrogen, F. Zachariasen—1809(A)
Photoproduction of π^0 mesons in He, E. L. Goldwasser and L. J. Koester, Jr.—1255(A)
π^+ photomeson production from various nuclei at 135°, William Imhof, V. Perez-Mendez, and H. Easterday—1798(A)
π^+ photoproduction ratio of deuterium to hydrogen, K. M. Crowe, R. M. Friedman, and D. C. Hagerman—1799(A)
Pi-meson production in lead and carbon, M. Abraham and S. J. Goldsack—1799(A)
Pion-pair photoproduction, R. M. Friedman and K. M. Crowe—1799(A)
Pion-pair production, Juan De Oyarzabal—974(A)
Pion production in p-p collisions, D. B. Lichtenberg—308
p-p interactions at 3 Bev, R. Cester, T. F. Hoang, and A. Kernan—940(L)
Production of hyperons and K-mesons in high-energy π^- beam of Berkeley Bevatron, Marcel Schein and D. M. Haskin—1263(A)
Range-energy relation and masses of new particles, David O. Caldwell—291
Reaction $\pi^-+d\rightarrow 2n+\pi^0$; parity of neutral meson, W. Chinowsky and J. Steinberger—1476
Remarks on antiproton, T. Regge, S. Okubo, and R. Marshak—1810(A)
Remarks on strangeness, S. Epstein—1809(A)
Single-meson production in nucleon-nuclei collisions, Albert D. Wheelon—974(A)
Speculations on heavy mesons, T. D. Lee and J. Orear—932(L)
Spin of τ^+ meson, D. M. Ritson, A. Odian, B. T. Feld, and A. Wattenberg—1263(A); B. T. Feld, A. C. Odian, D. M. Ritson, and A. Wattenberg—1539(L)
Strange cosmic-ray event, C. H. Skeen and W. Z. Osborne—1797(A)
Unstable $_1H^4$ fragment from capture of a Σ^- hyperon, Marcel Schein, D. M. Haskin, and Daniel Leenov—1455
Yield of π^0 photomesons as function of atomic number, J. D. Anderson, R. W. Kenney, and C. A. McDonald—1798(A)
Metals (see **Crystalline State**)
Metastable Atoms (see **Atomic Structure and Spectra**)
Metastable Molecules (see **Molecular Structure and Spectra**)
Meteorology (see **Geophysics**)
Methods and Instruments
Analysis of nuclear emulsion tracks by scattering measurements, John S. Urban and John J. McClure—1797(A)
Angular momentum and energy of ions in magneto-ionic isotope separator, Joseph Slepian—1238(A)
Apparatus for new magnetism laboratory, Charles F. Squire—966(A)
Apparent length of tracks in nuclear emulsion, T. A. Brody—972(A)
Bistable solid state opto-electronic devices, E. E. Loebner—1239(A)
Boron trimethyl counters, G. A. Ferguson, C. W. Peters, and F. E. Jablonski—1239(A)
CdS photorectifier, Lawrence C. Greene—978(A)
Čerenkov counter as high-energy photon spectrometer, I. Filosofo—1246(A)
Čerenkov counter for high-energy cosmic rays, D. C. Moore and R. J. Hanson—972(A)
Characteristics of new Argonne fast-neutron chopper, L. M. Bollinger, R. E. Coté, and J. M. LeBlanc—1239(A)
Crystal engineering: New concept in crystallography, R. Pepinsky—971(A)
Determination of magnetic field strength H and its vector potential A in terms of magnetic field strength H_0 on plane surface, with application to spiral ridged FFAG accelerator, Edward S. Akeley—972(A)
Determination of surface resistivity of metal surfaces by Q measurement, A. R. Quinton and R. Beringer—1549(A)
Developments in statistical approach to x-ray crystal analysis, V. Vand and R. Pepinsky—970(A)
Double-channel magnetic β-ray spectrometer for short-lived activities, C. R. Sun and Byron T. Wright—1793(A)
Effects of operating proportional counters in high γ fields, J. T. Bracken, E. A. Rollor, and J. A. Mohrbacher—972(A)
Efficiency of ZnS—plastic counters for fast neutrons, W. J. Rhein—972(A)
Electron analog, G. K. Green, E. D. Courant, L. J. Haworth, and H. S. Snyder—1268(A)
Electron analog—construction, D. D. Jacobus, C. L. Gould, J. J. Grisoli, and I. J. Polk—1268(A)
Electron analog—electrical system, J. G. Cottingham, N. C. Christofilos, M. Plotkin, E. C. Raka, and R. H. Rhéaume—1269(A)
Electron analog—initial setup, J. Spiro, J. G. Cottingham, E. D. Courant, and R. R. Kassner—1269(A)
Electron analog—performance and interpretation. I., E. C. Raka, E. D. Courant, R. R. Kassner, L. J. Laslett, H. S. Snyder, and J. Spiro—1269(A); II., E. D. Courant, R. R. Kassner, E. C. Raka, Lloyd Smith, and I. Spiro—1269(A)
Electron models of relativistic constant-frequency cyclotrons, Robert V. Pyle, Elmer L. Kelly, J. Reginald Richardson, and Robert L. Thornton—1804(A)
Energy resolution obtainable with 2-Mev H_2^+ beam, D. F. Herring, R. A. Douglas, E. A. Silverstein, and Ren Chiba—1239(A)
Evapor-ion pump behavior with noble gases, Igor Alexeff and Edward C. Peterson—1239(A)
FFAG (fixed field alternating gradient) electron cyclotron, Tihiro Ohkawa—1247(A)
Gated phototube for fast pulse operation, D. V. Breitenbecher—978(A)
High-intensity ion sources, C. B. Mills—1233(A)
Instrument for measurement of information stored in photographic film, A. S. Silvidi, G. K. Schoepfle, K. L. Warren, F. L. Brooks, and M. Horowitz—979(A)
Ionization of cloud-chamber tracks, E. K. Björnerud—972(A)
Isotopic separation by magneto-ionic expansion, Joseph Slepian—1233(A)
Laboratory vacuum fittings and standardization of vacuum fittings, W. G. Wadey—1549(A)
Liquid He bubble chamber, W. M. Fairbank, E. M. Harth, M. E. Blevins, and G. G. Slaughter—971(A)
Low-voltage magnet and regulated power supply, R. C. Mobley, C. H. Blakewood, and D. C. Ralph—1242(A)
Measurement of magnetic field gradients by Hall effect, R. D. Redin and G. C. Danielson—1252(A)
Microtron injector for electron synchrotrons, H. F. Kaiser—1246(A)
Monte Carlo calculation on Čerenkov counters, Taketora Yamagata and Megumu Yoshimine—1246(A)
Negative H ion source, J. A. Weinman, J. R. Cameron, and R. G. Herb—1239(A)
Neutron detection with BaF^2 scintillator, Norman A. Bostrom, Emmett L. Hudspeth, and Ira L. Morgan—973(A)
Neutron dosimeter with uniform sensitivity from 0.1 to 3.0 Mev, J. De Pangher and W. C. Roesch—1793(A)

New method for determining range of low-energy electrons in solids, J. E. Holliday and E. J. Sternglass—1238(A)
Nonlinear oscillators with constant time delay, W. J. Cunningham—1549(A)
Nuclear γ-ray scattering techniques, G. E. Pugh, R. Gomez, D. H. Frisch, and G. S. Janes—1245(A)
Observations on pion tracks in liquid hydrogen bubble chamber, D. E. Nagle and R. H. Hildebrand—959(A)
Obtaining high temperatures for nuclear fusion, R. E. Vollrath and J. A. R. Samson—1793(A)
Phase centers of microwave antennas, David Carter—966(A)
Photometric mass determinations in multiplate cloud chamber, David O. Caldwell and Yash Pal—1803(A)
Precision of microwave spectrographs, M. W. P. Strandberg and M. Peter—963(A)
Preparation of thin N^{14} targets, F. B. Hagedorn—1793(A)
Present limitations of x-ray analyses of organic natural products, O. Cano-Corona and R. Pepinsky—970(A)
Properties of halogen-quenched Geiger counters, H. Sherman—972(A)
Pulse characteristics of CdSe crystals, T. Fields, E. J. Schillinger, and J. Kenski—964(A)
Quantum yield of CdS photovoltaic cell, R. E. Marburger, D. C. Reynolds, L. L. Antes, and R. S. Hogan—978(A)
Recoil-coincidence method for producing monoenergetic *d-d* neutrons, W. Franzen, P. Huber, and L. Schellenberg—1239(A)
Semiabsolute electrostatic voltmeter, José Mireles Malpica—967(A)
Semiabsolute measurements of voltage and current, José Mireles Malpica—975(A)
Small model FFAG (fixed field alternating gradient) Betatron. I. General description, K. M. Terwilliger, L. W. Jones, F. T. Cole, D. W. Kerst, and R. O. Haxby—1246(A); II. Design calculations, F. T. Cole and D. W. Kerst—1246(A); III. Preliminary experimental results, L. W. Jones and K. M. Terwilliger—1247(A)
Stripline or microwave printed circuits, J. W. Christian—1549(A)
Studies with three-dee three-phase proton cyclotron, Myron Heusinkveld, Mark Jakobson, Lawrence Rudy, Bob H. Smith, and Byron T. Wright—1804(A)
Systematic application of physical and mathematical methods to exploitation of Mexican oil fields, A. Romero-Juárez and J. Hefferan V—965(A)
Theoretical study of relativistic constant-frequency cyclotrons, David L. Judd—1804(A)
Theory of orbits in FFAG (fixed field alternating gradient) accelerators, Keith R. Symon—1247(A)
Third-order aberration and focusing with sector-shaped magnetic field, D. F. Dempsey, W. C. Miller, and B. Waldman—1240(A)
Total-absorption spectrometer measurements of γ rays emitted from targets bombarded with 6.2-Bev protons, Roger W. Wallace, Malvern H. L. Jester, and John M. Brabant—962(A)
Transmission secondary electron multiplication for high resolution counting and imaging, E. J. Sternglass and M. M. Wachtel—1238(A)
Use of electric arc heating in ultra-high temperature aerodynamics, R. W. Perry and D. E. Bloxsom—968(A)
Use of field emission microscope for investigating surface conditions on alloy, L. A. D'Asaro—1258(A)
Vibratory gyro mass flowmeter, Wilfred Roth—1549(A)

Microwaves (see also **Atomic Structure and Spectra; Magnetic Resonance; Molecular Structure and Spectra; Nuclear Moments and Spin**)

Attenuation of 1-cm microwaves by abnormal dc discharge in He, Z. Geller and W. Low—1240(A)
Interaction of electromagnetic waves of rf in isothermal plasmas: Collision cross section of He atoms and ions for electrons, J. M. Anderson and L. Goldstein—1037
Phase centers of microwave antennas, David Carter—966(A)
Precision of microwave spectrographs, M. W. P. Strandberg and M. Peter—963(A)
Superconductivity at mm wave frequencies, Gilbert S. Blevins, Walter Gordy, and William M. Fairbank—1215(L)

Miscellaneous

A certain blindness in physicists, W. M. Pierce—979(A)

Mobility of Ions and Electrons (see **Ions and Electrons, Mobility**)

Molecular Aggregates

Electrical conduction in Plexiglas, Raymond J. Munick—1256(A)
Intermolecular force fields in high polymers composed of alternating dipole chains, Werner Brandt—969(A)
Perturbation calculation of volume exclusion effect, Ira Jacobs—1257(A)
Reduction of optical reflectivity of glass by positive ion bombardment, R. L. Hines—1267(A)
Soft x-ray absorption of Te and vitreous and metallic Se, M. Parker Givens, Charles J. Koester, and William L. Goffe—1112
Time dependence of mechanical breakdown phenomena, Bernard D. Coleman—1257(A)

Molecular Beams (see **Atomic and Molecular Beams**)

Molecular Structure and Spectra

Continuum of XeHg′ molecule, Carl Kenty—1231(A)
Electron impact studies with trimethylamine, Herman Branson and L. B. Garner, II—964(A)
Electron spin coupling in polyatomic molecules, R. S. Henderson—723
Excited states of oxygen from energy transfer and light absorption, David H. Volman—963(A)
Improved value of velocity of light derived from band spectrum method, D. H. Rank, H. E. Bennett, and J. M. Bennett—993
Intensity of vibronic bands in 3000–5000 A absorption system of ClO_2, J. K. Ward and C. M. Loyd—963(A)
Light absorption and photoionization in NO and N_2O, W. C. Walker and G. L. Weissler—1231(A)
Microwave spectra of free radicals OH and OD, G. C. Dousmanis, T. M. Sanders, Jr., and C. H. Townes—1735
Normal coordinate treatment for out-of-plane vibrations of ethylene type molecules, J. M. Dowling—1267(A)
Normal coordinate treatments and thermodynamic properties of $PFCl_2$ and $POFCl_2$, Edward A. Piotrowski and Joseph S. Ziomek—1267(A)
Perturbation calculation of volume exclusion effect, Ira Jacobs—1257(A)
Potential constants for $CHDClBr$, CH_2F_2, CD_2F_2, and $CHDF_2$ molecules, A. G. Meister, J. M. Dowling, A. N. Takata, and A. J. Bielecki—1267(A)
Pure quadrupole spectra of CH_2I and CF_2I vapors, Fred Sterzer and Yardley Beers—1174
Quadrupole spectrum of $BiCl_3$, Hugh G. Robinson—1731
Stark effect in rapidly varying fields, S. H. Autler and C. H. Townes—703
Theory of hfs of NO molecule. II. Errata and some additional discussion, Chun C. Lin and Masataka Mizushima—1726

Moments, Nuclear (see **Nuclear Moments and Spin**)

Moments of Molecules (see **Molecular Structure and Spectra**)

Neutrino (see also **Nuclear Spectra; Radioactivity**)
Spectrometry of neutrino recoils of A^{37}, Arthur H. Snell and Frances Pleasonton—1396
Neutron Diffraction (see **Diffraction; Scattering of Neutrons**)
Neutrons (see **Elementary Particle Interactions**)
Noise
Excess noise in plastically deformed Ge, James J. Brophy —1261(A)
Fluctuations on damped transmission line, C. W. McCombie—444
Hall effect noise, James J. Brophy and Norman Rostoker —754(L)
Quantum theory of fluctuations, Hans Ekstein and Norman Rostoker—1023
Nuclear Fission
β^- energy distribution from thermal fission of U^{235}, C. O. Muehlhause and S. Oleksa—1266(A)
Distribution of number of prompt neutrons from spontaneous fission of Pu^{240}, J. E. Hammel and J. F. Kephart—190
Electron capture decay of Am^{244} and spontaneous fission half-life of Pu^{244}, P. R. Fields, J. E. Gindler, A. L. Harkness, M. H. Studier, J. R. Huizenga, and A. M. Friedman—172
Energy dependence of ν for U^{235} in region 0.04–1.0 ev, J. R. Smith and E. H. Magleby—1266(A)
Energy spectrum of neutrons from spontaneous fission of Cf^{252}, Elis Hjalmar, Hilding Slätis, and Stanley G. Thompson—1542(L)
Fission product yields of U bombarded with deuterons of various energies (20–190 Mev), Harry G. Hicks, Peter C. Stevenson, Richard S. Gilbert, and William H. Hutchin—1284
Measurement of energy variation of neutron multiplication, ν, for U^{235}, U^{238}, and Cu^{239} in thermal region, H. Palevsky, R. L. Zimmerman, R. M. Eisberg, and D. J. Hughes—1266(A)
Neutron-induced fission cross sections of U^{234} and U^{236}, R. W. Lamphere and R. E. Greene—763
Radiochemical studies of high-energy fission process, Harry G. Hicks and Richard S. Gilbert—1286
Systematics of fission asymmetry, W. J. Swiatecki—936 (L)
Systematics of spontaneous fission half-lives, W. J. Swiatecki—937(L)
Nuclear Forces (see **Elementary Particle Interactions; Field Theory; Nuclear Structure Theory**)
Nuclear Induction (see **Magnetic Resonance; Nuclear Moments and Spin**)
Nuclear Isomers (see **Nuclear Spectra; Radioactivity**)
Nuclear Moments and Spin
Anomalous magnetic moment of nucleon, Kurt Haller and Marvin H. Friedman—1501
Electric quadrupole moment and corrections to magnetic moment of deuteron for velocity-dependent tensor forces, L. Estrada—956(A)
Empirical correlation of nuclear magnetic moments, R. K. Osborn and E. D. Klema—822
Nuclear moments in jj-coupling, S. Sengupta—939(L)
Nuclear moments of Gd from optical hfs, F. A. Jenkins and D. R. Speck—973(A)
Nuclear moments of Mo^{95}, Mo^{97}, Zr^{91}, I^{127}, Sb^{121}, and Sb^{123}, Kiyoshi Murakawa—1369
Nuclear spin and magnetic moment of 50-day In^{114m}, L. S. Goodman and S. Wexler—1245(A)
Nuclear spin and magnetic moment of 54-min In^{116m}, L. S. Goodman and S. Wexler—1796(A)
Pure quadrupole spectra of CH_3I and CF_3I vapors, Fred Sterzer and Yardley Beers—1174
Quadrupole broadening of nuclear magnetic resonance lines by reversible axial stress, R. G. Shulman, B. J. Wyluda, and H. J. Hrostowski—1792(A)
Quadrupole polarization of charge-clouds in ions, T. P. Das and R. Bersohn—1792(A)
Quadrupole spectrum of $BiCl_3$, Hugh G. Robinson—1731
Spatial extension of proton magnetic moment from hfs of hydrogen, W. M. Moellering, A. C. Zemach, A. Klein, and F. E. Low—441(L)
Thermodynamics of irreversible processes and Overhauser nuclear polarization effect, W. A. Barker and A. Mencher—1224(L)
Nuclear Photoeffects
$C^{12}(\gamma,n)$ curve near threshold, B. M. Spicer and A. S. Penfold—1375
Detailed study of $O^{16}(\gamma,n)O^{15}$ reaction, A. S. Penfold and B. M. Spicer—1377
Deuteron-model calculation of high-energy nuclear photoeffect, K. G. Dedrick—58
Electro- and photodisintegration cross sections of Cu^{65}, M. B. Scott, A. O. Hanson, and D. W. Kerst—209
(γ,p) reaction in A^{40}, B. M. Spicer—791
High-energy photoneutron-proton ejection from nuclei, Allen Odian, Bernard Feld, William Rankin, Peter Stein, Albert Wattenberg, and Roy Weinstein—1241(A)
High-energy photoproton emission at 175°, C. A. Tatro and T. R. Palfrey, Jr.—1265(A)
Inelastic scattering of photons from Au^{197}, L. Meyer-Schützmeister and V. L. Telegdi—961(A)
Isobar role in two-nucleon processes: Deuteron photoeffect—1522
$Mg(\gamma,n)$ cross section, Paul F. Yergin and Burton P. Fabricand—1249(A)
Nuclear scattering of low-energy photons, J. L. Burkhardt —192
Photodisintegration of C^{12} and O^{16}, F. I. Havliček and B. Dobovišek—1355
Photodisintegration of Li and He near 200 Mev, J. H. Smith and M. Q. Barton—1265(A)
Photoexcitation of isomeric state of In^{115}, J. L. Burkhardt, E. J. Winhold, and T. H. Dupree—199
Photoneutron angular distribution from carbon, B. P. Fabricand, B. Allison, and J. Halpern—1249(A)
Photoneutron effect in $Zr^{90}(\gamma,n)Zr^{89}$ and $Zr^{90}(\gamma,n)Zr^{89m}$, John D. Fox and Peter Axel—1249(A)
Photonuclear yields of N^{15}, Daryl Reagan—113
Photoproduction of neutral pions from protons at forward pion angles, W. S. McDonald, Vincent Peterson, and Dale R. Corson—1799(A)
Photoproduction of π-meson pairs in hydrogen, F. Zachariasen—1809(A)
Photoproduction of π^0 mesons in He, E. L. Goldwasser and L. J. Koester, Jr.—1255(A)
π^+ photomeson production from various nuclei at 135°, William Imhof, V. Perez-Mendez, and H. Easterday—1798(A)
π^+ photoproduction ratio of deuterium to hydrogen, K. M. Crowe, R. M. Friedman, and D. C. Hagerman—1799(A)
Pion-pair photoproduction, R. M. Friedman and K. M. Crowe—1799(A)
$Sr^{86,87,88}$, Y^{89}, Zr^{92} (γ,n) cross sections, Paul F. Yergin and Burton P. Fabricand—1269(A)
Yield of π^0 photomesons as function of atomic number, J. D. Anderson, R. W. Kenney, and C. A. McDonald—1798(A)
Nuclear Reactions, General (see also **Elementary Particle Interactions; Scattering**)
Agreement of classical and quantum Coulomb excitation integrals, John P. Lazarus and S. Sack—370

Angular distribution of γ rays in Coulomb excitation, G. Breit, M. E. Ebel, and F. D. Benedict—429(L); F. D. Benedict and G. Tice—1545(L)
Anomaly in nuclear energy level density measurements, G. Igo and H. E. Wegner—1796(A)
Collision matrix for (n,d) and (p,d) reactions, R. G. Thomas—25
Coulomb excitation directional correlation, M. Goldstein, J. L. McHale, R. M. Thaler, and L. C. Biedenharn—436(L)
Cross sections and complex potential, C. E. Porter—935(L)
Cross sections in deuterium at high energies, R. J. Glauber—242
Effects of finite amplitude in Coulomb excitation, G. Breit and J. P. Lazarus—942(L)
Electro- and photodisintegration cross sections of Cu^{63}, M. B. Scott, A. O. Hanson, and D. W. Kerst—209
Excitation function for reaction $Be^9(N^{14},\alpha n)F^{18}$, H. L. Reynolds and A. Zucker—226
Nucleon-nucleus interaction with polarization, Erich Vogt—957(A)
Phase-shift analysis of single-channel reactions, Harry Lustig and J. M. Blatt—777
Quantum calculation of Coulomb excitation, L. C. Biedenharn, J. L. McHale, and R. M. Thaler—376
Scattering by velocity-dependent potential, Ignacio Renero—956(A)
Scattering length and effective range for velocity-dependent tensor forces, A. Mondragón—956(A)
Soluble problem in theory of Coulomb excitation, L. C. Biedenharn and C. M. Class—1790(E)

Nuclear Reactions Induced by α Particles and He^3 (see also **Scattering of α Particles**)

Angular distribution of protons from $Be^9(He^3,p)B^{11}$ reaction, H. D. Holmgren, W. E. Kunz, and M. L. Bullock—1253(A)
Angular distributions of protons from $Be^9(He^3,p)B^{11}$, H. D. Holmgren, M. L. Bullock, and W. E. Kunz—436(L)
$Be^9(\alpha,\alpha')$, $Be^9(\alpha,d')$ reactions, V. K. Rasmussen, D. W. Miller, M. B. Sampson, and U. C. Gupta—851
$Be^9(d,d')$ and $Be^9(\alpha,\alpha')$ reactions, D. W. Miller, V. K. Rasmussen, M. B. Sampson, and U. C. Gupta—1253(A)
Coulomb excitation of Cu, Zn, As, Se, and Ru, G. M. Temmer and N. P. Heydenburg—961(A)
Coulomb excitation of energy levels in Br and Re, E. A. Wolicki, L. W. Fagg, and E. H. Geer—1265(A)
Coulomb excitation of In^{115}, I^{127}, Ta^{181}, Th^{232}, and U^{238}, Ajay S. Divatia, Robert H. Davis, R. D. Moffat, and D. A. Lind—1266(A)
Coulomb excitation of In^{115m} by α particles, R. R. McLeod—1265(A)
Coulomb excitation of rare-earth nuclei with α particles, N. P. Heydenburg and G. M. Temmer—150
Coulomb excitation of Te and Ag, L. W. Fagg, A. Wolicki, R. O. Bondelid, K. L. Dunning, and S. Snyder—1299
Differential cross sections for scattering of charged particles by Be, R. G. Summers-Gill—1795(A)
Electrostatic analysis of nuclear reaction energies, IV, Ren Chiba, R. A. Douglas, J. W. Broer, D. F. Herring, and E. A. Silverstein—1253(A)
Excitation functions for α-induced reactions on Pb, Walter John—1265(A)
γ rays from He^3 bombardment of deuterium, W. E. Kunz, J. W. Butler, and H. D. Holmgren—1252(A)
γ rays from reactions $Be^9(\alpha,n\gamma)C^{12}$, $C^{13}(d,p\gamma)C^{14}$, $N^{14}(d,p\gamma)N^{15}$, and $N^{14}(d,n\gamma)O^{15}$, R. D. Bent, T. W. Bonner, J. H. McCrary, and W. A. Ranken—771
Internal conversion electrons from electric excitation of Ta^{181}, Au^{197}, and Pt^{196}, E. M. Bernstein and H. W. Lewis—1345
$Li^7(\alpha,n)B^{10}$ reaction, A. B. Robbins—1549(A)
Protons from bombardment of several elements with 40-Mev α particles, R. M. Eisberg, G. Igo, and H. E. Wegner—961(A); 1309

Nuclear Reactions Induced by Deuterons and Tritons (see also **Scattering of Deuterons and Tritons**)

Absolute cross sections for deuterons on Be, Robert E. Heft and W. F. Libby—799
Analysis of $C^{13}+d$ reactions, M. T. McEllistrem—1253(A)
$Be^9(\alpha,\alpha')$, $Be^9(\alpha,d)$, and $Be^9(d,d')$ reactions, V. K. Rasmussen, D. W. Miller, M. B. Sampson, and U. C. Gupta—851
$Be^9(d,d')$ and $Be^9(\alpha,\alpha')$ reactions, D. W. Miller, V. K. Rasmussen, M. B. Sampson, and U. C. Gupta—1253(A)
$C^{14}+d$ reactions, R. A. Douglas, J. W. Broer, and Ren Chiba—1253(A)
Differential cross sections for scattering of charged particles by Be, R. G. Summers-Gill—1795(A)
(d,n) reactions in O^{18} and N^{14}, J. B. Marion, R. M. Brugger, and T. W. Bonner—46
(d,n) reactions on boron and carbon, J. B. Marion, T. W. Bonner, and C. F. Cook—847
(d,p) reactions from C^{12} and C^{13}, J. N. McGruer, E. K. Warburton, and R. S. Bender—235
Electrostatic analysis of nuclear reaction energies, IV, Ren Chiba, R. A. Douglas, J. W. Broer, D. F. Herring, and E. A. Silverstein—1253(A)
Energy levels of S^{28}, S^{35}, Cl^{36}, Cl^{38}, and Ba^{139}, C. H. Paris, W. W. Buechner, and P. M. Endt—1317
15-Mev γ radiation from $B^{11}+d$, C. A. Barnes and R. W. Kavanagh—1796(A)
γ rays from deuteron bombardment of Al^{27} and P^{31}, R. D. Bent, T. W. Bonner, J. H. McCrary, and W. A. Ranken—774
γ rays from reactions $Be^9(\alpha,n\gamma)C^{12}$, $C^{13}(d,p\gamma)C^{14}$, $N^{14}(d,\gamma)N^{15}$, and $N^{14}(d,n\gamma)O^{15}$, R. D. Bent, T. W. Bonner, J. H. McCrary, and W. A. Ranken—771
Isotopic spin-selection rule violation in $O^{16}(d,\alpha)N^{14}$, C. P. Browne—1253(A)
Lifetimes of first excited states of Al^{28} and B^{10}, J. C. Severiens and S. S. Hanna—1254(A)
Reactions $C^{12}(d,n)N^{13}$ ground state and $C^{12}(d,t)C^{11}$ up to E_d=20 Mev, D. H. Wilkinson—32
Search for states in Li^7 and Be^8, R. W. Gelinas and S. S. Hanna—1253(A)
Si^{28} energy levels, A. Rubin, F. Ajzenberg, and Hans Mark—961(A)
$T(d,n)He^4$ reaction, 1–5 Mev, C. H. Johnson and A. Galonsky—1252(A)

Nuclear Reactions Induced by Mesons and Hyperons (see also **Elementary Particle Interactions; Mesons and Hyperons; Scattering of Mesons and Hyperons**)

Analysis of capture stars of K^--mesons from Berkeley Bevatron, D. M. Haskin, D. B. Williams, E. Goodman, and Marcel Schein—1263(A)
Capture of K^--meson with emission of high-energy electron as only visible prong, D. B. Williams, D. M. Haskin, M. Koshiba, and Marcel Schein—1547(L)
Cross sections in deuterium at high energies, R. J. Glauber—242
Electrons from muon capture, J. Steinberger and Harry B. Wolfe—1490
High-energy pion-proton cross sections, Baxter H. Armstrong—1798(A)
Hyperfragments in light elements produced by Berkeley Bevatron, Daniel Leenov, D. M. Haskin, and Marcel Schein—1263(A)

Nuclear Reactions Induced by Mesons and Hyperons (Continued)

Inelastic cross sections from 5-Bev π^- Bevatron beam in Pb and Al, John Ise, Jr., Andre Lagarrigue, and Robert V. Pyle—1799(A)

Interactions of negative K-particles at rest, Warren W. Chupp, Gerson Goldhaber, Sulamith Goldhaber, and Francis H. Webb—959(A)

Negative K-particle interactions in nuclear emulsion. I, Charles E. Violet, F. C. Gilbert, and R. Stephen White—1803(A); II, F. C. Gilbert, Charles E. Violet, and R. Stephen White—1803(A); III, R. Stephen White, F. C. Gilbert, and Charles E. Violet—1803(A)

Nuclear capture of negative K mesons in emulsion, W. F. Fry, J. Schneps, G. A. Snow, and M. S. Swami—1448

Nuclear collisions of 5.7-Bev protons and 3.0-Bev π^- mesons, R. E. Cavanaugh, D. M. Haskin, and Marcel Schein—1263(A)

π^--p collisions at 1.0 Bev, W. D. Walker and W. D. Shephard—1264(A)

Production of heavy unstable particles in π^--p collisions at 1.0 Bev, W. D. Shephard and W. D. Walker—1264(A)

Production of hyperons and K-mesons in high-energy π^- beam of Berkeley Bevatron, Marcel Schein and D. M. Haskin—1263(A)

Production of unstable particles in 4.5-Bev π^--p collisions, George Maenchen, William B. Fowler, Wilson M. Powell, George Saphir, and Robert W. Wright—1802(A)

Reaction $\pi^-+d\rightarrow 2n+\pi^0$; parity of neutral meson, W. Chinowsky and J. Steinberger—1476

Total cross section of H for 150–750 Mev positive and negative pions, S. J. Lindenbaum and Luke C. L. Yuan—306

Nuclear Reactions Induced by Neutrons (see also **Elementary Particle Interactions; Scattering of Neutrons**)

Absorption cross section of Au for slow neutrons measured on single crystal spectrometer, F. T. Gould, T. I. Taylor, and W. W. Havens, Jr.—1248(A)

Collision matrix for (n,d) and (p,d) reactions, R. G. Thomas—25

Cross sections in deuterium at high energies, R. J. Glauber—242

Excitation curve for $Be^9(n,\alpha)He^6$, Abdul R. Sattar, Ira L. Morgan and Emmett L. Hudspeth—960(A)

14-Mev (n,α) cross-section measurement, H. G. Blosser, C. D. Goodman, T. H. Handley, and M. L. Randolph—429(L)

γ rays excited by inelastic scattering of neutrons in various elements, M. A. Rothman, H. S. Hans, and C. E. Mandeville—83

Inelastic and elastic scattering of 1.7-Mev neutrons, S. D. Bloom, G. N. Glasoe, C. O. Muehlhause, and H. E. Wegner—1248(A)

Inelastic scattering of neutrons from Fe by time of flight, L. Cranberg and J. S. Levin—434(L)

Low-energy neutron scattering and bound state problem, R. D. Lawson—957(A)

Measurement of $\bar{\Gamma}_n^0/D$ ratio by average cross sections, D. J. Hughes and V. E. Pilcher—1249(A)

Meson production in n-p collisions by Cosmotron-produced neutrons with energies up to 1.5 Bev, W. A. Wallenmeyer—1255(A)

Neutron-capture gamma-ray spectra of V, Co, Ti, Fe, Cr, Au, Mn, and I, Melvin Reier and Morris H. Shamos—1302

Neutron detection with BaF_2 scintillator, Norman A. Bostrom, Emmett L. Hudspeth, and Ira L. Morgan—973(A)

Neutron-induced fission cross sections of U^{234} and U^{238}, R. W. Lamphere and R. E. Greene—763

Neutron-induced reactions in F, Jerry B. Marion and Robert M. Brugger—69

Neutron resonance parameters and total cross sections in U^{238}, O. D. Simpson, R. G. Fluharty, F. B. Simpson, and R. M. Brugger—1249(A)

Neutron resonances in U^{233} and U^{235}, V. L. Sailor—1249(A)

Neutron total cross-section measurements between 13.0 and 16.2 Mev, M. Mazari, F. Alba, and V. Serment—972(A)

Neutron total cross section of $_{90}U^{235}$ in ev region, V. E. Pilcher, J. A. Harvey, and K. K. Seth—1248(A)

Neutron transmission measurements on Br and Se, J. M. LeBlanc, L. M. Bollinger, and R. E. Coté—1248(A)

Nonelastic cross sections at 14 Mev, M. H. MacGregor, William P. Ball, and Rex Booth—1793(A)

Nonelastic scattering cross sections for fast neutrons, H. L. Taylor, O. Lönsjö, and T. W. Bonner—174

Pickup reactions $F^{19}(n,d)O^{18}$, F. L. Ribe—1254(A)

Polarization in theory of giant-resonances of neutron scattering, A. M. Lane and L. Verlet—956(A)

Poles of S-matrix for cloudy crystal ball model, Juan Manuel Lozano—956(A)

Production of pairs in capture of slow neutrons by protons, A. T. Peaslee, Jr.—974(A)

Production of Y^{90m}, Ba^{137m}, and Hg^{199m} by inelastic neutron scattering, C. P. Swann and F. R. Metzger—1329

Radiation widths in slow-neutron resonances, H. H. Landon—1414

Slow-neutron resonances in Re, G. Igo—1338

Slow-neutron resonances of Mn, Bi, and Se, L. M. Bollinger, D. A. Dahlberg, R. R. Palmer, and G. E. Thomas—126

Theory of neutron reactions with nuclei at low energy, K. A. Brueckner, R. J. Eden, and N. C. Francis—891

Nuclear Reactions Induced by Protons (see also **Elementary Particle Interactions; Scattering of Protons**)

α spectrum from $Li^7(p,\gamma)Be^{8*}(\alpha)He^4$, E. C. Lavier, S. S. Hanna, and R. W. Gelinas—1552(A)

α-α angular correlations in $B^{11}(p,\alpha\alpha)He^4$, E. H. Geer, E. B. Nelson, and E. A. Wolicki—215

Angular distribution of γ rays in Coulomb excitation, G. Breit, M. E. Ebel, and F. D. Benedict—429(L); F. D. Benedict and G. Tice—1545(L)

Collision matrix for (n,d) and (p,d) reactions, R. G. Thomas—25

Coulomb excitation directional correlation, M. Goldstein, J. L. McHale, R. M. Thaler, and L. C. Biedenharn—436(L)

Coulomb excitation of energy levels in Br and Re, E. A. Wolicki, L. W. Fagg, and E. H. Geer—1265(A)

Coulomb excitation of In^{115}, I^{127}, Ta^{181}, Th^{232}, and U^{238}, Ajay S. Divatia, Robert H. Davis, R. D. Moffat, and D. A. Lind—1266(A)

Coulomb excitation of Re, In, and Hg by protons, Robert H. Davis, Ajay S. Divatia, R. D. Moffat, and D. A. Lind—1266(A)

Coulomb excitation of Sm, B. E. Simmons, K. F. Famularo, and G. D. Freier—1265(A)

Coulomb excitation of Te and Ag, L. W. Fagg, E. A. Wolicki, R. O. Bondelid, K. L. Dunning, and S. Snyder—1299

Cross sections in deuterium at high energies, R. J. Glauber—242

Differential cross sections for scattering of charged particles by Be, R. G. Summers-Gill—1795(A)

Electric excitation of certain rare-earth nuclei by protons, Hans Mark and George T. Paulissen—813

Excited states of O^{18} from proton bombardment of N^{15}, R. R. Carlson and S. Bashkin—1254(A)
5.3-Mev energy level in Mg^{25} following decay of Na^{25}, F. M. Tomnovec and C. S. Cook—1254(A)
F^{19} energy levels, H. A. Hill and J. M. Blair—961(A)
γ-ray and neutron yields from proton bombardment of boron, J. K. Bair, J. D. Kington, and H. B. Willard—21
Inelastic proton scattering from V. W. W. Buechner, C. M. Braams, and A. Sperduto—1387
Inelastic scattering of 19-Mev protons by O^{16}, W. F. Hornyak and R. Sherr—1409
Inelastic scattering of protons from F^{19}, B. J. Toppel, D. H. Wilkinson, and D. E. Alburger—1254(A)
Inelastic scattering of protons from Li^7, C^{12}, Mg^{24}, and Si^{28}, Homer E. Conzett—1794(A)
Internal conversion electrons from electric excitation of Ta^{181}, Au^{197}, and Pt^{195}, E. M. Bernstein and H. W. Lewis—1345
$K(p,p')$ and $K(p,\alpha)$ reactions, A. Sperduto and W. W. Buechner—961(A)
$Li(p,n)$ reaction near threshold, H. W. Newson—960(A)
$Li^7(p,p'\gamma)$ and $Li^7(p,\gamma)$ reactions, R. M. Williamson and K. W. Jones—960(A)
Magnetic analysis of $Be^9(p,p')Be^{9*}$ and $Be^9(p,pn)Be^8$ reactions, C. R. Gossett, G. C. Phillips, J. P. Schiffer, and P. M. Windham—203
Neutral pion production in p-p collisions, Robert K. Squire and Burton J. Moyer—1798(A)
Neutron yields from 32-Mev protons on thick targets, George P. Millburn, Burton J. Moyer, Yuin-Kwei Tai, and Selig N. Kaplan—1793(A)
Neutrons from proton bombardment of B^{11}, F. Ajzenberg, A. Rubin, G. D. Johnson, and M. Mazari—960(A)
Nuclear collisions of 5.7-Bev protons and 3.0-Bev π^- mesons, R. E. Cavanaugh, D. M. Haskin, and Marcel Schein—1263(A)
Nuclear reactions $Sc^{45}(p,n)Ti^{45}$, $Cu^{65}(p,n)Zn^{65}$, R. M. Brugger, T. W. Bonner, and J. B. Marion—84
(p,α) reactions in chlorine and potassium, E. Almqvist, R. L. Clarke, and E. B. Paul—1265(A)
(p,γ) cross sections, Bernard L. Cohen—206
(p,n) reactions at 12 Mev, H. G. Blosser and T. H. Handley—1340
p-p interactions at 3 Bev, R. Cester, T. F. Hoang, and A. Kernan—940(L)
p-p interactions at 5.3 Bev, Robert W. Wright, George Saphir, Wilson M. Powell, George Maenchen, and William B. Fowler—1802(A)
Proton-nucleus collisions at 6 Bev, U. Haber-Schaim—1263(A)
$T^3(p,n)He^3$, $Li^7(p,n)Be^7$, $Be^9(p,n)B^9$, and $F^{19}(p,n)N^{19}$ reactions, J. B. Marion, T. W. Bonner, and C. F. Cook—91
Total-absorption spectrometer measurements of γ rays emitted from targets bombarded with 6.2-Bev protons, Roger W. Wallace, Malvern H. L. Jester, and John M. Brabant—962(A)
$V^{51}(p,n)Cr^{51}$ reaction as 5- to 120-kev neutron source, J. H. Gibbons, R. L. Macklin, and H. W. Schmitt—167
Zn^{65} low-lying level structure, J. B. Marion and R. A. Chapman—1795(A)
Nuclear Scattering (see **Scattering**)
Nuclear Spectra (see also **Nuclear Reactions; Radioactivity**)
Am^{239} α-decay properties, Frank Asaro, F. S. Stephens, Jr., W. M. Gibson, R. A. Glass, and I. Perlman—1541(L)
Am^{242} isomers, radioactive decay, R. W. Hoff, H. Jaffe, T. O. Passell, F. S. Stephens, E. K. Hulet, and S. G. Thompson—1403
Am^{244} electron capture decay and spontaneous fission half-life of Pu^{244}, P. R. Fields, J. E. Gindler, A. L. Harkness, M. H. Studier, J. R. Huizenga, and A. M. Friedman—172
Angular correlation in β decay of neutron, J. M. Robson—933(L)
Angular distribution of γ rays in Coulomb excitation, G. Breit, M. E. Ebel, and F. D. Benedict—429(L); F. D. Benedict and G. Tice—1545(L)
Au^{199} conversion electrons, energy determination, D. R. Connors, W. C. Miller, and B. Waldman—1237(A)
Ba^{134} γ-γ angular correlation, Ernest D. Klema—66
C^{14}, N^{16*}, and O^{15} decay rates, R. Sherr, J. B. Gerhart, H. Horie, and W. F. Hornyak—945(L)
Ca^{47} decay, W. S. Lyon and T. H. Handley—1280
Ca^{49} decay, David W. Martin, S. Bradley Burson, and James M. Cork—1236(A)
Ce^{139} isomers, radioactivity, A. R. Brosi and B. H. Ketelle—169
$Cf^{250,252}$ complex α and γ spectra, Frank Asaro, Frank S. Stephens, Jr., B. G. Harvey, and I. Perlman—137
Coulomb excitation directional correlation, M. Goldstein, J. L. McHale, R. M. Thaler, and L. C. Biedenharn—436(L)
Coulomb excitation of Cu, Zn, As, Se, and Ru, G. M. Temmer and N. P. Heydenburg—961(A)
Coulomb excitation of energy levels in Br and Re, E. A. Wolicki, L. W. Fagg, and E. H. Geer—1265(A)
Coulomb excitation of In^{115}, I^{127}, Ta^{181}, Th^{232}, and U^{238}, Ajay S. Divatia, Robert H. Davis, R. D. Moffat, and D. A. Lind—1266(A)
Coulomb excitation of In^{115m} by α particles, R. R. McLeod—1265(A)
Coulomb excitation of rare-earth nuclei with α particles, N. P. Heydenburg and G. M. Temmer—150
Coulomb excitation of Re, In, and Hg by protons, Robert H. Davis, Ajay S. Divatia, R. D. Moffat, and D. A. Lind—1266(A)
Coulomb excitation of Sm, B. E. Simmons, K. F. Famularo, and G. D. Freier—1265(A)
Coulomb excitation of Te and Ag, L. W. Fagg, E. A. Wolicki, R. O. Bondelid, K. L. Dunning, and S. Snyder—1299
Cr^{49} decay, R. van Lieshout, D. H. Greenberg, L. A. Ch. Koerts, and C. S. Wu—223
Cr^{51} spectrum of internal bremsstrahlung, S. G. Cohen and S. Ofer—856
Cs^{134} γ-γ directional correlations, A. E. Everett and M. J. Glaubman—955(A)
Cs^{139} decay, R. B. Duffield, M. E. Bunker, J. P. Mize, and J. W. Starner—1236(A)
Directional and polarization-direction correlations in Pb^{208} γ-γ cascades, G. T. Wood and P. S. Jastram—1237(A)
Directional correlation with gaseous In^{111} sources, L. M. Noble and R. M. Steffen—955(A)
Double K capture and single K capture with positron emission, Rolf G. Winter—142
Effects of finite amplitude in Coulomb excitation, G. Breit and J. P. Lazarus—942(L)
Electric excitation of certain rare-earth nuclei by protons, Hans Mark and George T. Paulissen—813
Electric-monopole transitions in atomic nuclei, E. L. Church and J. Weneser—943(L); 1241(A)
Electric multipole moments in j-j coupling, R. D. Lawson—845
Electron capture decay of Am^{244} and spontaneous fission half-life of Pu^{244}, P. R. Fields, J. E. Grindler, A. L. Harkness, M. H. Studier, J. R. Huizenga, and A. M. Friedman—172

Nuclear Spectra (Continued)
Energy levels of S^{36}, S^{35}, Cl^{36}, Cl^{38}, and Ba^{139}, C. H. Paris, W. W. Buechner, and P. M. Endt—1317
5.3-Mev energy level in Mg^{24} following decay of Na^{24}, F. M. Tomnovec and C. S. Cook—1254(A)
15-Mev γ radiation from $B^{11}+d$, C. A. Barnes and R. W. Kavanagh—1796(A)
F^{19} energy levels, H. A. Hill and J. M. Blair—961(A)
γ energies in Tc^{97} following K capture in Ru^{97}, J. M. Cork, M. K. Brice, L. C. Schmid, and R. G. Helmer—955(A)
γ-ray induced isomers with half-lives between 10^{-9} and 10^{-1} sec, Stanley H. Vegors, Jr., and Peter Axel—1238(A)
Ge^{72} excited states, E. Brun, W. E. Meyerhof, and J. J. Kraushaar—1795(A)
I^{126} investigation, N. Benczer, B. Farrelly, L. Koerts, and C. S. Wu—955(A)
In^{107} decay, Wayne A. Cassatt, Jr., and W. Wayne Meinke—1372
In^{114} 72-sec and 49-day decay, Lee Grodzins and Henry Motz—1236(A)
Inner bremsstrahlung from A^{37}, Torsten Lindqvist and Chien-Shiung Wu—145
Intermediate coupling in odd-odd nuclei, R. Adkins and J. G. Brennan—1790(E)
Internal conversion coefficients of low excited states of F^{19}, W. R. Mills, Jr., H. H. Hilton, III, and C. A. Barnes—1794(A)
Internal conversion electrons from electric excitation of Ta^{181}, Au^{197}, and Pt^{196}, E. M. Bernstein and H. W. Lewis—1345
Ir^{189} decay, L. L. Baggerly, Marmier F. Boehm, and J. W. M. DuMond—1364
K-series fluorescence yields of A^{38}, Cu^{63}, and In^{113}, G. R. Harrison, R. C. Crawford, and J. I. Hopkins—841
Lifetimes of first excited states of Al^{28} and B^{10}, J. C. Severiens and S. S. Hanna—1254(A)
Lu^{175} nuclear levels, J. P. Mize, M. E. Bunker, and J. W. Starner—1390
Matrix element relations in β decay theory and nuclear forces, T. Ahrens—974(A)
Mn^{55} first excited state, E. M. Bernstein and H. W. Lewis—1367
Mo^{91} disintegration, Norwood Gove, Fred A. Smith, and R. A. Becker—1236(A)
Ne^{19} decay, J. R. Penning and F. H. Schmidt—954(A)
Ne^{24} decay, B. J. Dropesky and A. W. Schardt—954(A)
Neutron-capture gamma-ray spectra of V, Co, Ti, Fe, Cr, Au, Mn, and I, Melvin Reier and Morris H. Shamos—1302
New type of selection rules in β decay of strongly deformed nuclei, G. Alaga—432(L)
Np^{237} α decay, L. B. Magnusson, D. W. Engelkemeir, M. S. Freedman, F. T. Porter, and F. Wagner, Jr.—1237(A)
Np^{239} decay, new γ rays, Harlan W. Lefevre, Edwin M. Kinderman, and Harold H. Van Tuyl—1374
Nuclear compressibility and the 0^+ states of O^{16} and C^{12}, R. A. Ferrell and W. M. Visscher—1796(A)
Os^{186} electron capture decay and Re^{186} excited states, Charles H. Pruett and Roger G. Wilkinson—1237(A)
Pa^{231} 4.1×10^{-9} second metastable state, D. Strominger and J. O. Rasmussen—844
Photoexcitation of isomeric state of In^{115}, J. L. Burkhardt, E. J. Winhold, and T. H. Dupree—199
Possibility of interpreting β-decay spectra in terms of nuclear forces, M. M. Miller and T. Ahrens—974(A)
Precision energy measurements of γ rays following decay of Bi^{207}, Avivi I. Yavin and Fred H. Schmidt—171
Pt^{195} decay, E. P. Tomlinson and R. A. Naumann—955(A)
Pu^{239} energy levels populated by β decay of Np^{239}, J. M. Hollander, W. G. Smith, and J. W. Mihelich—1238(A)
Radiations from 1− states in even-even nuclei, F. S. Stephens, Jr., Frank Asaro, and I. Perlman—1543(L)
Rb^{86} disintegration scheme, M. L. Perlman and Joan P. Welker—81
Rb^{84} K-capture-positron ratios for first forbidden transitions and relative probability of L- to K-electron capture, Joan P. Welker and M. Perlman—74
Rh^{106} and Ag^{106} decays, D. E. Alburger and B. J. Toppel—1357
Ru^{97} decay, J. M. Cork, M. K. Brice, L. C. Schmid, and R. G. Helmer—188
Sargent diagram and comparative half-lives for allowed K-capture transitions of nuclides with $Z\leqslant60$, L. S. Cheng—979(A)
Sc^{42}, new radioactive isotope, H. Morinaga—431(L)
Sc^{44} radioactivity, J. W. Blue and E. Bleuler—1324
Sc^{47} decay scheme, R. T. Nichols and E. N. Jensen—1407
Sc^{50}, H. Morinaga and E. Bleuler—1236(A)
Si^{28} energy levels, A. Rubin, F. Ajzenberg, and Hans Mark—961(A)
Sn^{110} half-life, S. W. Mead, M. D. Petroff, and W. O. Doggett—1794(A)
Soluble problem in theory of Coulomb excitation, L. C. Biedenharn and C. M. Class—1791(E)
Spectrometry of neutrino recoils of A^{37}, Arthur H. Snell and Frances Pleasonton—1396
Sr^{89} γ-ray branching, W. S. Lyon and R. R. Rickard—112
Statistical theory of delayed-coincidence experiments, Z. Bay, V. P. Henri, and H. Kanner—1197
Te^{132} and Te^{133} angular correlation measurements, Norman Goldberg and Sherman Frankel—1350
Te^{127} and Te^{129} ground-state disintegration schemes, M. C. Day, Jr., G. W. Eakins, and A. F. Voigt—796
Te^{129} disintegration, William E. Graves and Allan C. G. Mitchell—1236(A)
Tl^{196}, Tl^{197}, and Tl^{198m} radiochemical study, J. D. Knight and E. W. Baker—1334
Tm^{169}, Lu^{175}, and Lu^{177} nuclear levels as derived from radioactive isotopes of Yb, J. M. Cork, M. K. Brice, D. W. Martin, L. C. Schmid, and R. G. Helmer—1237(A)
Tm^{169} rotational states, Sven A. E. Johansson—835
W^{181} and W^{185} decay, W. E. Kreger, L. D. McIsaac, J. L. Mackin, and J. R. Lai—955(A)

Nuclear Structure Theory (see also **Nuclear Reactions; Nuclear Spectra**)
Anomaly in nuclear energy level density measurements, G. Igo and H. E. Wegner—1796(A)
C^{14}, N^{14*}, and O^{15} decay rates, R. Sherr, J. B. Gerhart, H. Horie, and W. F. Hornyak—945(L)
Deuteron-model calculation of high-energy nuclear photoeffect, K. G. Dedrick—58
Effect on x-ray fine structure of deviations from Coulomb field near nucleus, A. L. Schawlow and C. H. Townes—1273
Electric-monopole transitions in atomic nuclei, E. L. Church and J. Weneser—943(L); 1241(A)
Electric quadrupole moment and corrections to magnetic moment of deuteron for velocity-dependent tensor forces, L. Estrada—956(A)
Empirical correlation of nuclear magnetic moments, R. K. Osborn and E. D. Klema—822
Hole-particle relations and j-j coupling, R. W. King—1240(A)
Independent-particle model of nucleus. II. Weak surface coupling, Kenneth W. Ford and Carl Levinson—1; III. Ca isotopes, Carl Levinson and Kenneth W. Ford—13
Intermediate coupling in odd-odd nuclei, R. Adkins and J. G. Brennan—1790(E)

Isotopic spin impurity in light nuclei, William M. MacDonald—51
Localized orbitals in nuclear structure, R. K. Nesbet—228
Low-energy neutron scattering and bound state problem, R. D. Lawson—957(A)
L-S interaction in nuclei, L. S. Kisslinger—1240(A)
Many-body problem for strongly interacting particles. II. Linked cluster expansion, K. A. Brueckner—36
Matrix element relations in β-decay theory and nuclear forces, T. Ahrens—974(A)
Model for potential between nucleon and nucleus, C. L. Critchfield and Robert Lowen—956(A)
New type of selection rules in β decay of strongly deformed nuclei, G. Alaga—432(L)
Nuclear compressibility and 0^+ states of O^{16} and C^{12}, R. A. Ferrell and W. M. Visscher—1796(A)
Nuclear Hartree-Fock calculations, M. Rotenberg—439(L)
Nuclear moments in *jj*-coupling, S. Sengupta—939(L)
Nuclear radius and nuclear forces, S. D. Drell—97
Nucleon distribution in Ca^{40}, J. Callaway and R. D. Woods—956(A)
Nucleon-nucleus interaction with polarization, Erich Vogt—957(A)
Polarization in theory of giant resonances of neutron scattering, A. M. Lane and L. Verlet—956(A)
Poles of *S*-matrix for cloudy crystal ball model, Juan Manuel Lozano—956(A)
Possibility of interpreting β decay spectra in terms of nuclear forces, M. M. Miller and T. Ahrens—974(A)
Self-consistent treatment of nuclear independent-particle model, G. E. Tauber and T. Y. Wu—1240(A)
Strength function of nuclear energy levels, H. H. Barschall and S. E. Darden—1242(A)
Three-body contributions to triton binding energy, Ely M. Gelbard—1530

Optical Instruments (see **Methods and Instruments**)
Optical Properties (see also **Luminescence**)
Absorption cross section for light in perfect solids, D. L. Dexter—964(A)
Absorption of vacuum uv radiation by thin plastic films, G. L. Weissler and L. Z. Maudlin—1800(A)
CdS with Ag activator, John Lambe—1586
Detection of vacancies created by x-rays in NaCl, H. W. Etzel—1643
Dichroism of *F* and *M* absorption bands in KCl, C. Z. van Doorn and Y. Haven—753(L)
Electrical and optical properties of intermetallic compounds. IV. Mg_2Sn, R. F. Blunt, H. P. R. Frederikse, and W. R. Hosler—663
Electroluminescence of GaP, G. A. Wolff, R. A. Herbert, and J. D. Broder—1144
Faraday effect in gases—experiment and theory, L. R. Ingersoll and D. H. Liebenberg—963(A)
Faraday effect in Ge at room temperature, Richard R. Rau and M. E. Caspari—632
Frequencies and relative intensities of R_1 and R_2 bands in KCl, Robert Herman, M. C. Wallis, and R. F. Wallis—1267(A)
Infrared properties of Se, R. S. Caldwell and H. Y. Fan—1251(A)
Interpretation of optical properties of metal surfaces, S. Roberts—1667
Irradiation effects in some organic compounds, T. H. Anderson, R. D. Jordan, and R. S. Alger—964(A)
Light absorption and photoionization in NO and N_2O, W. C. Walker and G. L. Weissler—1231(A)
Longitudinal photomagnetoelectric effect in Ge, Gerhart Groetzinger and Jack Aron—975(A); Jack Aron and Gerhart Groetzinger—1128
Quantum yields of CdS photovoltaic cell, R. E. Marburger, D. C. Reynolds, L. I. Antes, and R. S. Hogan—978(A)
Reduction of optical reflectivity of glass by positive-ion bombardment, R. L. Hines—1267(A)
Reflectivity of several crystals in far infrared region between 20 and 200 microns, Hiroshi Yoshinaga—753(L)
Soft x-ray absorption of Te and vitreous and metallic Se, M. Parker Givens, Charles J. Koester, and William L. Goffe—1112
Visible light from Si p-n junction, Roger Newman—700
Zeeman effects and magnetic properties of Nd salts, G. H. Dieke and L. Heroux—965(A)

Pair Production (see **Electrons and Positrons**)
Phosphors and Phosphorescence (see **Luminescence; Semiconductors**)
Photoconductivity (see **Electrical Conductivity and Resistance**)
Photodisintegration (see **Nuclear Photoeffects**)
Photoelasticity (see **Elasticity and Plasticity**)
Photoelectric Effect (see **Electrical Properties**)
Photography and Photographic Emulsions (see **Methods and Instruments; Optical Properties**)
Photometry (see **Methods and Instruments; Optical Properties**)
Photons (see **Radiation**)
Photovoltaic Effect (see **Electrical Properties; Semiconductors**)
Piezoelectric Effect (see **Dielectrics and Dielectric Properties**)
Plasticity (see **Elasticity and Plasticity**)
Polarization, Electrical (see **Dielectrics and Dielectric Properties**)
Polymers (see **Molecular Aggregates**)
Positrons (see **Electrons and Positrons**)
Probability (see **Mathematical Methods**)
Proceedings of the American Physical Society
Meeting Held at Mexico City, Mexico, August 29–31, 1955 [Bull. Am. Phys. Soc. **30**, No. 5 (1955)]—952
Fall Meeting of the New York State Section at Clarkson College of Technology, Potsdam, New York, October 7 and 8, 1955—977
Fall Meeting of the Ohio Section at Wright-Patterson Air Force Base, Ohio, October 14 and 15, 1955—977
Eighth Annual Gaseous Electronics Conference at Schenectady, New York, October 20–22, 1955—1227
Fall Meeting of the New England Section at Yale University, New Haven Connecticut, November 12, 1955—1548
Thanksgiving Meeting at the University of Chicago, Chicago, Illinois, November 25 and 26, 1955 [Bull. Am. Phys. Soc. **30**, No. 7 (1955)]—1235
Winter Meeting on the Pacific Coast at Los Angeles, California, December 28, 29, and 30, 1955 [Bull. Am. Phys. Soc. **30**, No. 8 (1955)]—1790
Protons (see **Elementary Particle Interactions**)

Quantum Electrodynamics (see also **Field Theory**)
"Contact interaction" in relativistic energy of two-electron atoms, Ta-You Wu and G. E. Tauber—1767
Contribution of electron to pair production in atomic hydrogen, F. Rohrlich and J. Joseph—1241(A)
Internal structure of spinning particles, David Finkelstein—924
Multiple photon production from electron pair annihilation, J. Joseph—1241(A)
Radiative corrections to decay processes, R. E. Behrends, R. J. Finkelstein, and A. Sirlin—1809(A)
Spatial extension of proton magnetic moment from hfs of hydrogen, W. M. Moellering, A. C. Zemach, A. Klein, and F. E. Low—441(L)

Quantum Mechanics
Agreement of classical and quantum Coulomb excitation integrals, John P. Lazarus and S. Sack—370
Hamiltonian form of integral-spin wave equations, K. M. Case—1513
Hartree-Fock wave functions for Mn^{+4}, W. W. Piper and J. S. Prener—1250(A)
Inadmissible auxiliary conditions in quantized linear systems, J. K. Percus—1208
Phase-shift analysis of single-channel reactions, Harry Lustig and J. M. Blatt—777
Positional correlation study for system of two electrons, J. S. Evans and R. H. Tredgold—1250(A)
Quantum theory from nonquantal principles, Alfred Landé—979(A)
Quantum theory of fluctuations, Hans Ekstein and Norman Rostoker—1023
Schrödinger-like equation for measurement process, Richard Scalettar—1808(A)
Stark effect in rapidly varying fields, S. H. Autler and C. H. Townes—703
Theory of multiple-quantum transitions, M. N. Hack—975(A)
Wave equations for arbitrary spin, C. Fronsdal—1810(A)
Wave functions and transition probabilities for light atoms, Huseyin Yilmaz—1148
Wave mechanical treatment of Fermi gas, Wilhelm Macke—992

Quenching of Radiation (see **Radiation**)

Radar (see **Methods and Instruments; Radiation**)

Radiation (see also **Gamma Rays; Range and Energy Loss; X-Rays**)
Application of light-scattering theory to measurement of density fluctuations in turbulent fluids, Howard A. Stine and Warren Winovich—968(A)
Bremsstrahlung differential cross-section measurements for 0.5- and 1.0-Mev electrons, J. W. Motz—1560
Bremsstrahlung spectrum from internal target of 22-Mev betatron, E. V. Weinstock and J. Halpern—1293
Čerenkov counter as high-energy photon spectrometer, I. Filosofo—1246(A)
Čerenkov counter for high-energy cosmic rays, D. C. Moore and R. J. Hanson—972(A)
γ-ray scattering by hydrogen, G. S. Janes, R. Gomez, G. E. Pugh, and D. H. Frisch—1245(A)
High-energy end of bremsstrahlung spectrum, Donald C. Hagerman and K. M. Crowe—869
Inner bremsstrahlung from A^{37}, Torsten Lindqvist and Chien-Shiung Wu—145
Monte Carlo calculation on Čerenkov counters, Taketora Yamagata and Megumu Yoshimine—1246(A)
Nuclear scattering of low-energy photons, J. L. Burkhardt—192
Polarization effects in electron-photon interactions, Cramer Schultz and Ross D. F. Thompson—1809(A)
Recombination radiation from Si, J. R. Haynes—1259(A)
Resonance irradiation of Hg vapor in nitrogen, J. A. Berberet and K. C. Clark—506
Scattering of 30- to 90-Mev γ rays by protons, C. L. Oxley and V. L. Telegdi—962(A)
Scattering of 30- to 95-Mev photons by protons, C. L. Oxley and V. L. Telegdi—435(L)
Tensor scattering matrix for electromagnetic field, David S. Saxon—1771
Thick-target bremsstrahlung spectra for 1.00-, 1.50-, and 2.00-Mev electrons, E. A. Edelsack and W. E. Kreger—973(A)
Z-dependence of bremsstrahlung in case of complete screening, K. L. Brown—1798(A)

Radio Waves (see **Radiation**)

Radioactivity (see also **Nuclear Spectra**)
Am^{239} α-decay properties, Frank Asaro, F. S. Stephens, Jr., W. M. Gibson, R. A. Glass, and I. Perlman—1541(L)
Am^{244} electron capture decay, and spontaneous fission half-life of Pu^{244}, P. R. Fields, J. E. Gindler, A. L. Harkness, M. H. Studier, J. R. Huizenga, and A. M. Friedman—172
Angular correlation in β decay of neutron, J. M. Robson—933(L)
$Cf^{250, 252}$ complex α and γ spectra, Frank Asaro, Frank S. Stephens, Jr., B. G. Harvey, and I. Perlman—137
Double K capture and single K capture with positron emission, Rolf G. Winter—142
Matrix element relations in β-decay theory and nuclear forces, T. Ahrens—974(A)
New type of selection rules in β decay of strongly deformed nuclei, G. Alaga—432(L)
Np^{239} decay, new γ rays, Harlan W. Lefevre, Edwin M. Kinderman, and Harold H. Van Tuyl—1374
Pa^{231} 4.1×10^{-4} second metastable state, D. Strominger and J. O. Rasmussen—844
Possibility of interpreting β-decay spectra in terms of nuclear forces, M. M. Miller and T. Ahrens—974(A)
Sn^{116} half-life, S. W. Mead, M. D. Petroff, and W. O. Doggett—1794(A)
Theory of atomic perturbation in α decay, H. M. Schwartz—135
Tritium half-life, W. M. Jones—124

Raman Spectra (see **Molecular Structure and Spectra**)

Range and Energy Loss of Particles (see also **Scattering**)
Apparent length of tracks in nuclear emulsion, T. A. Brody—972(A)
Electron loss cross section for fast He atoms, C. F. Barnett and P. M. Stier—1268(A)
Energy loss of protons in metals, R. E. Pixley, M. Bader, and Ward Whaling—1805(A)
High-velocity particle ranges in emulsion, Walter H. Barkas, Paul H. Barrett, Pierre Cuer, Harry H. Heckman, Frances M. Smith, and Harold K. Ticho—1797(A)
Mean free path for discrete electron energy losses in metallic foils, A. W. Blackstock, R. H. Ritchie, and R. D. Birkhoff—1078
New method for determining range of low-energy electrons in solids, J. E. Holliday and E. J. Sternglass—1238(A)
Photometric mass determinations in multiplate cloud chamber, David O. Caldwell and Yash Pal—1803(A)
Range-energy relation and masses of new particles, David O. Caldwell—291
Relative stopping power of some metallic elements for 20-Mev protons, V. C. Burkig and K. R. MacKenzie—1805(A)
Relative stopping power of various metals for 200-Mev protons, C. P. Sonett and K. R. MacKenzie—734
Transmission of positrons and electrons, H. H. Seliger—1029

Recombination (see **Molecular Structure and Spectra**)

Rectifiers (see **Electrical Conductivity and Resistance; Semiconductors**)

Relativity and Gravitation
Bending of light and falling rotators, F. J. Belinfante—1250(A)
Relativistic theory of discrete momentum space and discrete space-time, E. L. Hill—1780
Torus model of elementary particles in which stability may be achieved by gravitational forces resulting from concentrated electromagnetic field, Winston H. Bostick—1250(A)

Resistance, Electrical (see **Electrical Conductivity and Resistance**)
Resonance Radiation (see **Radiation**)

Scattering, General (see also **Diffraction; Elementary Particle Interactions; Nuclear Reactions; Range and Energy Loss of Particles**)
Analysis of nuclear emulsion tracks by scattering measurements, John S. Urban and John J. McClure—1797(A)
Mean-value calculations for spatial multiple scattering, Jean Snover Goldberg, Hartland S. Snyder, and William T. Scott—1013
Multiple isotropic scattering, Paul I. Richards—517
Nuclear scattering of low-energy photons, J. L. Burkhardt—192
Scattering by symmetric potential, R. J. Finkelstein and M. Moe—1775
Scattering by velocity-dependent potential, Ignacio Renero —956(A)
State vector normalization in formal scattering theory, Bryce S. DeWitt—905
Tensor scattering matrix for electromagnetic field, David S. Saxon—1771
Variational methods in scattering problems, Mildred M. Moe and David S. Saxon—1809(A)
Scattering of α Particles (see also **Nuclear Reactions Induced by α Particles and He⁴**)
Elastic scattering of 40-Mev α particles from light nuclei, G. Igo, H. E. Wegner, and R. M. Eisberg—1244(A)
Elastic scattering of 48-Mev α particles, Larry Schecter and R. E. Ellis—1805(A)
Scattering of α particles from He and 3-Mev state in Be^8, G. C. Phillips, J. L. Russell, and C. W. Reich—960(A)
Scattering of 22-Mev α particles by C^{12}, V. K. Rasmussen, D. W. Miller, and M. B. Sampson—181
Scattering of Atoms and Molecules (see **Atomic and Molecular Beams**)
Scattering of Deuterons and Tritons (see also **Nuclear Reactions Induced by Deuterons and Tritons**)
t-t elastic scattering from 1.6 to 2.0 Mev, Dale M. Holm and H. V. Argo—1244(A)
t-t interaction, R. M. Frank and J. F. Gammel—973(A)
Scattering of Electrons and Positrons (see also **Electrons and Positrons**)
Absolute cross sections for Coulomb scattering of 1.00-, 1.75-, and 2.50-Mev electrons, V. Spiegel, Jr., B. Waldman, and W. C. Miller—1244(A)
Collision cross section of N_2 molecules with slow electrons, L. Goldstein and J. M. Anderson—1229(A)
Coulomb scattering of electrons at very small angles, Michael J. Moravcsik—1009
Double scattering of electrons with magnetic interaction. II. Depolarization, H. Mendlowitz and K. M. Case—1751
Elastic scattering of electrons by Li^6 and Li^7, J. F. Streib —1797(A)
Formation of metastable A^+, Kr^+, and Xe^+ by electron impact, Homer D. Hagstrum—1231(A)
Inelastic electron scattering by carbon, D. G. Ravenhall —1797(A)
Interaction of rf electromagnetic waves in isothermal plasmas: Collision cross section of He atoms and ions for electrons, J. M. Anderson and L. Goldstein—1037
Low-energy scattering of electrons by atoms, J. Hammer, H. Malamud, and B. Bederson—1229(A)
Mean free path for discrete electron energy losses in metallic foils, A. W. Blackstock, R. H. Ritchie, and R. D. Birkhoff—1078
Microwave studies of slow electron collision processes in He plasmas, J. M. Anderson and L. Goldstein—1229(A)
Plural scattering of fast electrons, B. Waldman, V. Spiegel, Jr., and W. C. Miller—1244(A)
Theory of ionization probability near threshold, Sydney Geltman—1231(A)
Threshold law for multiple ionization, G. H. Wannier—1180
Transmission of positrons and electrons, H. H. Seliger —1029
Scattering of Mesons and Hyperons (see also **Mesons and Hyperons; Nuclear Reactions Induced by Mesons and Hyperons**)
Causality in pion-proton scattering, H. L. Anderson, W. C. Davidon, and U. E. Kruse—339
Diffusion chamber study of very slow mesons. III. Scattering of negative pions in hydrogen, M. C. Rinehart, K. C. Rogers, and L. M. Lederman—883
Dispersion relations for pion-nucleon scattering. I. Spin-flip amplitude, Reinhard Oehne—1503
Elastic scattering of positive and negative pions on Al, Aihud Pevsner, James Rainwater, Ross E. Williams, and Seymour J. Lindenbaum—1419
Energy dependence of phase shifts in pion-proton scattering, Jay Orear—288
Phase-shift optical model calculations for elastic scattering of pions on Al, Aihud Pevsner and James Rainwater—1431
Pion-nucleon scattering calculations in Tamm-Dancoff theory, M. H. Kalos and R. H. Dalitz—1515
Positive pion scattering by H at 260, 300, and 400 Mev, R. S. Margulies—1255(A)
Scattering of mesons by fixed scatterer, Freeman J. Dyson —344
Scattering of pions by H at 165 Mev, H. L. Anderson and M. Glicksman—268
Scattering of pions by nucleons in intermediate coupling, M. H. Friedman, T. D. Lee, and R. Christian—1494
Scattering of positive pions by H at 189 Mev, H. L. Anderson, W. C. Davidon, M. Glicksman, and U. E. Kruse—279
Scattering of 38-Mev positive pions in hydrogen, A. M. Sachs, H. Winick, and B. A. Wooten—1255(A)
Strong pion-pion interaction model applied to pion-nucleon scattering in 1-Bev region, Gyo Takeda—440(L)
Total cross section of H for 150- to 750-Mev positive and negative pions, S. J. Lindenbaum and Luke C. L. Yuan —306
Scattering of Neutrons (see also **Nuclear Reactions Induced by Neutrons**)
Angular distribution of *n-p* scattering at 17.9 Mev, A. Galonsky and J. P. Judish—121
Atomic distribution in liquid He by neutron diffraction, D. G. Hurst and D. G. Henshaw—994
γ rays excited by inelastic scattering of neutrons in various elements, M. A. Rothman, H. S. Hans, and C. E. Mandeville—83
Inelastic and elastic scattering of 1.7-Mev neutrons, S. D. Bloom, G. N. Glasoe, C. O. Muehlhause, and H. E. Wegner—1248(A)
Inelastic scattering of neutrons from Fe by time of flight, L. Cranberg and J. S. Levin—434(L)
Interatomic correlations in liquid He^4, Louis Goldstein— 981
Low-energy neutron scattering and bound state problem, R. D. Lawson—957(A)
Nonelastic cross sections at 14 Mev, M. H. MacGregor, William P. Ball, and Rex Booth—1793(A)
Nonelastic scattering cross sections for fast neutrons, H. L. Taylor, O. Lönsjö, and T. W. Bonner—174
Phase-shift analysis of nucleon-nucleon scattering at 150 Mev, Shoroku Ohnuma and David Feldman—1241(A)

Scattering of Neutrons (Continued)
Polarization in theory of giant resonances of neutron scattering, A. M. Lane and L. Verlet—956(A)
Polarization of 350-Mev neutrons elastically scattered from nuclei, Robert T. Siegel—437(L)
Production of Y^{88m}, Ba^{137m}, and Hg^{199m} by inelastic neutron scattering, C. P. Swann and F. R. Metzger—1329
Radiation widths in slow neutron resonances, H. H. Landon—1414
Scattering of neutrons by phonons in Al single crystal, B. N. Brockhouse and A. T. Stewart—756(L)
Slow neutron resonance scattering of U^{238}, H. L. Foote, Jr.—1248(A)
Slow neutron resonances in Re, G. Igo—1338
Slow neutron resonances of Mn, Bi, and Se, L. M. Bollinger, D. A. Dahlberg, R. R. Palmer, and G. E. Thomas —126
Small-angle scattering of neutrons by intermediate and heavy nuclei, S. E. Darden, R. B. Perkins, and R. B. Walton—1315
Scattering of Protons (see also **Nuclear Reactions Induced by Protons**)
Analysis of elastic scattering of 31.5-Mev protons, Michel A. Meklanoff, John Nodvik, and David S. Saxon—1805(A)
Elastic p-p scattering in Bev range, Bruce Cork and W. A. Wenzel—962(A)
Elastic scattering of protons at 9.9 Mev, Norton M. Hintz —1794(A)
Elastic scattering of protons from Na^{23}, N. P. Baumann, F. W. Prosser, Jr., and R. W. Krone—1244(A)
Inelastic proton scattering from vanadium, W. W. Buechner, C. M. Braams, and A. Sperduto—1387
Inelastic scattering of 19-Mev protons by O^{16}, W. F. Hornyak and R. Sherr—1409
Inelastic scattering of protons from F^{19}, B. J. Toppel, D. H. Wilkinson, and D. E. Alburger—1254(A)
Inelastic scattering of protons from Li^7, C^{12}, Mg^{24}, and Si^{28}, Homer E. Conzett—1794(A)
Phase-shift analysis of nucleon-nucleon scattering at 150 Mev, Shoroku Ohnuma and David Feldman—1241(A)
Polarization in p-α elastic scattering, Mary Jean Scott and Ralph E. Siegel—1244(A)
Polarization of protons elastically scattered from nuclei, R. M. Sternheimer—886
p-p polarization at 170 Mev, David Fischer and John Baldwin—1445
p-p scattering at 1 Bev, William Rarita—1241(A)
p-p scatterings at 19.6 Mev, J. W. Burkig, Glen E. Schrank, and J. Reginald Richardson—1805(A)
Small-angle p-p scattering at 20 Mev, Herbert N. Royden and Byron T. Wright—1805(A)
Scattering of Radiation (see **Gamma Rays; Radiation; X-Rays**)
Scintillation Counters (see **Methods and Instruments**)
Secondary Emission (see **Electrical Properties**)
Semiconductors
Amphoteric impurity in Ge, W. Crawford Dunlap, Jr.—1629
Broadening of impurity levels in Si, Melvin Lax and Elias Burstein—592
Carrier capture probabilities in Ni-doped Ge, J. F. Battey and R. M. Baum—1550(A); 1634
CdS photorectifier, Lawrence C. Greene—978(A)
Classical theory of cyclotron resonance for holes in Ge, J. M. Luttinger and B. R. Goodman—673
Compound formation between Li and B dissolved in single crystal Si, C. S. Fuller and H. Reiss—1806(A)
Conductivity, Hall effect, and magnetoresistance in n-type Ge, and their dependence on pressure, George B. Benedek, William Paul, and Harvey Brooks—1129
Cu in Ge; recombination center and trapping centers, B. J. Wyluda and R. G. Shulman—1258(A)
Cyclotron resonance in Ge-Si alloys, G. Dresselhaus, A. F. Kip, Han-Ying Ku, G. Wagoner, and Schuyler M. Christian—1218(L)
Deuteron irradiation of Ge at 90°K, D. Kleitman and T. A. Long—1261(A)
Electrical and optical properties of intermetallic compounds. IV. Mg_2Sn, R. F. Blunt, H. P. R. Frederikse, and W. R. Hosler—663
Electrical breakdown in InSb at low temperature, Ralph Bray—1262(A)
Electrical properties of Mg_2Sn at low temperatures, W. R. Hosler and H. P. R. Frederikse—1261(A)
Electrical properties of near-degenerate B-doped Si, R. O. Carlson—1075
Electrical properties of semiconductors Mg_2Si and Mg_2Ge, C. R. Whitsett and G. C. Danielson—1261(A)
Electrolytic etching at small-angle grain boundaries in Ge, S. G. Ellis—1140
Excess noise in plastically deformed Ge, James J. Brophy —1261(A)
Exchange effects in spin resonance of impurity atoms in Si, G. Feher, R. C. Fletcher, and E. A. Gere—1784(L)
Faraday effect in Ge at room temperature, Richard R. Rau and M. E. Caspari—632
Fast-neutron bombardment of GaSb, J. W. Cleland and J. H. Crawford, Jr.—1614
Field effect in Si, S. Penman and W. L. Brown—1259(A)
Hall effect and conductivity of InSb, H. J. Hrostowski, F. J. Morin, T. H. Geballe, and G. H. Wheatley—1672
Hall effect and magnetoresistance in n-type Ge, W. M. Bullis and W. E. Krag—1258(A)
Hall effect in gray Sn filaments, E. E. Kohnke and A. W. Ewald—1251(A)
Hall effect noise, James J. Brophy and Norman Rostoker —754(L)
Impurity band in semiconductors with small effective mass, Frank Stern and Robert M. Talley—1638
Infrared properties of Se, R. S. Caldwell and H. Y. Fan —1251(A)
Interaction of impurities and mobile carriers in semiconductors, Guy W. Lehman and Hubert M. James—1698
Ion pairing involving Li and Ge and Si, F. Morin, Howard Reiss, and C. S. Fuller—1807(A)
Ionization of H in Ge and Si, Howard Reiss—1806(A)
Ionized impurity scattering in semiconductors, Frank S. Ham—1251(A)
Lifetime of electrons in p-type Si, G. Bemski—523
Longitudinal photomagnetoelectric effect in Ge, Gerhart Groetzinger and Jack Aron—978(A); Jack Aron and Gerhart Groetzinger—1128
Magnetic susceptibility of Ge, D. K. Stevens, J. W. Cleland, J. H. Crawford, Jr., and H. C. Schweinler—1084
Magnetic susceptibility of impurity-trapped electrons and holes in semiconductors, E. Mooser—1589
Magnetoresistance and mobility of Ge-Si alloys, M. Glicksman—1258(A)
Magnetoresistance of Ge-Si alloys, Maurice Glicksman—1146
Measurement of bulk and surface recombination by photoconductance, H. M. Bath and M. Cutler—1259(A)
Mechanical properties of Si, Ge, and ZnO whiskers, C. L. Pearson, W. T. Read, Jr., and W. L. Feldman—1251(A)
Minority carrier extraction in Ge, Ralph Bray—1047

Neutron-irradiated Si, Thomas A. Longo and David Kleitman—1260(A)
Nuclear magnetic resonance in semiconductors. I. Exchange broadening in InSb and CaSb, R. G. Shulman, J. M. Mays, and D. W. McCall—692
Observation of quantum effects in cyclotron resonance, R. C. Fletcher, W. A. Yager, and F. R. Merritt—747(L)
Plasma resonance in crystals: Observations and theory, G. Dresselhaus, A. F. Kip, and C. Kittel—618
Plasma resonance in semiconductor crystals, G. Dresselhaus, A. F. Kip, and C. Kittel—1262(A)
Polarization of impurities in Ge, F. D'Altroy and H. Y. Fan—1260(A)
Precipitation of Cu in Ge, R. A. Logan—615
Precipitation of Cu in plastically deformed Ge, A. G. Tweet—1260(A)
Quantum yield of CdS photovoltaic cell, R. E. Marburger, D. C. Reynolds, L. L. Antes, and R. S. Hogan—978(A)
Preparation and electrical properties of Bi_2Te_3, T. C. Harman, S. E. Miller, and H. L. Goering—1262(A)
Pressure dependence of resistivity, Hall coefficient, and energy gap for InAs, Julius H. Taylor—1593
Properties of Ge doped with Mn, H. H. Woodbury and W. W. Tyler—659
Properties of Zn-doped Ge, H. H. Woodbury and W. W. Tyler—1259(A)
Pulse characteristics of CdSe crystals, T. Fields, E. J. Schillinger, and J. Kenski—964(A)
Recombination of radiation from Si, J. R. Haynes—1259(A)
Recombination processes in Te, David Redfield—1094
Reduction of charge carrier concentration in InSb at 4.2°K by strong magnetic field, R. W. Keyes and R. J. Sladek—1262(A)
Reflectivity of several crystals in far infrared region between 20 and 200 microns, Hiroshi Yoshinaga—753(L)
Scattering of carriers from doubly charged impurity sites in Ge, W. W. Tyler and H. H. Woodbury—1259(A)
Spin-orbit coupling effects in zinc blende structures, G. Dresselhaus—580
Statistics and galvanomagnetic effects in Ce and Si with warped energy surfaces, Benjamin Lax and J. G. Mavroides—1650
Surface potential and surface charge distribution from semiconductor field effect measurements, W. L. Brown—590
Surface states on Si, H. Statz, G. A. deMars, L. Davis, Jr., and A. Adams, Jr.—1260(A)
Surface trapping in Ge, H. A. Gebbie and K. Blodgett III—970(A)
Temperature dependence of elastoresistance in *n*-type Ge, Robert W. Keyes—1104
Thermal acceptors in vacuum heat-treated Ge, Robert L. Hopkins and Edward N. Clarke—1786(L)
Thermal defects in Si, C. J. Gallagher—1259(A)
Thermoelectric power in semiconductor showing high-temperature degeneracy, V. A. Johnson—1251(A)
Thresholds for electron-bombardment-induced lattice displacements in Si and Ge, Paul Rappaport and Joseph J. Loferski—1261(A)
Transverse field effects in PbS, D. E. Martz and R. S. Witte—1808(A)
Trapping of minority carriers in Si. II. *n*-type Si, J. R. Haynes and J. A. Hornbeck—606
Valence bond calculations of acceptor energies in Si and Ge, R. G. Shulman—1260(A)
Visible light from Si *p-n* junction, Roger Newman—700

Shock Waves (see **Fluid Dynamics**)
Solid State (see **Crystalline State**)
Solutions (see **Liquids**)
Sound (see **Acoustics**)
Spallation (see **Nuclear Reactions**)
Spark Discharge (see **Electrical Discharges**)
Specific Heat (see **Thermal Properties**)
Spectra, Atomic (see **Atomic Structure and Spectra**)
Spectra, General
Flame zone spectroscopy of solid propellants. II, R. Rekers and D. S. Villars—963(A)
Stark fields from ions in plasma, A. A. Broyles—1181
Spectra, Molecular (see **Molecular Structure and Spectra**)
Spectra, Nuclear (see **Nuclear Spectra**)
Spectroscopy Technique (see **Methods and Instruments**)
Spinor Fields (see **Field Theory**)
Standards (see **Constants, Standards, Units**)
Stark Effect (see **Atomic Structure and Spectra**)
Statistical Mechanics and Thermodynamics
Connection between superfluidity and superconductivity, M. R. Schafroth—502
Critical phenomena in triethylamine-water system, F. Kohler and O. K. Rice—965(A)
Derivation from Boltzmann's equation of similarity laws for ionized gases, T. E. VanZandt—1235(A)
Electron correlation, Joseph E. Mayer—1579
Fluctuations on damped transmission line, C. W. McCombie—444
Inclusion of Coulomb interactions in Boltzmann equations, H. Dreicer and W. P. Allis—1234(A)
Magnetic second-order transitions, K. J. Tauer and R. J. Weiss—1223(L)
Nonequilibrium nature of superfluid state, S. T. Butler and J. M. Blatt—495
Quantum-statistical derivation of transport equation for mixtures of dilute gases with molecules of arbitrary spins, A. W. Saenz—975(A)
Second virial coefficients of He^3-He^4 mixtures between 2 and 4°K, William E. Keller—1021
Significance of nuclear spin echo experiments for foundation of statistical mechanics, Jerome Rothstein—1791(A)
Statistical mechanics of cathode sputtering, Don E. Harrison, Jr.—1234(A)
Statistical mechanics of mixtures of isotopes, G. V. Chester—446
Statistical mechanics of rotating buckets, J. M. Blatt, S. T. Butler, and M. R. Schafroth—481
Superconductivity of charged ideal Bose gas, M. R. Schafroth—463
Superfluidity of ideal Bose-Einstein gas, J. M. Blatt and S. T. Butler—476
Thermodynamics of irreversible processes and Overhauser nuclear polarization effect, W. A. Barker and A. Mencher—1224(L)
Statistical Methods (see **Mathematical Methods**)
Superconductivity
Angular correlation of annihilation radiation in superconducting Pb, R. Stump—1256(A)
Connection between superfluidity and superconductivity, M. R. Schafroth—502
Effect of pressure on superconducting transition temperature of Tl, J. Hatton—1784(L)
Phenomenological equations for superconductors, M. R. Schafroth and J. M. Blatt—1221(L)
Properties of In and Tl at low temperatures, C. A. Swenson—1607
Relative absorption of 10 Mc/sec longitudinal sound waves in superconducting polycrystalline Sn rod, L. Mackinnon—655
Search for Hall effect in superconductor. II. Theory, H. W. Lewis—641

Superconductivity (Continued)
Superconductivity at mm wave frequencies, Gilbert S. Blevins, Walter Gordy, and William M. Fairbank—1215(L)
Superconductivity of charged ideal Bose gas, M. R. Schafroth—463
Superconductivity of Zr alloys, B. T. Matthias and E. Corenzwit—626
Thermal conductivity of In-Tl alloys in normal and superconducting states, Norman E. Phillips—1719
Thermal conductivity of superconducting Pb below 1°K, B. R. Felix, L. Passell, and H. B. Silsbee—1808(A)
Ultrasonic attenuation in superconducting and normal-conducting Sn at low temperature, H. E. Bömmel—758(L)
Supersonics (see **Fluid Dynamics**)

Thermal Conductivity (see **Thermal Properties**)
Thermal Diffusion (see **Diffusion**)
Thermal Expansion (see **Thermal Properties**)
Thermal Properties
Magnetic and thermal properties of UI_3 at liquid He temperatures, L. D. Roberts and R. B. Murray—650
Properties of In and Tl at low temperatures, C. A. Swenson—1607
Stored energy release in graphite irradiated at low temperatures, S. B. Austerman—1807(A)
Temperature anomalies in properties of liquid water, W. Drost-Hansen and H. W. Neill—1800(A)
Thermal conductivities of gases and gaseous mixtures, J. M. Davidson—966(A)
Thermal conductivity of Al at low temperatures, L. Passell, B. R. Felix, and H. B. Silsbee—1808(A)
Thermal conductivity of In-Tl alloys in normal and superconducting states, Norman E. Phillips—1719
Thermal conductivity of neutron-damaged graphite, Ned S. Rasor and John E. Hove—1806(A)
Thermal conductivity of superconducting Pb below 1°K, B. R. Felix, L. Passell, and H. B. Silsbee—1808(A)
Thermal diffusivity of U from room temperature to 1000°C, P. H. Sidles—1256(A)
Variation with temperature of thermal conductivity of seven alkali halides, Kathryn A. McCarthy and Stanley S. Ballard—969(A)

Thermal Radiation (see **Radiation**)
Thermionic Emission (see **Electrical Properties**)
Thermodynamics (see **Statistical Mechanics and Thermodynamics**)
Thermoelectric Effect (see **Electrical Properties; Semiconductors**)
Thermoluminescence (see **Luminescence**)
Thermomagnetic Effect (see **Magnetic Properties**)
Total Cross Sections (see **Electrons and Positrons; Nuclear Reactions**)
Transmutation (see **Nuclear Reactions**)

Uncertainty Principle (see **Quantum Mechanics**)
Units (see **Constants, Standards, Units**)

Vacuum Tubes (see **Methods and Instruments**)
Van der Waals Forces (see **Molecular Structure and Spectra**)
Viscosity (see **Liquids**)

Wave Mechanics (see **Quantum Mechanics**)
Work Function (see **Electrical Properties**)

X-Rays
Auger effect in Fe, Ni, Cu, and Zn, Charles E. Roos—1267(A)
Effect on x-ray fine structure of deviations from a Coulomb field near nucleus, A. L. Schawlow and C. H. Townes—1273
K-series fluorescence yields of A^{38}, Cu^{65}, and In^{115}, G. R. Harrison, R. C. Crawford, and J. I. Hopkins—841
M_{IV} and M_V absorption lines and edges of $_{64}$Gd, $_{66}$Dy, and $_{70}$Yb, Hassan F. Zandy—1549(A)
Mesonic x-rays from capture of cosmic-ray μ mesons in chemical compound, A. Fafarman and M. H. Shamos—874
Soft x-ray absorption of Te and vitreous and metallic Se, M. Parker Givens, Charles J. Koester, and William L. Goffe—1112
Soft x-ray emission spectrum of Ge, D. E. Bedo and D. H. Tomboulian—1257(A)
Tc *K* x-ray spectrum, George L. Rogosa and William F. Peed—1763
X-ray lattice constant of BaO, Robert J. Zollweg—671